



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

Harmful if swallowed.

Do not inhale powder. Wear dust respirator. This product can be absorbed through the skin, so it should be handled with gloves. Keep away from humans, domestic animals and pets. If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of Vitamin K, combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin. Call a physician immediately.

Do not contaminate feed or foodstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Keep out of lakes, streams, or ponds.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use restrictions. Use against the Norway rat, roof rat and house mouse inside of homes, industrial and agricultural buildings and similar man-made structures. Tracking powder must be placed in tamper proof bait boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place powder in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not place near ventilation duct openings.

Selection of treatment areas. Determine dry areas where rats and mice will most likely pick up the powder on their feet or fur and ingest it during grooming. Generally these areas are along walls, by gnawed openings and burrows in corners and concealed places, in spaces between floors and walls or in locations where rodents or their signs have been observed. Remove goods piled directly on the floor and place on skids. Use boxes or other obstacles to force rodents to travel through constructed areas. Give special attention to the climbing ability of roof rats. For this species use suitable cardboard tubes or wooden funnels, securely attached to rafters or other horizontal surfaces where rats will pass. Employ tubes long enough to minimize spillage of powder through the ends.

Applications directions. Evenly sprinkle 1/2 ounce (13 level teaspoons) of tracking powder in 6 by 12 inch patches. Maintain powder in treated areas for at least 20 days and dispose of dead animals as used powder properly.

Repeat treatment when infestation returns. Where a continuous infestation is present, establish permanent tracking powder stations and replenish the powder as needed.

RESTRICTED USE PESTICIDE

For retail sale to and use by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

ROZOL.

BLUE

TRACKING POWDER

FOR MICE AND RATS

FOR INDOOR USE ONLY

Active ingredient	0.2%
2 [p-chlorophenyl]phenylacetyl	99.8%
Inert ingredient	100.0%

*Chlorophenylphenylacetyl - Patented in the U.S.A.

WARNING

KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANELS FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

CHEMPAR CHEMICAL CO., INC.

**250 MADISON AVENUE
NEW YORK, N.Y. 10016**

EPA REG NO 7173-172
EPA EST NO 36302-NY-01

Contents 1 lbs



STORAGE AND DISPOSAL

PROHIBITIONS

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

OPEN DUMPING IS PROHIBITED.

DO NOT REUSE EMPTY CONTAINER.

PESTICIDE DISPOSAL

PESTICIDE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.