

MAR 26 1991

5389019

Lipha Tech
3600 West Elm Street
Milwaukee, WI 53209

Gentlemen:

Subject: Rozol Blue Tracking Powder
EPA Registration No. 7173-172
Your Letter Dated December 19, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the revised labeling:
 - Under "Direction For Use" in the "Selection of Treatment Areas" the 3rd sentence, correct the spelling of "poled" to "piled."
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

M. Mautz
 Marilyn A. Mautz
 Acting Product Manager (16)
 Insecticide-Rodenticide Branch
 Registration Division (H7505C)

Enclosure
64961: I:Cromwell:L16-9:KEVRIC:03/14/91:04/12/91:DD:WO:DD:CL

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

RESTRICTED USE PESTICIDE

For retail sale to and use by Certified Applicators or persons under their direct supervision and only those uses covered by the Certified Applicator's Certificate.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS WARNING

Do not expose pregnant humans or nontarget animals to this product. May be fatal if swallowed. Wash thoroughly with soap and water after handling and before eating or smoking. This product can be absorbed through the skin. Wear a mask and gloves when applying or handling this product. Keep away from humans, domestic animals or pets.

NOTE TO PHYSICIAN - If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD

This product is toxic to wildlife. Keep out of lakes, streams, or ponds.



BLUE TRACKING POWDER FOR MICE AND RATS

FOR INDOOR USE ONLY

Active Ingredient:	
2-[(p-chlorophenyl) phenylacetyl]	0.2%
1,3 indandione*	99.8%
Inert Ingredients	
Total	100.000%

*Chlorophacinone-Liphadione

KEEP OUT OF REACH OF CHILDREN WARNING

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. Drink 1 or 2 glasses of water and induce vomiting by touching the back of throat with finger. **DO NOT** induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: REMOVE VICTIM TO FRESH AIR.

Manufactured by:

LiphaTech, Inc.

3101 W. Custer Avenue

Milwaukee, WI 53209 U.S.A.

EPA Reg. No. 7173-172

EPA Est. No. 7173-WI-01

NET CONTENTS: 40 LBS. (18.144 Kg.)

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS - For control of Norway rats, roof rats, and house mice inside of homes, industrial and agricultural buildings, and similar manmade structures. ROZOL Tracking Powder may also be dusted into rat burrows that are located along the periphery of buildings and that are likely to serve as routes of entry into these structures. Tracking powder must be placed in location not accessible to children, pets, domestic animals, or wildlife. Do not place powder in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not place near ventilation duct openings.

SELECTION OF TREATMENT AREAS -

Determine dry areas where rats/mice will most likely pick up the powder on their feet or fur and ingest it during grooming. Generally, these areas are along walls, by gnawed openings and burrows, in corners and concealed places, in spaces between floors and walls, or in locations where rodents or their signs have been observed. Remove goods piled directly on the floor and place on skids. Use boxes or other obstacles to force rodents to travel through constricted areas. Give special attention to the climbing ability of Roof rats. For this species, use suitable cardboard tubes or wooden tunnels securely attached to rafters or other horizontal surfaces where rats will pass. Employ tubes long enough to minimize spillage or powder through the ends.

APPLICATION DIRECTIONS

For House mice use at the rate of 1 oz. powder per 2.5 sq. ft. of runway area. For Norway and Roof rats use at the rate of 2 oz. powder 2.5 sq. ft. of runway area. Apply the powder into the rodent burrow or holes or within walls with a hand bulb or similar duster. Do not use power dusting devices. Sprinkle the powder in patches in such a manner as to expose the rodents to it. Patch size may be (but not limited to) 6" x 12" and should be adapted to each situation. For burrows that are located along the periphery of buildings and that are likely to serve as routes of entry into these structures, place about 5 grams of tracking powder in each burrow with foot-pump duster (about 15 pumps). Close burrows with soil, loose leaves or paper. Retreat if burrows are reopened.

Maintain powder in treated areas for at least 20 days. Collect and dispose of all dead animals and used powder properly.

Repeat treatment when infestation recurs. Where a continuous source of infestation is present, establish permanent tracking powder stations and replenish the powder as needed.

REGISTERED
EPA LETTER BRAND

MAR 26 1997

7173-172

2/2