

maki

RAT AND MOUSE BAIT PACKS (PELLETS)



FOR INDOOR AND OUTDOOR RODENT CONTROL

KILLS WARFARIN RESISTANT NORWAY RATS AND MICE

NORWAY RATS AND HOUSE MICE MAY CONSUME A
LETHAL DOSE IN ONE FEEDING WITH FIRST DEAD
RODENTS APPEARING FOUR OR FIVE DAYS AFTER
TREATMENT BEGINS.

Active ingredient:	
3-[3-(4'-Bromophenyl)-1-phenyl]-4-ydroxy-1-phenylpropyl-1-hydroxy-2H-1-benzopyran-2-one	0.005%
Inert ingredients	99.995%
	100.000%

[®]Chlorodulpho-Superacid Patented in the U.S.A.

KEEP OUT OF REACH OF CHILDREN CAUTION

May be Harmful or Fatal if Swallowed.
Read Additional Precautionary Statements
On Back Panel

LIPHA CHEMICALS, INC.
CHEMPAR PRODUCTS DIVISION
860 MADISON AVENUE
NEW YORK, NY 10017

EPA REG NO. 7173-1P
EPA EST. NO. 7173-NY-01

NET WEIGHT 1½ OZ. (43GM)

PRECAUTIONARY STATEMENT: HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

CAUTION: Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of the blood and cause bleeding. Do not get in the eyes, on skin, or on clothing. Wash hands after applying and before eating and smoking. If SWALLOWED CALL A PHYSICIAN AT ONCE.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in benzocaine-aminocoumarin derivatives. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Open burning and dumping is prohibited. **PESTICIDE DISPOSAL:** Bait that cannot be used according to label instructions must be disposed of according to applicable Federal, State and local procedures.

CONTAINER DISPOSAL: Dispose of container in a sanitary landfill or by incineration if allowed by State and local authorities.

DIRECTIONS FOR USE - GENERAL CLASSIFICATION: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **USE RESTRICTIONS:** For control of Norway rats, Roof rats and House mice in and around homes, industrial and public buildings located in urban areas. Maki may also be used in areas located in urban areas. Treated baits must be placed in tamper-proof bait boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contamination of food or surfaces that come in direct contact with food. Do not use in sewers. **SELECTION OF TREATMENT AREAS:** Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

APPLICATION DIRECTIONS: RATS - Place at least 3 to 10 packs of bait (usually at intervals of 15 to 20 feet) per placement. Maintain uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease. **MICE -** Open the pack and place tablespoon amounts (1 to 2 oz.) of bait at intervals of 8 to 12 feet per placement. One pack may be placed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease. Replace contaminated or spoiled bait immediately. Collect and dispose of unconsumed bait and exposed dead animals according to "Disposal" paragraph. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

ACCEPTED

SEP 10 1982

This is a Restricted Use Pesticide.
When used under the FIFRA Act,
it is subject to the pesticide
regulations under
EPA Reg. No. 7173-1P

7173-1P