7173-188 2/18/2004 Page 187

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

February 18, 2004

Liphatech. Inc. 3600 W. Elm Street Milwaukee, WI 53209

300

74 2471

Attention: Mr. Thomas J. Schmit

Subject: Maki Rat and Mouse Bait Packs (Pellets)

EPA Reg. No. 7173-188

Your amended application of July 25, 2003 (Withdrawn)

Your letter of September 9, 2003

Purpose

The purpose of this submission is to revise your labels in accordance

with PR Notices 93-3, 93-8, 97-5, 2001-1, and 2001-6.

Label

The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided you submit one (1) copy of final printed labeling to us, with the following changes, before you ship your product.

- 1. Under "CAUTION", delete "or fatal".
- 2. Under "Urban Areas" in the 2nd Sentence, delete "and around".

Existing stocks

Stocks of existing labels may be used for eighteen (18) months.

Consequence for non-compliance

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Page 2 of 4

Formatting

The Agency believes that the readability of the text could be improved if you changed the formatting of the label in certain areas:

- 1. In your "FIRST AID" and "NOTE TO PHYSICIAN" sections, consider clarifying the distinctions between headings, subheadings, and text, as shown by Enclosures 1 and 2.
- 2. Under "STORAGE AND DISPOSAL", consider bolding and/or capitalizing "Storage", "Pesticide Disposal:", and "Container Disposal:" to clarify these subheadings and the accompanying texts, as LiphaTech had proposed on its last two, stamped, accepted labeling for this products on February 18, 1993 and April 30, 2003.

Questions

If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or <u>peacock,dan@epa.gov</u> (by E-Mail).

Sincerely yours,

DAN

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C)

Enclosures

- 1. Current Format and Text for "FIRST AID" and "NOTE TO PHYSICIAN"
- 2. Suggested Format and Text for "FIRST AID" and "NOTE TO PHYSICIAN"
- 3. Stamped labels for EPA Reg. No. 7173-188
- 4. Minimum Type Size Requirements for Final Printed Labels

Letter

Dan Peacock, Disk135,A:\Bromadiolone\7173-188, revised label, .wpd

Page 3 of 4

Enclosure 1. Current Format and Text for "FIRST AID" and "NOTE TO PHYSICIAN"

FIRST AID: Have label with you when obtaining treatment advice

If swallowed: Call a poison control center or doctor immediately for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor immediately for treatment advice.

Note to Physician: If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

Page 4 of 4

Enclosure 2. Suggested Format and Text for "FIRST AID" and "NOTE TO PHYSICIAN"

FIRST AID Have label with you when obtaining treatment advice.		
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. 	
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center, or doctor immediately for treatment advice. 	
If inhaled	 Move person to fresh air. If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor immediately for treatment advice. 	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. 	
NOTE TO PHYSICIAN Bromadiolone may reduce the clotting time of the blood and cause		

Bromadiolone may reduce the clotting time of the blood and cause bleeding. If ingested, administer Vitamin K_1 intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals

CAUTION: Keep away from humans, domestic animals and pets. May be harmful or latal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID: Have this label with you when obtaining treatment

If swallowed: Call a poison control center or doctor immediately

If swallowed: Call a poison control center or doctor immediately for treatment advice.

If in eyes, Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, it present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Risse skin with planty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

to induce the discussion of treatment advice, it is in the left that it is a left th

doctor for treatment advice.

Note to Physician: If ingested, administer Vitamin K. intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Storage: Store in original container in a cool, dry place inaccessible to children and pets. Pesticide Disposal: Wastes resulting from the use of this product may disposed of on site or at an approved waste disposal facility. Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Warranty: Seller makes no warranty, expressed or implied, con-cerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-188

EPA Est. No. 7173-WI-1

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL

Storage: Store in original container in a dry place inaccessible to children and pets.
Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down indoor or outdoor drain.

Alternate warranty statements.

Satisfaction guaranteed or your money back

MAKI

RAT AND MOUSE BAIT PACKS

(PELLETS)

FOR INDOOR AND OUTDOOR **URBAN RODENT CONTROL**

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT NORWAY RATS

NORWAY RATS & HOUSE MICE MAY CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active ingredient:	bromadiolone	. 0.005%
Other ingredients		. <u>99.995%</u>
iotal		100,000%

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

LIPHATECH

Manufactured by Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 (800) 351-1476

NET WEIGHT:

4.5 ounces (3 x 1.5 oz. bait packs), or 7.5 ounces (5 x 1.5 oz. bait packs), or 9 ounces (6 x 1.5 oz. bait packs), or 12 ACCEPTA X 1.5 oz. bait packs), or the EPA Laceptal to 50 pounds

FEB 1 x 2004

Under the Federal Insecticide. Fungicists and Rodenticide Act as amended for the pesticide registered under EPA Reg. No.

7/73-188

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use

directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children

and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway Rats, Roof Rats and

Urban Areas: This product may be used in and around the uroan Areas: This product may be used in and around the periphery of homes, industrial, commercial and public buildings. This product may also be used in and around transport vehicles (ships, trains, aircraft) and in related port or terminal buildings. This product may also be used in alleys. Non-Urban Areas: This product may be used inside of homes and agricultural buildings.

Do not place beit in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

(Qualifier statement only for package containing 3 packs:)
The bait packs in this package contain enough bait (4.5 oz.) to kill

(Qualifier statement only for package containing 5 packs:)
The bait packs in this package contain enough bait (7.5 oz.) to kill 2 to 7 rats.

(Qualifier statement only for package containing 6 packs:)
The bait packs in this package contain enough bait (9 oz.) to kill 3


(Qualifier statement only for package containing 8 packs:)
The bait packs in this package contain enough bait (12 oz.) to kill 3 to 12 rats.

3 to 12 rats.

Mice: Apply 1 bait pack per placement. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until fresh signs of mouse activity cease.

Rats: Apply 3 to 10 bait packs per placement. Space placements 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until fresh signs of rat activity cease.

Follow-up: Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. bait stations and replenish bait as needed.



PRECAUTIONARY STATEMENTS: Hazard to Humans and Domestic Animals

CAUTION: Keep away from humans, domestic animals and pets. May be harmful or tatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face with soap and water after applying and before setting and smoking.

Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID: Have this label with you when obtaining treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue missing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plently of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or ambutance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

Note to Physician: If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in bishydroxycoumann overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

WARFARIN-RESISTANT NORWAY RATS ROOF RATS, HOUSE MICE KILLS NORWAY RATS,

7173-WI-1 EPA Est. No. Active Ingredient: bromadiolone EPA Reg. No. 7173-188

CHILDREN

KEEP OUT OF REACH OF CAUTION

any statements.

See side panel for

3600 W. Elm Street Milwaukee, WI 53209 (800) 351-1476 LIPH/TECH"

NET WEIGHT: 1.5 oz (43 grams)

Satisfaction guaranteed or your money back.

(PELLETS) RAT

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label on the outer package before using this product. It is illegal to self these placepacks individually.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Storage: Store in original container in a cool, dry place inaccessible to

Pesticride Disposal: Wastes resulting from the use of this product may disposed of on site or at an approved waste disposal facility. Container Disposal: Disposa of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions. [24103]

Atternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL Store in original container in a

URIECTIONS: Apply it bait pack per placement. Space placement is Maintain a constant supply of inish bait for 15 days or until fresh is thy cease. Replace confarmated or spoked bait mmediately. Collect it visible dead animats and leftower bait properly. To discourant sources of notient boot, water and harborage as much as possion and sources of notient boot, water and harborage as much as possion occurrs, repeal treatment. For a continuous infestation, set I stations and replanish bait as needed.

in original container in a dry place empty: Do not reuse this container. If partly filed: Call your local solid al instructions. Never place unused

Minasion, Wi

DIRECTIONS FOR USE

READ THIS LABEL. Read this perilie label and tellium at use describent with its labeling.

READ THIS LABEL. Read this perilie label and tellium at use describents and use by expandions.

JUPORTANT: Do not expose chatten, pets, or other contarget admiss to codemicides. To help prevent accidents:

2. Apply ball in localizers out of reach of chatten, pets, or other contarget admiss to codemicides. To help prevent accidents:

2. Apply ball in localizers out of reach of chatten, pets, or other contarget admiss to codemicides. To help prevent accidents:

2. Apply ball in localizers out of reach of chatten, pets, or other and pets.

3. Some product of the prevents such chatter into held compartments and obtaining be at the dark on the straken from stations when they are lifted, units must be secured or otherwise immostized. Even storage had stations are needed in areas open to hocked freefock, reacons, bears, or offer potentially destructive animals, or in areas prone to vandalism.

3. Depose of product container, unused, spoaked, and unconsumed that as specified on this label.

Use RESTRICTORNES: For control of House Mice.

Use RESTRICTORNES: For control of House Mice.

Into product may also be used in and around the periphery of homes, industrial, commencial and public buildings. This product may also be used in alleys.

Do not place bet in a rease where there is a possibility of contaminating food or surfaces that come in direct contact with bood. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most find and consume the bait Generally, these or and around the periphery of normal and product may be used inside or homes and conscaled natures. Including the product may be used inside or homes and conscaled natures in direct contact with bood. Do not broadcast bait.

MAK

MOUSE BAIT PACKS (PELLETS) HOUSE MICE CAN CONSUME A LETHAL DOSE

IN ONE NIGHT'S FEEDING WITH FIRST DEAD HOUSE MICE APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

NET CONTENTS: 1.5 oz (43 grams) Active Ingredient: bromadiolone 0.005% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.

KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS: Hazard to Humans and Domestic Animals

PRECAUTION - Keep away from humans, domestic animals and pets. May be harmful CAUTION - Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the cloting ability of blood and cause bleeding. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face with scap and water after applying and before eating and smoking.

FIRST AID: Have this label with you when obtaining treatment advice.

If in eyes: Hold eye open and mass slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue shrsing eye. Call a poison control center or doctor from these, then continue shrsing eye. Call a poison control center or doctor for treatment advice.

contact enters or present, after the last of minds, that committees the control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Place skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

Note to Physician: If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin

times.

ENVIRONMENTAL HAZARDS: This product is took to fish and which. Do not apply directly to water, or to areas where surface water is present or to intertical areas below the mean high water manh.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Alternate warranty statements: Satisfaction guaranteed or your money back.

"Mouse only" outer carton label:

PRECAUTIONARY STATEMENTS
Hazard to Humans and Domestic Animals

CAUTION: Keep every from humans, domestic animals and pets. May be harmly or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin, or on clothing. Wash arms, hands and lace with soap and water after applying and before eating and smoking.

FIRST AID: Have this label with you when obtaining treatment

allowed: Call a poison control center or doctor immediately or treatment advice

for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue missing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

Note to Physician: If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high

STORAGE AND DISPOSAL

STORAGE AND DISPOSAL
Storage: Store in original container in a dry place inaccessible to children and pets.
Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Warranty: Seller makes no warranty, expressed or implied, con-cerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-188

EPA Est. No. 7173-WI-1

MOUSE **BAIT PACKS** (PELLETS)

FOR INDOOR AND OUTDOOR **URBAN RODENT CONTROL**

URBAN RODENT CONTROL

HOUSE MICE MAY CONSUME
A LETHAL DOSE IN ONE NIGHT'S FEEDING
WITH FIRST DEAD RODENTS APPEARING
URBAN RODENTS APPEARING
UNITH FIRST DEAD RODENTS APPEARING APPEARING APPEARING APPEARING APPEARING APPEARING APPEARING APPEARING APPEARING APPEAR A LETHAL DOSE IN ONE NIGHT'S FEEDING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active ingredient: bromadiolone 0.005%

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

Manufactured by Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 (800) 351-1476

NET WEIGHT:

1.5 ounce, bait pack up to

50 pounds

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTIANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply beit in locations out of reach of children pets, domestic animals and nontarget wildlife, or in tamper-resistant beit stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into beit compartments and obtaining bail. If beit can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooded livestock, reacoons, bears, or other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this tabel.

USE RESTRICTIONS: For control of House Mice.

elleys.

Non-Urban Areas: This product may be used inside of homes and apricultural buildings.

Do not place belt in areas where there is a possibility of contaminating food or surfaces that come in direct contact with lood. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely flod, and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and or or ealed places, between floors and walls, or in locations of their signs have been seen. Hemove as mich, alternative tood as possible.

have been seen. Remove as mich alternative food as possible.

APPLICATION, DIRECTIONS: Apply 1 bait pack per placements a page bait pack per placement. Space placements 8 to 12 leet apart. Maintain a constant supply of hesh bait of 15 days or until fresh signs of mouse activity case. Replace to the first space of mouse activity case. Replace to fall visible dead animals and leftover bait properly. To discourage emilestation, limit sources of rodent food, water and happrings as much as possible. If reinfeetation peet upeermanent bait stations and replenish bait as needed.

Alternate warranty statements Satisfaction guaranteed or your money back.