

DRAFT

# maki<sup>®</sup>

DRAFT

## DIRECTIONS FOR USE

### GENERAL USE CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTIONS:** For control of Norway rats, Roof rats and House mice in the following areas:

**Urban areas:** In and around the periphery of homes, industrial, commercial, and public buildings, including alleys and wet/damp areas. Do not use in sewers.

**Non-urban areas:** Inside of homes only.

**Transport vehicles:** Inside of transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings.

Treated baits must be placed in locations not accessible to children, pets, domestic animals, wildlife or in tamper-proof bait stations. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

### APPLICATION DIRECTIONS

**MAKI BLOCK** consists of a one pound slab scored to be broken into eight 2 oz. pieces.

**HOUSE MICE:** Break and place 1 piece of MAKI BLOCK at intervals of 8 to 12 feet per placement. Two pieces may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

**RATS:** Break and place 2 to 6 pieces of MAKI BLOCK (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease.

**FOR BURROW APPLICATION:** Place 1 to 2 two oz. pieces per burrow.

Replace contaminated or spoiled bait immediately. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

**KEEP AWAY FROM FOODSTUFFS**

## PARAFFIN BLOCKS

### KILLS RATS AND MICE

#### KILLS WARFARIN RESISTANT NORWAY RATS

Norway rats, Roof rats, and House mice may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

#### ACTIVE INGREDIENT:

• 3-(3-(4'-Bromo(1,1'-biphenyl)-4-yl)-3-hydroxy-1-phenylpropyl)-4-hydroxy-2H-1-benzopyran-1-one . . . . . 0.005%

**INERT INGREDIENTS** . . . . . 99.995%

\*Bromadiolone - LIPHA Patent TOTAL . . . . . 100.000%

### KEEP OUT OF REACH OF CHILDREN CAUTION

May be harmful or fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash hands after handling bait. If swallowed, call a physician at once.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

**NET WEIGHT 4 x 10 LBS (4 x 4.5 Kg.)**

EPA Reg. No. 7173-

EPA Est. No. 7173-NY-01

Manufactured by:

**Chempar\* Products**

division of

**LIPHA CHEMICALS, INC.**

660 MADISON AVENUE

NEW YORK, NY 10021

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep away from humans, domestic animals, and pets. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of the blood and cause bleeding.

Do not get in eyes, on skin, or on clothing. Wash hands and face with soap and water after applying and before eating and smoking. If swallowed, call a physician at once.

**NOTE TO PHYSICIAN:** If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally as indicated in dithydroxy coumatin overdoses. Repeat as necessary based on monitoring of prothrombin times.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

### STORAGE AND DISPOSAL

STORE IN A COOL PLACE. STORE IN ORIGINAL CONTAINER.

Do not contaminate water, food or feed by storage or disposal. Open burning and dumping are prohibited.

**PESTICIDE DISPOSAL:** Bait that cannot be used, according to label instructions, must be disposed of according to applicable Federal, State, or local procedures. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Do not reuse empty container. Wash out bait containers in a sanitary and/or environmentally approved manner, as allowed by State and local authorities.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

SEE DOCUMENT 7173-01-01

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting of the blood and cause bleeding.

Do not get in eyes, on skin, or on clothing. Wash hands and face with soap and water after applying and before eating or smoking. If swallowed, call a physician at once.

**NOTE TO PHYSICIAN:** If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally as indicated in fish hydroxycoumarin overdoses. Repeat as necessary, based on monitoring of prothrombin times.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

**STORAGE AND DISPOSAL**

STORE IN A COOL PLACE. STORE IN ORIGINAL CONTAINER.

Do not contaminate water, food or feed by storage or disposal. Open burning and dumping are prohibited.

**RESTRICTED DISPOSAL:** Bait material cannot be used according to label instructions, must be disposed of according to applicable Federal, State, or local procedures. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Do not reuse empty container. Dispose of bait containers in a sanitary landfill or by incineration as allowed by State and local authorities.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Product No. 7103  
Label No. 5046 0993

**maki**<sup>®</sup>

**PARAFFIN BLOCKS**

**KILLS RATS AND MICE**

**KILLS WARFARIN RESISTANT NORWAY RATS**  
Norway rats, Roof rats, and House mice may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

**ACTIVE INGREDIENT:**

\*3 [3-(4'-Bromo[1,1'-biphenyl]-4-yl)]

3-hydroxy-1-phenylpropyl-1,4-bis(2-oxo-

2H-1-benzopyran-2-one)

Inert ingredients

J 0036

99 995

100 000

Net Weight: 10 x 1 LB. (10 x 0.45 Kg)

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

May be harmful or fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash hands after handling bait. If swallowed, call a physician at once.

SEE LEFT PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

NET WEIGHT: 10 x 1 LB. (10 x 0.45 Kg)

EPA Reg. No. 7173-189

EPA Est. No. 7173-NY-01

Manufactured by:

**Chempar<sup>®</sup> Products**

division of

**LIPHA CHEMICALS, INC.**

**660 MADISON AVENUE**

**NEW YORK, NY 10021**

NOT REVIEWED

In Accordance with FR Notice 82-2.

Based on Draft Labeling Dated 8/29/83

**DIRECTIONS FOR USE**

**GENERAL USE CLASSIFICATION**

Use as directed on the label. Do not use in a manner inconsistent with the label.

**USE RESTRICTIONS:** For use only on Norway rats and house mice in the following areas:

Urban areas, inside and outside of homes, in some commercial and public buildings, including alleys and wet/damp areas. Do not use in sewers.

Urban areas, inside of homes only.

Transport vehicles, inside of transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings.

Treated bait must be placed in locations not accessible to children, pets, domestic animals, wildlife, or tamper proof bait stations. Do not place bait in areas where there is a possibility of contamination of food supplies that are in direct contact with bait.

**SELECTION OF TREATMENT AREAS:** Examine areas where rats and mice will be likely to feed and store the bait. Generally, these areas are and will be: (1) wall openings in the wall or wall between adjacent apartments or between floors; (2) wall openings in walls between apartments that have been treated; (3) basements, attics, and crawl spaces.

**APPLICATION DIRECTIONS**

Each Maki Block should be placed in a bait station, bait box, or other suitable container.

**HOUSE MICE:** Break and place 1 piece of MAKI BLOCK in intervals of 8 to 12 feet per treatment. Two pieces may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

**RATS:** Break and place 2 to 3 pieces of MAKI BLOCK in intervals of 15 to 20 feet per treatment. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of rat activity cease.

**FOR BURROW APPLICATION:** Place bait in burrow openings.

Replace contaminated bait with fresh bait to prevent reinfestation. Eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a rat infestation is present, baiting is not a permanent solution. Consult a professional exterminator.

© 1983 Chempar Products, Inc.