

**DRAFT**

ACCEPTED  
with COMMENTS  
EPA Letter Dated:

NOV 2 1983

**DRAFT**

# ROZOL®

Fed. Insecticide, Fungicide, and Rodenticide Act  
as amended by the pesticide  
registered under EPA Reg. No.  
7173-190

## PARAFFIN BLOCKS

FOR INDOOR AND OUTDOOR USE  
KILLS MOUSE MICE AND NORWAY  
AND ROOF RATS

<b>ACTIVE INGREDIENT:</b>	
2-[(p-Chlorophenyl)phenylacetyl]- 1,3-Indandione*	0.005%
<b>INERT INGREDIENTS:</b>	99.995%
<b>TOTAL</b>	<b>100.000%</b>

\*Chlorofactone-Liphadione

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

May be harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash hands after handling bait. If swallowed, call a physician at once.

SEE LEFT PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

**NET WEIGHT: 4 x 10 LBS (4 x 4.5 Kg.)**

EPA Reg. No. 7173-  
EPA Est. No. 7173-NY-01

Manufactured by:  
**Chempar® Products**

division of  
**LIPHA CHEMICALS, INC.**  
660 MADISON AVENUE  
NEW YORK, NY 10021

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep away from humans, domestic animals, and pets. May be harmful if swallowed or absorbed through the skin because this material may reduce the clotting ability of the blood and cause bleeding.

Do not get in eyes, on skin, or on clothing. Wash hands and face with soap and water after applying and before eating and smoking. If swallowed, call a physician at once.

**NOTE TO PHYSICIAN:** If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

### ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds.

### STORAGE AND DISPOSAL

STORE IN A COOL PLACE. STORE IN ORIGINAL CONTAINER.

Do not contaminate water, food or feed by storage or disposal. Open burning and dumping are prohibited.

**PESTICIDE DISPOSAL:** Bait that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or local procedures. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Do not reuse empty container. Dispose of bait containers in a sanitary landfill or by incineration if allowed by State and local authorities.

**WARRANTY** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible. Treated baits must be placed in locations not accessible to children, pets, domestic animals, wildlife, or in tamper-proof bait stations. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

### APPLICATION DIRECTIONS

Each ROZOL Block consists of a one pound slab scored to be broken into eight 2 oz. pieces.

**MOUSE MICE:** Break and place 1 piece of ROZOL BLOCK at intervals of 8 to 12 feet per placement. Two pieces may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

**RATS:** Break and place 3 to 9 pieces of ROZOL Block (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease.

**FOR BURROW APPLICATION:** Place 1 to 2 two oz. pieces per burrow.

**FOR SEWER APPLICATION:** For use in sewers, securely attach one end of a wire to ROZOL BLOCK and the other end to a stationary structure such as the bottom step of a manhole ladder or to a sewer grate, allowing just enough wire for the block to rest on manhole benching. If benching is not present, suspend block a few inches above the high water line or place ROZOL BLOCK on a board supported by opposing steps of the ladder. Securing ROZOL BLOCK in this manner will prevent removal by rats or water. Place at least one ROZOL BLOCK per manhole. Maintain an uninterrupted supply of fresh bait for at least 10 days or until feeding stops.

Replace contaminated or spoiled bait immediately. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

BEST DOCUMENT AVAILABLE

KEEP AWAY FROM FOODSTUFFS



contaminating food or surfaces that come in direct contact with food.


Selection of treatment areas...as possible.

Application directions...shall be used.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the 4-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



William A. Miller  
Product Manager (16)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure