

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Keep away from humans, domestic animals and pets. Do not breathe fumes or dust. May be fatal if swallowed. Do not allow contact with skin. Wash hands after use. Do not use near feed or foodstuffs. Keep away from children. Wear gloves and protective clothing when using bait. Do not store in house. Avoid contact with acids.

NOTE TO PHYSICIAN: Gastric lavage followed by liquid petrolatum is indicated. Avoid digestive fats and oils. Supportive treatment for convulsion, delirium, hepatic and renal insufficiency should be given.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife and fish. Keep this product out of lakes, streams, and ponds.

**THIS RODENTICIDE IS HARMFUL TO
WARM-BLOODED ANIMALS.**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by Storage or Disposal.

STORAGE: Store in original container only in a locked storage area inaccessible to children and pets.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Warranty: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

RESTRICTED USE PESTICIDE

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.



TRACKING POWDER FOR CONTROL OF HOUSE MICE (Indoor Use Only)

| | |
|-------------------|---------|
| Active Ingredient | |
| Zinc Phosphide | 10.34% |
| Inert Ingredients | 89.66% |
| Total | 100.00% |

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

- Any persons applying zinc phosphide products and experiencing signs and symptoms such as nausea, abdominal pain, tightness in the chest, or weakness should see a doctor immediately.
- If swallowed, drink 1-2 glasses of water and induce vomiting by touching the back of the throat with the finger. Avoid the use of oils. Have the person lie down and keep warm. Do not induce vomiting or give anything by mouth to an unconscious person.
- If on skin or eyes, flush with plenty of water.
- See left side for additional precautionary statements.

LIPHA/TECH

LiphaTech, Inc
3101 West Custer Avenue
Milwaukee, WI 53209

NET CONTENTS: 25 lb (11.35 kg)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS FOR USE:

Use Ridall-Zinc tracking powder to control the House Mouse (*Mus musculus*) in homes, agricultural and industrial buildings, and similar structures. Ridall-Zinc must be placed in areas not accessible to children, pets, domestic animals, and nontarget wildlife. If using this product in agricultural buildings where livestock feeds are stored, or in commercial food service, food manufacturing or food processing establishments, limit the treatments to concealed, inaccessible places such as spaces between floors and walls. Do not apply tracking powder along walls, in corners or in open-floor areas of rooms in which food or feed is handled or stored. Do not place Ridall-Zinc tracking powder in places where it may be possible to contaminate food or surfaces that come in contact with food. Do not use this material near ventilation duct openings.

SELECTION OF AREAS TO TREAT:

Locate dry, acid-free places where mice are likely to pass and walk over Tracking Powder. Good places for applying this product include along walls, under floors, in corners or hidden areas. Locate mouse signs such as droppings and place Tracking Powder. Use boards, boxes or other devices to guide mice over Tracking Powder.

DIRECTIONS FOR APPLICATION:

Carefully and evenly sprinkle one to two level teaspoons of Tracking Powder in patches about 5 x 20 inches in size. After mice walk over this material, through natural grooming they ingest the particles adhering to the hairs. Maintain Tracking Powder for at least 25 days in treated areas. A minimum of 30 days must be allowed before treating the same area again with Tracking Powder. Dispose of dead mice and used powder in containers in a safe manner.

Product No. 88025 EPA Reg. No. 7173-141
Label No. 150-5145-0392-C EPA Est. No. 4-NY-

BEST AVAILABLE COPY

EPA Reg. No. 7173-141