	U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA Reg. Number:	Date of Issuance:
UNITED STATES	Office of Pesticide Programs	7173-208	
CORNAN	Registration Division (7505P)		AUG 17 2
THE PROTECTION	Ariel Rios Building 1200 Pennsylvania Ave., NW		
PROVE	Washington, D.C. 20460		
	-		
	NOTICE OF PESTICIDE:	Name of Pesticide Product:	
	Registration		•
·	$\underline{\mathbf{x}}$ Reregistration (under FIFRA, as amended)	Maki Rodentic	ide Bait Packs
	(under Firkk, as amended)	(Pellets)	•
Name and Address	of Registrant (include ZIP Code):		
Maine and Address		$\frac{-676}{1275}$	+ 31948
Liphatech. Inc.	4		000599
3600 W. Elm St	treet	676 5	- 000-1-
Milwaukee, WI	53209	1275	
Attention: Mr. 7	I homas Schmit		
Note: Changes in labeli	ng differing in substance from that accepted in connection with this re	gistration must be submitted	to and accepted by the
Registration Division pr number	for to use of the label in commerce. In any correspondence on this pre-	oduct always refer to the abo	ve EPA registration
Fungicide and Rodentic order to protect health a accordance with the Act the registrant a right to or Based or	tion furnished by the registrant, the above named pesticide is hereby re ide Act. Registration is in no way to be construed as an endorsement of nd the environment, the Administrator, on his motion, may at any time t. The acceptance of any name in connection with the registration of a exclusive use of the name or to its use if it has been covered by others. n your response to the Rodenticide Cluster Rep	r recommendation of this preserved or cancel the regis product under this Act is no registration Eligibi	roduct by the Agency. In tration of a pesticide in to be construed as givin lity Decision,
Fungicide and Rodentic order to protect health a accordance with the Act the registrant a right to d Based of EPA has reregis 4(g)(2)(C) of th under this section require submisss Generic the active ingreat the Agency's co	ide Act. Registration is in no way to be construed as an endorsement of nd the environment, the Administrator, on his motion, may at any time t. The acceptance of any name in connection with the registration of a exclusive use of the name or to its use if it has been covered by others. In your response to the Rodenticide Cluster Ref stered the product listed above. This action is t e Federal Insecticide, Fungicide, and Rodentic on does not eliminate the need for continual re- tion of data at any time to maintain the registra data requirements that have been identified in dient contained in the subject product will con- ontinual reassessment of pesticides.	recommendation of this pi e suspend or cancel the regis product under this Act is no registration Eligibi aken under the aut tide Act, as amend assessment of pest tion of your produ the RED as confin tinue to be tracked	roduct by the Agency. In tration of a pesticide in of to be construed as givin lity Decision, hority of section ed. Reregistratio icides. EPA may ct. matory data for and assessed in
Fungicide and Rodentic order to protect health a accordance with the Act the registrant a right to o Based of EPA has reregis 4(g)(2)(C) of th under this section require submiss Generic the active ingreat the Agency's co The labor Insecticide, Fundament	ide Act. Registration is in no way to be construed as an endorsement of nd the environment, the Administrator, on his motion, may at any time t. The acceptance of any name in connection with the registration of a exclusive use of the name or to its use if it has been covered by others. In your response to the Rodenticide Cluster Report stered the product listed above. This action is t e Federal Insecticide, Fungicide, and Rodentic on does not eliminate the need for continual re- tion of data at any time to maintain the registra- data requirements that have been identified in dient contained in the subject product will con- ontinual reassessment of pesticides. eling referred to above, submitted in connection agicide and Rodenticide Act (FIFRA), as amen copy of your final printed labeling, with the for	r recommendation of this presumpend or cancel the regis product under this Act is not registration Eligibi aken under the aut ide Act, as amend assessment of pest tion of your produ the RED as confin tinue to be tracked n with registration ded, is acceptable	roduct by the Agency. In tration of a pesticide in to be construed as givin lity Decision, hority of section ed. Reregistratio icides. EPA may ct. matory data for and assessed in under the Federa provided that you
Fungicide and Rodentic order to protect health a accordance with the Act the registrant a right to o Based of EPA has reregis 4(g)(2)(C) of th under this section require submiss Generic the active ingreat the Agency's co The labe Insecticide, Fun- submit one (1) of the product for	ide Act. Registration is in no way to be construed as an endorsement of nd the environment, the Administrator, on his motion, may at any time t. The acceptance of any name in connection with the registration of a exclusive use of the name or to its use if it has been covered by others. In your response to the Rodenticide Cluster Report stered the product listed above. This action is t e Federal Insecticide, Fungicide, and Rodentic on does not eliminate the need for continual re- tion of data at any time to maintain the registra- data requirements that have been identified in dient contained in the subject product will con- ontinual reassessment of pesticides. eling referred to above, submitted in connection agicide and Rodenticide Act (FIFRA), as amen copy of your final printed labeling, with the fol- shipment.	r recommendation of this presumpend or cancel the regis product under this Act is not registration Eligibi aken under the aut ide Act, as amend assessment of pest tion of your produ the RED as confin tinue to be tracked n with registration ded, is acceptable	roduct by the Agency. In tration of a pesticide in to be construed as givin lity Decision, hority of section ed. Reregistratio icides. EPA may ct. matory data for and assessed in under the Federa provided that you
Fungicide and Rodentic order to protect health a accordance with the Act the registrant a right to o Based of EPA has reregis 4(g)(2)(C) of th under this section require submiss Generic the active ingreat the Agency's co The labor Insecticide, Fun submit one (1) of the product for Signature of Approving John Hebert	ide Act. Registration is in no way to be construed as an endorsement of nd the environment, the Administrator, on his motion, may at any time t. The acceptance of any name in connection with the registration of a exclusive use of the name or to its use if it has been covered by others. In your response to the Rodenticide Cluster Report stered the product listed above. This action is t e Federal Insecticide, Fungicide, and Rodentic on does not eliminate the need for continual re- tion of data at any time to maintain the registra- data requirements that have been identified in dient contained in the subject product will con- ontinual reassessment of pesticides. eling referred to above, submitted in connection agicide and Rodenticide Act (FIFRA), as amen copy of your final printed labeling, with the for shipment.	recommendation of this presumped or cancel the regis product under this Act is not registration Eligibi aken under the aut side Act, as amend assessment of pest tion of your produ the RED as confin tinue to be tracked n with registration ded, is acceptable llowing change, be	oduct by the Agency. In tration of a pesticide in to be construed as givin lity Decision, hority of section ed. Reregistratio icides. EPA may ct. matory data for and assessed in under the Federa provided that you fore you release
Fungicide and Rodentic order to protect health a accordance with the Act the registrant a right to o Based of EPA has reregis 4(g)(2)(C) of th under this section require submiss Generic the active ingreat the Agency's co The labor Insecticide, Fun submit one (1) of the product for Signature of Approving John Hebert Product Manage	ide Act. Registration is in no way to be construed as an endorsement of nd the environment, the Administrator, on his motion, may at any time t. The acceptance of any name in connection with the registration of a exclusive use of the name or to its use if it has been covered by others. In your response to the Rodenticide Cluster Report stered the product listed above. This action is t e Federal Insecticide, Fungicide, and Rodentic on does not eliminate the need for continual re- tion of data at any time to maintain the registra- data requirements that have been identified in dient contained in the subject product will con- ontinual reassessment of pesticides. eling referred to above, submitted in connection agicide and Rodenticide Act (FIFRA), as amen copy of your final printed labeling, with the for shipment.	recommendation of this presumped or cancel the regis product under this Act is not registration Eligibi aken under the aut side Act, as amend assessment of pest tion of your produ the RED as confin tinue to be tracked n with registration ded, is acceptable llowing change, be	roduct by the Agency. In tration of a pesticide in to be construed as givin lity Decision, hority of section ed. Reregistratio icides. EPA may ct. matory data for and assessed in under the Federa provided that you

ήu

Page 2 EPA Reg. No. 7173-208

1. Retain the text, "It is illegal to sell these placepacks individually." which appeared on your previous version (December 1, 2009), prominently on the Front Panel of your Placepack label.

## Reference to Website on Label

Should you wish to add a reference to the company's website on your label, please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, **regardless of whether a website is referenced on your product's label**, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

## Terms/Conditions of Sale/Distribution (for Agricultural Building Only Use)

The registrant must not sell or distribute the product in a manner that results in sale in stores oriented towards residential consumers (e.g., grocery, drug, hardware, home improvement stores). The registrant may sell or distribute the product in a manner that results in sale in stores oriented towards agricultural consumers (i.e., farm, agricultural, tractor stores).

This product may not be sold in packaging that holds less than 8 pounds of bait.

## Terms/Conditions of Sale/Distributions (for PCO Use)

The registrant must not sell or distribute the product in a manner that results in sale in stores oriented towards residential consumers (e.g., grocery, drug, hardware, home improvement stores). The registrant may sell or distribute the product in a manner that results in sale in stores oriented towards agricultural consumers (i.e., farm, agricultural, tractor stores) and pest control operators.

This product may not be sold in packaging that holds less than 16 pounds of bait.

## **Confidential Statement of Formula**

The acceptable Confidential Statement of Formula (CSF) for this product is dated October 23, 2006. All other versions are obsolete.

#### **Existing Stocks Provisions**

- The registrant may not distribute or sell existing stocks of this product after June 4, 2011 unless they conform to the terms and conditions of registration as amended today.
- Any person other than the registrant may sell and distribute existing stocks of this product with the previously approved label until such stocks are exhausted.
- Any person may use existing stocks of this product with the previously approved label until such stocks are exhausted.

With the above revisions, this product will be in full compliance with the Agency's revised May 28, 2008 "Risk Mitigation Decision for Ten Rodenticides".

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed. If you have any questions, please contact Dan Peacock by phone (703-305-5407), or E-Mail (peacock.dan@epa.gov).

- Enclosures: 1. Stamped Label
  - 2. Minimum Type Sizes for Final Printed Label

Dan Peacock, Flash Drive, 16gb, E:\4G Dan\Doc\Word\Bromadiolone\Re-Reg\7173-208\Notice of Re-Reg, 7173-208, RMD + RED, Not Re-Reg, 8-4-2010.doc

PCO Use Label, Center/Front Panel:

## Maki Rodenticide Bait Packs (Pellets)

OPTIONAL: [ALL WEATHER BAIT FOR WET OR DRY AREAS]

#### FOR INDOOR AND OUTDOOR USE

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT NORWAY RATS

### NORWAY RATS & HOUSE MICE MAY CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: bromadiolone	0.005%
Inert Ingredients	
Total	
	With COMMENTS
	In EPA Letter Dated:
KEEP OUT OF REACH O	AUG 1 7 2010 DF Childer In Federal Insecticide, Fungicide
CAUTIO	N and Rodenticide Act, As amended, for the pasticide Begistered under EPA Beg. No:
CAUTIO See [side][back][inner][outer] [panel][carton]	[label] for additional precautionary

(Liphatech Logo) Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

#### Net Weight:

16 lbs (4 pails X 4 lbs each), or 16 lbs (2 pails X 8 lbs each), or 18 lbs (2 pails X 9 lbs each), or 32 lbs (4 pails X 8 lbs each), or 40 lbs (4 pails X 10 lbs each) or

16 lbs up to 50 lbs

Statement required on label of inner packages holding less than 16 pounds of bait: It is illegal to sell this product in individual containers holding less than 16 pounds of bait.

Page 1 of 8 EPA Reg. No. 7173-208 007173-00208.20100701

Version 070110 Liphatech, Inc. 4/11

#### PCO Use Label, side/back/inner panel:

## PRECAUTIONARY STATEMENTS

#### Hazard to Humans and Domestic Animals

CAUTION: Harmful if swallowed, absorbed through the skin, or if inhaled. Causes moderate eye irritation. Avoid contact with eves, skin or clothing. Avoid breathing dust. Keep away from children, domestic animals and pets, All handlers (including applicators) must wear long-sleeved shirt, long pants, shoes, socks, and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves. User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet, and change into clean clothing. FIRST AID: Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, can an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor immediately for treatment advice, TREATMENT FOR PET POISONING: If animal eats bait, call veterinarian at once. NOTE TO PHYSICIAN OR VETERINARIAN: Contains the anticoagulant bromadiolone. If swallowed, this material may

reduce the clotting ability of blood and cause bleeding. For humans or animals ingesting bait and/or showing obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K<sub>1</sub> intramuscularly or orally. Also for pets, if needed, check prothrombin time every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. Pesticide Disposal: Wastes resulting from the use of this product in trash or at an approved waste disposal facility. Container Handling: Nonrefillable container. Do not reuse or refill this container. [Plastic:] Triple rinse (or equivalent) then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill. [Paper:] Dispose of empty container by placing in trash or at an approved waste disposal facility.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Page 2 of 8 EPA Reg. No. 7173-208

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and precautions. Use only for the sites, pests, and application methods described on this label.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamperresistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

**Note:** Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

**USE RESTRICTIONS:** This product may only be used to control Norway rats, roof rats and house mice in and around homes and residential buildings, food processing facilities, industrial, commercial, agricultural and public buildings, and similar man-made structures. It may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys. Do not apply further than 50 feet from buildings. Do not sell this product in individual containers holding less than 16 pounds of bait. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

Selection of Treatment Areas: Determine areas where rats and/or house mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rats and/or house mice or their signs have been observed. Remove as much alternative food as possible.

#### **APPLICATION DIRECTIONS:**

House Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Up to four packs may be needed at points of very high house mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of house mouse activity cease.

**Rats:** Apply 4 to 16 packs per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

**Follow-up:** Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all visible dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

EPA Reg. No. 7173-208 EPA Est. No. 7173-WI-1 Product No.: Label No:

#### **Optional Statements:**

Satisfaction guaranteed or your money back.

Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait.

Page 3 of 8 EPA Reg. No. 7173-208

Agricultural Buildings Only Label, Center/Front Panel:

# Maki Rodenticide Bait Packs (Pellets)

For Use In and Around Agricultural Buildings Only

### OPTIONAL: [ALL WEATHER BAIT FOR WET OR DRY AREAS]

#### FOR INDOOR AND OUTDOOR USE

## KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT NORWAY RATS

## NORWAY RATS & HOUSE MICE MAY CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: bromadiolone	0.005%
Inert Ingredients	<u>99.995%</u>
Total	100.000%

## **KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See [side][back][inner][outer] [panel][carton][label] for additional precautionary statements.

(Liphatech Logo) Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

#### Net Weight:

8 lbs (4 pails X 2 lbs each) 8 lbs (2 pails X 4 lbs each) or 8 pounds up to 50 pounds

Statement required on label of inner packages holding less than 8 pounds of bait: It is illegal to sell this product in individual containers holding less than 8 pounds of bait.

Page 4 of 8 EPA Reg. No. 7173-208

Agricultural Buildings Only Label, side/back/inner panel:

#### PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Harmful if swallowed, absorbed through the skin, or if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Keep away from children, domestic animals and pets. All handlers (including applicators) must wear long-sleeved shirt, long pants, shoes, socks, and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves. User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet, and change into clean clothing. FIRST AID: Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. If in eyes: Hold eve open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. Call a poison control center or doctor immediately for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, can an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor immediately for treatment advice. TREATMENT FOR PET POISONING: If animal eats bait, call veterinarian at once. NOTE TO PHYSICIAN OR VETERINARIAN: Contains the anticoagulant bromadiolone. If swallowed, this material may reduce the clotting ability of blood and cause bleeding. For humans or animals ingesting bait and/or showing obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K<sub>1</sub> intramuscularly or orally. Also for pets, if needed, check prothrombin time every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed. ENVIRONMENTAL HAZARDS: This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets.
Pesticide Disposal: Wastes resulting from the use of this product in trash or at an approved waste disposal facility.
Container Handling: Nonrefillable container. Do not reuse or refill this container. [Plastic:] Triple rinse (or equivalent) then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill. [Paper:] Dispose of empty container by placing in trash or at an approved waste disposal facility.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Page 5 of 8 EPA Reg. No. 7173-208

Agricultural Buildings Only Label, side/back/inner panel:

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and precautions. Use only for the sites, pests, and application methods described on this label.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents: 1. Store product not in use in a location out of reach of children and pets.

- 2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

**Note:** Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

**USE RESTRICTIONS:** This product may only be used to control Norway rats, roof rats and house mice in and around agricultural buildings. Do not use in homes or other human residences. Do not apply further than 50 feet from agricultural buildings. Do not sell this product in individual containers holding less than 8 pounds of bait. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

Selection of Treatment Areas: Determine areas where rats and/or house mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rats and/or house mice or their signs have been observed. Remove as much alternative food as possible.

#### **APPLICATION DIRECTIONS:**

House Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Up to four packs may be needed at points of very high house mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of house mouse activity cease.

**Rats:** Apply 4 to 16 packs per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

**Follow-up:** Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all visible dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

EPA Reg. No. 7173-208 EPA Est. No. 7173-WI-1 Product No.: Label No:

#### **Optional Statements:**

Satisfaction guaranteed or your money back.

Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait.

Page 6 of 8 EPA Reg. No. 7173-208

# Maki Rodenticide Bait Packs (Pellets)

(Place Packs packaged for Agricultural Use only will have the statement-) [For Use In and Around Agricultural Buildings Only]

#### OPTIONAL: [ALL WEATHER BAIT FOR WET OR DRY AREAS]

#### FOR INDOOR AND OUTDOOR USE

### **KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT NORWAY RATS**

## NORWAY RATS & HOUSE MICE MAY CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: bromadiolone	0.005%
Inert Ingredients	<u>99.995%</u>
Total	00.00%

EPA Reg. No. 7173-208 EPA Est. No. 7173-WI-1

## **KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See back panel for additional precautionary statements.

(Liphatech Logo) Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

Net Weight: 0.88 oz. (25g)

#### **Optional Statements:**

Satisfaction guaranteed or your money back.

Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait.

Page 7 of 8 EPA Reg. No. 7173-208

Place Pack Label, Back Panel:

## PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed, absorbed through the skin, or if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Keep away from children, domestic animals and pets. All handlers (including applicators) must wear long-sleeved shirt, long pants, shoes, socks, and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

**User Safety Requirements:** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet, and change into clean clothing. **FIRST AID:** Have this label with you when obtaining treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, can an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor immediately for treatment advice.

TREATMENT FOR PET POISONING: If animal eats bait, call veterinarian at once.

**NOTE TO PHYSICIAN OR VETERINARIAN:** Contains the anticoagulant bromadiolone. If swallowed, this material may reduce the clotting ability of blood and cause bleeding. For humans or animals ingesting bait and/or showing obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K<sub>1</sub> intramuscularly or orally. Also for pets, if needed, check prothrombin time every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. Pesticide Disposal: Wastes resulting from the use of this product in trash or at an approved waste disposal facility. Container Handling: Nonrefillable container. Do not reuse or refill this container. [Plastic:] Triple rinse (or equivalent) then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill. [Paper:] Dispose of empty container by placing in trash or at an approved waste disposal facility.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and precautions. Use only for the sites, pests, and application methods described on this label. Read the entire label on the outer package before using this product.

**Note:** Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pests, non-target mammals, or birds may access the bait.

It is illegal to sell these placepacks individually.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Page 8 of 8 EPA Reg. No. 7173-208