EPA REGISTRATION NO. 95 149-45 US ENVIRONMENTAL PROTECTION AGENCY -210 OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460

REGISTRATION NOTICE OF PESTICIDE: REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Generation Rodenticide Bait Dispenser

, 5.516288

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Reg # 7173-210

LiphaTech 3600 West Elm St. Milwaukee, WI 53209...

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)(5) provided that you:

- A. Make the following labeling changes before you release the product for shipment:
 - 1. Add "EPA Reg. No. 7173-210" to your label.

Submit one copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

William W. Jacobs, PhD Product Manager (14) Insecticide-Rodenticide Branch Registration Division (H7504C)

Enclosures: 1) Stamped label
2) A-79 Enclosure

Peacock WP#10:A:7173.210:305-5407,-6600:12/24/96

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Keep away from children, domestic animals and pets. May be namiful or red fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding.

Do not get in eyes, on skin, or on clothing. Wash arms, hands, and face with soap and water after applying and before eating and smoking. If swallowed, call physician at once.

NOTE TO PHYSICIAN OR VETERINARIAN: This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K, is antidotal as indicated in bishydroxycoumarin overdoses. Repeated doses may need to be given for up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and diseard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

KEEP AWAY FROM FOODSTUFFS

Warranty: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

GENERATION™ RODENTICIDE BAIT DISPENSER

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary statements.

Do not use this product outdoors.

THIS IS NOT A TAMPER RESISTANT BAIT STATION. DO NOT USE THIS PRODUCT IN AREAS ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS AND NONTARGET WILDLIFE.

Manufactured By: LiphaTech, Inc. 3101 West Custer Avenue Milwaukee, WI 53209

EPA Reg. No. 7173-XXX

EPA Est. No. 7173-WI-1

NET WEIGHT: 1.5 OZ. (42.5g)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

THIS IS NOT A TAMPER RESISTENT BATT STATION. DO NOT USE THIS PRODUCT IN AREAS ACCES, HALE TO CHILLDER, PETS, DOMESTIC ANIMALS, AND NOT TROFT WILDLITE.

USE RESTRICTIONS: For indoor use only for the control of house mice (Mus musculus).

Urban areas: This product may be used in homes, industrial, commercial and public buildings. This product may also be used in transport vehicles (ships, trains, aircraft) and related port or terminal buildings. Do not use this product in sewers or in any outdoor area.

Nonurban areas: This product may be used insides homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in comers and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Use only on dry surfaces. Remove as much alternative food as possible.

SECURING BAIT STATION: If you desire to anchor the bait station dispenser to a smooth clean surface, remove the cover sheet form the tape anchor located on the underside of the unit. If you wish to anchor the dispenser to a surface which will not allow the tape anchor to adhere, you may remove the tape anchor and place the dispenser over a nail or other such post anchored in the surface and protruding above the surface approximately I inch in order to inhibit lateral movement of the unit by rodents. For more secure anchorage, a nail may be driven through the center post of the bait dispenser and into a wood or similar surface. Place station in locations as specified under APPLICATION DIRECTIONS.

APPLICATION DIRECTIONS: Secure or place stations at 8-12 foot intervals on level surfaces in locations where the labeling permits this product to be used. After a unit is placed for use, make the bait available to mice by holding the base of the unit with one hand and gently lifting and turning the top portion in a counterclockwise direction. Stop when resistance to further turning is encountered (after about one quarter of a revolution). Do not attempt to open the unit further. Do not open units except when they are placed ready for use. Close units before removing them for reuse or disposal. Replace units which are empired by mice or if bait becomes spoiled. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible.

6 PANEL DETACHABLE LABEL

Agen Scide Age

Januar Britain

WEST STATES

Generation™ Rodenticide Bait Dispenser DEC 2 4 1996

99.9975% 99.9975% 100.0000% Total.

*Bilethistone Patented in the U.S.A.

KEEP OUT OF REACH OF CHILDREN

CAUTION
See inside panel for additional precautions

Do not like this annual outdoors THIS IS NOT A TAMPER RESISTANT BAIT STATION, DO NOT USE THIS PRODUCT IN AREAS ACCESSIBLE TO CINCOREN, PETS, DOMESTIC ANNALLS AND HONTARGET WILDLIFE. UFT HERE V

NET WEXTE: 1.5 at (12.5 gas) أنب الكافئة في ساء منا وهاجه بناه

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Keep away from children, domestic animals and pets. May be harmful or taral if swallowed or absorbed through the stics because this material may reduce the clotting ability of blood and cause bleening.

Do not get in eyes, on skin, or on clothing. Wash arms, hands, and face with soap and water after applying and before eating and smoking. If swallowed, call a physician at once.

swallowed, call a physician at once.

NOTE TO PHYSICIAN DR VETERNARIAN: This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramiscular and oral administration of Watmin K, is anti-dotal as indicated in behydroxycournain overdoses. Repeated doses may need to be given for up to the weeks passed on monitoring of profrombhi times, in severe cases, blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS

This product is texic to fish and widdle. Keep out of lakes, streams or ponds. On not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL: DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

STORAGE: Store in original container in a cool, dry place maccessible to children and pets.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in tracts.

CONTAINER DISPOSAL: Do not reuse empty container, Wrap container and put in trasti.

> KEEP AWAY FROM FOODSTUFFS SEE BACK PANEL FOR DIRECTIONS FOR USE FOLLOW ALL LABEL DIRECTIONS AND PRECAUTIONS WHEN USING, HANDLING, OR STORING THIS PRODUCT

DIRECTIONS FOR USE

una actar a to to to to

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

THIS IS NOT A TAMPER RESISTANT BAIT STATION, DO NOT USE THIS PRODUCT IN APEAS ACCESSIBLE TO CHILOREN, PETS, DOMESTIC ANIMALS, AND NONTARGET WILDLIFE

USE RESTRICTIONS: For indoor use only for the control of house mice (Mus musculus).

Brham Areas: This product may be used in homes, industrial, commercial and public buildings. This product may also be used in transport vehicles (ships, trains, aircraft) and related port or terminal buildings. Do not use this product in sewers or in any outdoor area.

lonerham Areas: This product may be used inside homes and agricut-airal buildings.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most Bidey and and consume the bail. Generally, these are along walls, by gnawed openings,

in corners and concealed places, between Roors and walls, or in locations where rodents or their signs have been seen. Use only on dry surfaces. Remove as much alternative food as possible.

alternative food as possible.

SECURINIA BAUT STATION: If you desire to anchor the bait station dispenses to a smooth clean surface, remove the cover sheet from the lape anchor tested on the underside of the unit. If you wish to anchor the dispenses to a surface which will not allow the tape anchor to athere, you may remove the tape anchor and place the dispenses over a mail or other such post anchored in the surface and protrotting above the surface approximately 1 inch in order to inhibit taleral movement of the unit by rodents. For more secure anchange, a nail may be driven through the center post of the bait dispenser and into a wood or similar surface. Processing and the continuous as specified under APPUCATION DIRECTIONS.

APPLICATION DIRECTIONS: Secure or stock stations at 8- to 12-Cost intervals on level surfaces in locations when the tabeling permits this product to be used. After a unit is placed for use, make the ball analable to mice by holding the base of the unit with one hand and goodly fifting and straing the lap portion

in a counterclockwise direction. Slop when resistance to further luming is encountered (after about one quarter of a revolution). Do not attempt to open the unit further, Do not open units except when they are placed ready for use. Close units before removing them for reuse or disposal, Replace units which are emptied by mice or if that becomes spoiled. Collect and disposa of all dead animass and lethower half properly. Fo prevent reinfestation, limit sources of rodest food, water and barborage as much as possible.

_ WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than addition on the label, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Manufactured By: LiphaTech, Inc. 3101 West Custer Ave. Milwaukee, WI 53209

Printed in U.S.A. 9EES

BARE WONTS BASS WONTS WAS

FRONT

BACK

INNER, SINGLE PANEL, NON-DETACHABLE

GenerationTM
Rodenticide Bait Dispenser

Active ingredient 3-(3-(4*-bromot), 1*-bipheny) 4-(1)
1,2,3,4-terallydro-1-naphlyleny) 4-(1)
1