P) 1/2



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460 ...

5526091

JAN 15 1998

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Kelly Rahn LiphaTech 3600 West Elm Street Milwaukee, WI 53209

Subject:

ì

Generation Rodenticide Bait Dispenser

EPA Registration No. 7173-210

Application for Amended Registration dated June 13, 1997

Dear Ms. Rahn,

Your application for amended registration for EPA Reg. No. 7173-210, dated June 13, 1997, has been reviewed. Your proposal to add a modified single-feeding claim for house mice to the outer container label for this product is basically acceptable provided that you revise your proposed outer container label as indicated below.

Because this product is claimed to control only one type of rodent (the house mouse), you must change the word "RODENTS" to "MICE" in the single-feeding claim on your final printed label. In addition, because no fold-out label for the bait station itself was submitted, we require that no changes be made to that part of the labeling and that the label used for the individual stations be identical to the label that we accepted on December 24, 1996.

Please submit one copy of your final printed label for the outer container before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions.

A stamped copy of the outer container carton label is enclosed for your records. If you have any questions about this letter, please call me at (703) 305-5417 or (703) 305-5404.

Sincerely yours,

Peg Perreault

Chemical Manager, Team 4 Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure (1)

EPTED
with COMMENTS
In EPA Letter Dated

January 15, 1998

Under the Federal Insecticide, Fundicide, and Rodenticide Act as smended, for the pesticide

PRECAUTIONARY STATEMENTS registered under EPA Res ENERATION THE HAZARDS TO HUMANS AND DOMESTIC ANIMALS 7/73-2/0 GENERATION

CAUTION

Keep away from children, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding.

Do not get in eyes, on skin, or on clothing. Wash arms, hands, and face with soap and water after applying and before eating and smoking. If swallowed, call physician at once.

NOTE TO PHYSICIAN OR VETERINARIAN: This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K₁ is antidotal as indicated in bishydroxycoumarin overdoses. Repeated doses may need to be given for up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of westes.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and disposed in trans-

CONTAINER DISPOSAL: Do not rouse empty container. Wrap container and put in trash.

KEEP AWAY FROM FOODSTUFFS

Warranty: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

RODENTICIDE BAIT DISPENSER

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE FEEDING WITH THE FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER TREATMENT REGINS.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary statements.

Do not use this product outdoors,

THIS IS NOT A TAMPER RESISTANT BAIT STATION. DO NOT USE THIS PRODUCT IN AREAS ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS AND NONTARGET WILDLIFE.

Mnnufactured By:
LiphnTech, Inc.
3101 West Custer Avenue
Milwaukee, WI 53209

EPA Reg. No. 7173-XXX

EPA Est. No. 7173-WI-1

NET WEIGHT: 1.5 OZ. (42.5g)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

THIS IS NOT A TAMPER RESISTENT BAIT STATION. DO NOT USE THIS PRODUCT IN AREAS ACCESSIBLE TO THIS DRENT PETS, DOMESTIC ANIMALS, AND NONTARGET WINDLIFT.

USE RESTRICTIONS: For indoor use only for the control of house mice (Mus musculus).

Urban areas: This product may be used in homes, industrial, commercial and public buildings. This product may also be used in transport vehicles (ships, trains, aircraft) and related port or terminal buildings. Do not use this product in sewers or in any outdoor area.

Nonurban areas: This product may be used insides homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Use only on dry surfaces. Remove as much alternative food as possible.

SECURING BAIT STATION: If you desire to anchor the bait station dispenser to a smooth clean surface, remove the cover sheet form the tape anchor located on the underside of the unit. If you wish to anchor the dispenser to a surface which will not allow the tape anchor to adhere, you may remove the tape anchor and place the dispenser over a nail or other such post anchored in the surface and protruding above the surface approximately 1 hads in order to inhibit intend movement of the unit by rodents. For more secure anchorage, a nail may be driven through the center post of the bait dispenser and into a wood or similar surface. Place station in locations as specified under APPLICATION DIRECTIONS.

APPLICATION DIRECTIONS: Secure or place stations at 8-12 foot intervals on level surfaces in locations where the labeling permits this product to be used. After a unit is placed for use, make the bait available to mice by holding the base of the unit with one hand and gently lifting and turning the top portion in a counterclockwise direction. Stop when resistance to further turning is encountered (after about one quarter of a revolution). Do not attempt to open the unit further. Do not open units except when they are placed ready for use. Close units before removing them for reuse or disposal. Replace units which are emptied by nice or if bait becomes spoiled. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible.

2 4

6 PANEL DETACHABLE LABEL

Generation™ Rodenticide Bait Dispenser

DEC 2 4 1996

Active togredient:3-(3-(4-homo(1,1-hiptory); 4-y)-1,2,3,4-teb 1-maphthyleny()-4-hydroxy-28-1-homzoniopyan-2-net* ort Ingredients 24-1-bezoekiepyza-2-one 95.975%.

tal. 106.000%.

Directualence Palanied in the U.S.A.

KEEP OUT OF REACH OF CHILDREN

CAUTION
See inside panel for additional grecusions

DO NOT USE this product sufficient.
THIS IS NOT A TAMPER RESISTANT BAIT STATION. DO NOT USE
THIS PRODUCT IN AIREAS ACCESSIBLE TO CHUCKEN, PETS.
DONESTIC AMMALS AND NONTANGET WILDLIFE. NET WEIGHT: 1.5 sp. (42.5 gas) UFT HERE Y

> PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Keep away from children, domestic animals and pets. May be harmful or falal if swallowed or absorbed litrough the skin because this material may reduce the crotting ability of blood and cause bleeding.

On not get in eyes, on skin, or on clothing. Wash arms, hands, and tace with soap and water after applying and before eating and smoking, if swallowed, call a physician at once.

NOTE TO PHYSICIAN OR VETERINARIAN: The product may reduce the HOTE I OPHTS (CAM ON YELENHARMANE THE product may reduce the conting ability of the blood and cause hemorrhaging, it possioning occurs, inframuscular and anal administration of Microw K, is articulated as indicated in biothytromycournam overdouse. Repeated doses may need to be given for up to have veets (based on montroling of proformation limes), in severe cases, blood transitionous may be necessary.

ENVIRONMENTAL HAZARDS

This product is loade to fish and wildfile. Reep out of takes, streams or ponds. On not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL: DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

STORAGE: Store in original container in a cool, dry place inaccessible

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trasts.

CONTAINER DISPOSAL: Do not reuse empty container. Wraz container and put in trash.

KEEP AWAY FROM FOODSTUFFS SEE BACK PANEL FOR DIRECTIONS FOR USE, FOLLOW ALL LABEL CIRECTIONS AND PRECAUTIONS WHEN USING, HAIDLING, OR STORING THIS PRODUCT

DIRECTIONS FOR USE

It is a violation of Faderal Law to use this product in a manner inconsistent with its labeling.

THIS IS NOT A TAMPER RESISTANT BAIT STATION. DO NOT USE THIS PRODUCT IN AREAS ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS, AND NONTARGET WILDLIFE.

USE RESTRICTIONS: For indoor use only for the control of house mice Ohis mesculant

When Aves: This product may be used in homes, inclusival, commercial and public buildings. This graduct may also be used in transport vehicles believe, trains, already and related port or forminal buildings. Do not use this name in improve or in any building area. Generation Areas: This product only be used inside homes and agricul-tural buildings. product in semes or in any addoor area.

ra orange.

SELECTION OF TREATMENT AREAS: Delennine areas where mice will most itsey ind and consume the bar. Generally, these are along waits, by gnawed openings,

is curses and concessed places, between floors and walks, or in locations where rodents or their signs have been seen. Use only on dry surfaces, Remove as much alternative land as possible.

sherealise food as possible.

SECURIMG BART STATION: If you desire to anchor the bail station dispenses to a amount clean surface, remove the cover sheet from the hope anchor tacked on the anchors of the unit. If you wish is anchor the dispenser in a surface which will not allow the tape anchor to other, you may resource the tape anchor and place the dispenser over a nation other such post anchord in the aurhor and protecting above the surface approximately 1 inch in order to inhibit taleral movement of the unit by indicals. For more secure anchorage, a said may be driven through the center post of the bail dispenser and into a wood or surface surface. Place, station in locations as specified under APPLICATION DRECTIONS.

APPLICATION BRIESTINGS: Source or host student at 8- to 12-bot interest on level surfaces in bostons where the labeling permits this growth to be used. After a will in placed for use, make the last ameliate to mice the holding his base of the onth with one hand and gently filling and turning the lop portion.

in a countercloclowise direction. Stop when resistance to further luming it encountered (after about one quarter of a revolution). Do not attempt to open the unit further, Do not open units except when they are placed rately for use. Cope units before restowing them for resen or disposal, Reclaice units which are empired by mice or it has becomes sociale. Cofect and disposa of all dead animals and before's laid property. To prevent reintestation, line sources of rodest bod, water and landowings as much as possible.

WARRANTY

Selec probles no warranty, proposited or implied, concerning the use of this product other than indicated on the label, Buyer absunces as risk of use another leanding of this quantital white such was another handling is contany to label.

Manufactured By: LiphaTech, Inc. 3101 West Custer Ave. Miwaukee, WI 53209


Frinted in U.S.A. 9EE6 EFA NEL NO.7173-EPA EST. NO.7173-WI-1

المستخصص المستحدث

BACK

FRONT

INNER, SINGLE PANEL, NON-DETACHABLE



١

. .