

7173-211

5/6/2002

1/3

PRECAUTIONARY STATEMENTS
Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID
Have this label with you when obtaining treatment advice. If Swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Note to Physician or Veterinarian: This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K₁ is antidotal as indicated in bihydroxycoumarin overdoses. Repeated doses may be needed for up to two weeks (based on monitoring of prothrombin times), in severe cases, blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal. Storage: Store in original container in a cool, dry place inaccessible to children and pets. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or as allowed by state and local authorities, by burning. If burned, stay out of smoke.

KEEP AWAY FROM FOODSTUFFS

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-211 Product No.
EPA Est. No. 7173-W1-1 Label No.

LIPHA TECH

Manufactured by:
LIPHATECH, INC.
3101 W. Custer Avenue
Milwaukee, WI 53209

ACCEPTED
MAY 6 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 7173-211

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL:
Storage: Store in original container in a cool, dry place inaccessible to children and pets.
Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly full: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place crushed product down any indoor or outdoor drain.

Alternate warranty statement:
Satisfaction guaranteed or your money back.



RODENTICIDE BAIT PACKS (PELLETS)

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active ingredient: dithiazione* 0.0025%
Inert ingredients 99.9975%
Total 100.0000%

*Patented in the U.S.A.

KEEP OUT OF REACH OF CHILDREN CAUTION
See side panel for additional precautionary statements.

Net Weight:

3.52 ounces (4 x 0.88 ounce bait packs)
4.4 ounces (5 x 0.88 ounce bait packs)
5.28 ounces (6 x 0.88 ounce bait packs)
7.04 ounces (8 x 0.88 ounce bait packs)
7.92 ounces (9 x 0.88 ounce bait packs)
8.8 ounces (10 x 0.88 ounce bait packs)
10.56 ounces (12 x 0.88 ounce bait packs)
14.08 ounces (16 x 0.88 ounce bait packs)
or bulk package containing
15.84 ounces (18 x 0.88 ounce bait packs)
up to
50 pounds (approx. 909 bait packs)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read the entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to holed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway Rats, Roof Rats and House Mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

URBAN AREAS: This product may be used in and around homes, and industrial, commercial and public buildings. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around railroad port or terminal buildings. Applications "around" buildings must be made in tamper-resistant bait stations placed along the walls or other external parts of buildings (e.g., doorways, ramps, loading docks) where rats or mice might seek to gain entrance.

NON-URBAN AREAS: In non-urban areas, this product may only be used inside of homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume bait. Generally these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

(Qualifier statement for package containing 4 bait packs only): This package contains enough bait (3.52 oz.) to kill one rat.
(Qualifier statement for package containing 5 bait packs only): This package contains enough bait (4.4 oz.) to kill one to three rats.

(Qualifier statement for package containing 6 bait packs only): This package contains enough bait (5.28 oz.) to kill two to six rats.

(Qualifier statement for package containing 8 bait packs only): This package contains enough bait (7.04 oz.) to kill two to seven rats.

(Qualifier statement for package containing 9 bait packs only): This package contains enough bait (7.92 oz.) to kill two to seven rats.

(Qualifier statement for package containing 10 bait packs only): This package contains enough bait (8.8 oz.) to kill three to nine rats.


(Qualifier statement for package containing 12 bait packs only): This package contains enough bait (10.56 oz.) to kill three to nine rats.

(Qualifier statement for package containing 16 bait packs only): This package contains enough bait (14.08 oz.) to kill three to twelve rats.

Rats: Use 3 to 16 packs per placement. Space placements at 15 to 30 foot intervals. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

Mice: Use one pack per placement. Two packs may be placed at points of very high mouse activity. Space placements at 8 to 12 foot intervals. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

Rats and Mice: Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.



EPA Reg. No. 7173-211
Page 1 of 3

"Mouse only" place pack option: For retail sale as individual packs:

RODENTICIDE BAIT PACKS

(PELLETS)

KILLS HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD HOUSE MICE APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difethialone	0.0025%
Inert Ingredients	99.9975%
Total	100.0000%

EPA Reg. No. 7173-211
EPA Est. No. 7173-W1-1

NET CONTENTS: 0.88 oz (25 grams)



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read the entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, unused, spoiled and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control House Mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

URBAN AREAS: This product may be used in and around homes, industrial, commercial and public buildings. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around related or terminal buildings. All applications "around" buildings must be made in tamper-resistant bait stations placed along the walls or other external parts of buildings (e.g., doorways, ramps, loading docks) where mice might seek to gain entrance.

Non-Urban areas: In non-urban areas, this product may only be used inside of homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where rodents or their signs have been seen. Generally, these are along walls, by gnawed openings, in cracks and creviced places, between floors and walls, or locations where rodents or their signs have been seen. Remove as much alternative food as possible.

STORAGE AND DISPOSAL: Storage: Store in original container in a dry place inaccessible to children and pets. Disposal: If empty: Do not reuse this container. Place in trash or other for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

APPLICATION DIRECTIONS: Use one bait pack per placement. Two packs may be placed at points of very high mouse activity. Space placements at 8 to 12 foot intervals. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease. Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL: Storage: Store in original container in a dry place inaccessible to children and pets. Disposal: If empty: Do not reuse this container. Place in trash or other for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufactured by: LIPHATECH, INC., 3101 West Custer Ave., Milwaukee, WI 53209

KEEP OUT OF REACH OF CHILDREN
Precautionary Statements: Hazard to Humans & Domestic Animals
CAUTION: Keep away from children, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.
FIRST AID: Have this label with you when obtaining treatment advice.
 If Swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor.
 Note to Physician or Veterinarian: If poisoning occurs, intramuscular and oral administration of Vitamin K₁ is antidotal as indicated in bishydroxycoumarin overdose. Repeated doses may be needed for up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.
 Environmental Hazards: This product is toxic to fish and wildlife. Do not apply directly to water.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Alternate warranty statements: Satisfaction guaranteed or your money back.

ACCEPTED
 MAY 6 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended, for the pesticide registered under EPA Reg. No. 7173-211, EPA Est. No. 7173-W1-1.

"Mouse only" outer carton label:

PRECAUTIONARY STATEMENTS
 Hazard to Humans and Domestic Animals
CAUTION: Keep away from children, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.
FIRST AID
 Have this label with you when obtaining treatment advice. If Swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Note to Physician or Veterinarian: If poisoning occurs, intramuscular and oral administration of Vitamin K₁ is antidotal as indicated in bishydroxycoumarin overdose. Repeated doses may be needed for up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.
 Environmental Hazards: This product is toxic to fish and wildlife. Do not apply directly to water.

STORAGE AND DISPOSAL
 Storage: Store in original container in a dry place inaccessible to children and pets. Disposal: If empty: Do not reuse this container. Place in trash or other for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.


EPA Reg. No. 7173-211
EPA Est. No. 7173-W1-1

Product No.
Label No.

LIPHATECH

Manufactured By:
LIPHATECH Inc.
3101 W. Custer Avenue
Milwaukee, WI 53209

Alternate warranty statements: Satisfaction guaranteed or your money back.



RODENTICIDE BAIT PACKS

(PELLETS)

KILLS HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD HOUSE MICE APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: Difethialone*	0.0025%
Inert Ingredients	99.9975%
Total	100.0000%

*Patented in the U.S.A.

KEEP OUT OF REACH OF CHILDREN
CAUTION
 See side panel for additional precautionary statements.

Net Weight: 0.88 ounces (1 bait pack)
up to
50 pounds (approximately 909 bait packs)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, unused, spoiled and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control House Mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

URBAN AREAS: This product may be used in and around homes, industrial, commercial and public buildings. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around related or terminal buildings. All applications "around" buildings must be made in tamper-resistant bait stations placed along the walls or other external parts of buildings (e.g., doorways, ramps, loading docks) where mice might seek to gain entrance.

Non-Urban areas: In non-urban areas, this product may only be used inside of homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in cracks and creviced places, between floors and walls, or locations where rodents or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS: Use one bait pack per placement. Two packs may be placed at points of very high mouse activity. Space placement at 8 to 12 foot intervals. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

EPA Reg. No. 7173-211
Page 3 of 3