

PRECAUTIONARY STATEMENTS
 Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID
 Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Note to Physician or Veterinarian: This product may reduce the clotting ability of blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K₁ is antidotal as indicated in bishydroxycoumarin overdoses. Repeated doses may be needed for up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water.

STORAGE AND DISPOSAL:
 Do not contaminate water, food or feed by storage or disposal. Storage: Store in original container in a cool, dry place inaccessible to children and pets. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all responsibility for the use of this material when such use and/or handling is contrary to label instructions.

Product No.

Label No.

DEC 27 2004

Under the Federal Insecticide, Fungicide, and Rodenticide Act, no amount for the pesticide registered under EPA Reg. No. 7173-211



RODENTICIDE BAIT PACKS (PELLETS)

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difluthalione 0.0025%
 Inert Ingredients 99.9975%
 Total 100.0000%

*Patented in the U.S.A.
 EPA Reg. No. 7173-211

EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN

CAUTION: See side panel for additional precautionary statements.

PHATECH 3600 W. Elm Street
 Milwaukee, WI 53209
 (800) 351-1476

NET WEIGHT:

- 3.52 ounces (4 x 0.88 ounce bait packs)
- 4.4 ounces (5 x 0.88 ounce bait packs)
- 5.28 ounces (6 x 0.88 ounce bait packs)
- 7.04 ounces (8 x 0.88 ounce bait packs)
- 7.92 ounces (9 x 0.88 ounce bait packs)
- 8.8 ounces (10 x 0.88 ounce bait packs)
- 10.56 ounces (12 x 0.88 ounce bait packs)
- 14.08 ounces (16 x 0.88 ounce bait packs)
- or bulk packaging containing
- 15.84 ounces (18 x 0.88 ounce bait packs)
- up to
- 50 pounds (approx. 909 bait packs)

Alternate "Storage and Disposal" statement for packaging intended solely for household use.

STORAGE AND DISPOSAL
 Storage: Store in original container in a dry place inaccessible to children and pets. Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Alternate warranty statements:
 Satisfaction guaranteed or your money back.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Urban areas: May be used indoors and in transport vehicles (ships, trains, aircraft). May be used outdoors within 15 feet of homes, industrial, commercial, agricultural and public buildings, and similar manmade structures.

Non-urban areas: This product may only be used inside of homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

- (Qualifier statement for package containing 4 bait packs only) This package contains enough bait (3.52 oz.) to kill one rat.
- (Qualifier statement for package containing 5 bait packs only) This package contains enough bait (4.4 oz.) to kill one to three rats.
- (Qualifier statement for package containing 6 bait packs only) This package contains enough bait (5.28 oz.) to kill two to six rats.
- (Qualifier statement for package containing 8 bait packs only) This package contains enough bait (7.04 oz.) to kill two to seven rats.
- (Qualifier statement for package containing 9 bait packs only) This package contains enough bait (7.92 oz.) to kill two to seven rats.
- (Qualifier statement for package containing 10 bait packs only) This package contains enough bait (8.8 oz.) to kill three to nine rats.
- (Qualifier statement for package containing 12 bait packs only) This package contains enough bait (10.56 oz.) to kill three to nine rats.
- (Qualifier statement for package containing 16 bait packs only) This package contains enough bait (14.08 oz.) to kill three to twelve rats.

Rats: Use 3 to 16 packs per placement. Space placements 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

Mice: Use one pack per placement. Two packs may be placed at points of very high mouse activity. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

Rats and Mice: Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

(27804)

Optional marketing statements:

Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait.

"Full label" place pack label option: For retail or commercial sale in outer package containing 4 or more place packs, with size-specific qualifier statements on outer package label:

2/3

Optional marketing statements:

Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait.

APPLICATION DIRECTIONS:

Rats: Use 3 to 15 packs per placement. Space placements 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.
 Mice: Use one pack per placement. Two packs may be placed at points of very high mouse activity. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.
 Rats and Mice: Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. (27894)

STORAGE AND DISPOSAL: Storage: Store in original container in a dry place inaccessible to children and pets.
 Disposal: If empty. Do not reuse this container. Place in trash or offer for recycling if available. If partly filled, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

LiphaTech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209 (800) 558-1003



RODENTICIDE BAIT PACKS (PELLETS)

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

Active Ingredient: difethialone* 0.0025%
 Inert Ingredients: 99.9975%
 Total: 100.0000%

*Patented in the USA

EPA Reg. No. 7173-211

EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining treatment advice.
 If swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor.
 Note to Physician or Veterinarian: This product may reduce the clotting ability of blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K₁ is antidotal as indicated in bishydroxycoumarin overdoses. Repeated doses may be needed for up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.
ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water.

WARRANTY: Seller makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions.

NET WEIGHT: 0.88 oz. (25 grams)

Alternate warranty statement: Satisfaction guaranteed or your money back.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL:** Read the entire label and follow all use directions and use precautions. **IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents: 1. Store product not in use in a location out of reach of children, pets or other nontarget animals to rodenticides. 2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooled livestock, raccoons, bears, and other potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label. **USE RESTRICTIONS:** This product may be used to control Norway rats, roof rats and house mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Urban areas: May be used indoors and in transport vehicles (ships, trains, aircraft). May be used outdoors within 15 feet of homes, industrial, commercial, agricultural and public buildings, and similar manmade structures. **NON-FOOD AREAS:** This product may only be used inside of homes and agricultural buildings. **SELECTION OF TREATMENT AREAS:** Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls or grained openings, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

"Abbreviated" place pack label option: For retail sale in outer package containing 4 or more place packs, with size-specific qualifier statements on outer package label:

Optional marketing statements:

Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
 Storage: Store in original container in a cool, dry place inaccessible to children and pets.
 Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
 Container Disposal: Offer empty wrapper for recycling or dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. (27894)



RODENTICIDE BAIT PACKS (PELLETS)

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

Active Ingredient: difethialone* 0.0025%
 Inert Ingredients: 99.9975%
 Total: 100.0000%

*Patented in the USA

EPA Reg. No. 7173-211

EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN

CAUTION: See side panel for additional precautionary statements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label on the outer package before using this product. It is illegal to sell these placepacks individually.



3600 W. Elm Street
 Milwaukee, WI 53209
 (800) 558-1003

NET WEIGHT: 0.88 oz. (25 grams)

Alternate "Storage and Disposal" statement for packaging intended solely for household use.

Alternate warranty statement: Satisfaction guaranteed or your money back.

STORAGE AND DISPOSAL

Storage: Store in original container in a dry place inaccessible to children and pets.
 Disposal: If empty. Do not reuse this container. Place in trash or offer for recycling if available. If partly filled, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS: Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining treatment advice.
 If swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor.
 Note to Physician or Veterinarian: This product may reduce the clotting ability of blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K₁ is antidotal as indicated in bishydroxycoumarin overdoses. Repeated doses may be needed for up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.
ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water.

Page 2 of 3. Product label for EPA Reg. No. 7173-211 Submitted October 7, 2004

"Mouse only" place pack label option: For retail sale as individual place packs, or in in outer package containing 1 or more place packs:

UPC (for position only)



RODENTICIDE BAIT PACKS (PELLETS) KILLS HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Table with 2 columns: Ingredient name and percentage. Active Ingredient: dithethalione 0.0025%, Inert Ingredients 99.9975%, Total 100.0000%

*Patented in the USA EPA Reg. No. 7173-211 EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic Animals CAUTION: Keep away from children, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Note to Physician or Veterinarian: This product may reduce the clotting ability of blood and cause hemorrhaging. ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water.

WARRANTY: Seller makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions.

NET WEIGHT: 0.88 oz. (25 grams)

Alternate warranty statement: Satisfaction guaranteed or your money back.

Optional marketing statements: Do not tear open the pack - mice will chew through the wrapper to get at the bait.

APPLICATION DIRECTIONS: Use one pack per placement. Two packs may be placed at points of very high mouse activity. Space placements at 8 to 12 foot intervals. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease. Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and other bait properly. Discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment for a continuous infestation. Set up permanent bait stations and replenish bait as needed. (27804)

STORAGE AND DISPOSAL: Storage: Store in original container in a dry place inaccessible to children and pets. Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Liphatech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209 (800) 558-1003

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THIS LABEL: Read this entire label and follow all use directions and use precautions. IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents: 1. Store product not in use in a location out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooted livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label. USE RESTRICTIONS: This product may be used to control house mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Urban areas: May be used indoors and in transport vehicles (ships, trains, aircraft). May be used outdoors within 15 feet of homes, industrial, commercial, agricultural, and public buildings. Non-urban areas: This product may only be used inside of homes and agricultural buildings. SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals CAUTION: Keep away from children, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking. FIRST AID Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Note to Physician or Veterinarian: This product may reduce the clotting ability of blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K1 is antidotal as indicated in bishydroxycoumarin overdoses. Repeated doses may be needed for up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water.

STORAGE AND DISPOSAL Storage: Store in original container in a dry place inaccessible to children and pets. Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Product No Label No

Alternate warranty statements Satisfaction guaranteed or your money back

Optional marketing statements

Do not tear open the pack - mice will chew through the wrapper to get at the bait.



RODENTICIDE BAIT PACKS (PELLETS) KILLS HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Table with 2 columns: Ingredient name and percentage. Active Ingredient: dithethalione 0.0025%, Inert Ingredients 99.9975%, Total 100.0000%

*Patented in the U.S.A. EPA Reg. No. 7173-211 EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN CAUTION: See side panel for additional precautionary statements.

LIPHATECH 3600 W Elm Street Milwaukee, WI 53209 (800) 351-1476

NET WEIGHT: 0.88 ounces (1 bait pack) up to 50 pounds (approx. 909 bait packs)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooted livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control house mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Urban areas: May be used indoors and in transport vehicles (ships, trains, aircraft). May be used outdoors within 15 feet of homes, industrial, commercial, agricultural and public buildings, and similar manmade structures. Non-urban areas: This product may only be used inside of homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS: Use one pack per placement. Two packs may be placed at points of very high mouse activity. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease. Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and other bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment for a continuous infestation. Set up permanent bait stations and replenish bait as needed. (27804)

Page 3 of 3. Product label for EPA Reg. No. 7173-211 Submitted October 7, 2004