### PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Keep away from humans, domestic animals and pets. May be harmful it swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin, or on clothing. Wash arms, hands and tace with soap and water after applying and before eating and smoking.

FIRST AID: Have this label with you when obtaining treatment

If swallowed: Call a poison control center or doctor immediately r treatment advice

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison state of the contaminated clothing.

control center or doctor for treatment advice.

control center of octors of brannent above, if inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment above.

Note to Physician: If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they leed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

### STORAGE AND DISPOSAL

Do not contaminate water, lood or feed by storage or disposal Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may disposed of on site or at an approved waste disposal

Container Disposal: Dispose of emoty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Warranty: Seller makes no warranty, expressed or implied, con-cerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-213

7 ounces (8 x 0.88 oz. bait packs), or

8.8 ounces (10 x 0.88 oz. bait packs), or Afternate "Storage and Disposal" statement for packaging 10 6 clines 11 x 10.88 oz. bait packs),

STORAGE AND DISPOSAL

Storage: Store in original container in a dry pla inaccessible to children and pets. Disposal: If empty: Co not reuse this container. Place

Disposal: If empty: Co not reuse mis comminer. The transport of the frequency of a variable. If partly filled: [all your local solid waste agency or 1-800-CLEANUP to Dader the Federal Insecticide, disposal instructions. Never place unused product down unged, and Rodenticide Act, any indoor or outdeer drain.

FEB - 9 2005 as amended, for the pesticide registered under EPA Reg. No. 7/73-2/3

Alternate warranty statements:

intended solely for household use:

Satisfaction guaranteed or your money back

Optional marketing statements.

Contains bittering agent

Bitrex™ is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland



## MAKI **PELLETS PLACEPACKS**

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT NORWAY RATS

NORWAY RATS & HOUSE MICE MAY CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active ingredient: bromadiolone . . . . . . . . . . . . 0.005% 

### KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

LIPH/TECH

Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 (800) 351-1476

### **NET WEIGHT:**

EPA Est. No. 7173-WI-1 4.4 ounces (5 x 0.88 oz. bait packs), or 5.3 ounces (6 x 0.88 oz. bait packs), or

1 pound up to 50 pounds

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and use

precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children

 Store product not in use in a receiver out or reach and pets.
 Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even lifted, units must be secured or otherwise immobilized. Even theorem, bait stations are needed in areas open to hooled. stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals,

or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats and house mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

Urban areas: This product may be used in and around homes, food proceeing facilities, industrial, commercial and public buildings. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.

Non-urban areas: This product may be used only inside of homes

and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where SELECTION OF HEAIMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

#### **APPLICATION DIRECTIONS:**

(Qualitier statement only for package containing 5 packs:)
The bait packs in this package contain enough bait (4.4 oz.) to kill

(Qualifier statement only for package containing 6 packs:)
The bait packs in this package contain enough bait (5.3 oz.) to kill 1 to 5 rats.

(Qualifier statement only for package containing 8 packs:)
The bait packs in this package contain enough bait (7 oz.) to kill 2 to 6 rats

(Qualifier statement only for package containing 10 packs:) The bait packs in this package contain enough bait (8.8 oz.) to kill 3 to 9 rats

(Qualifier statement only for package containing 12 packs.) The bait packs in this package contain enough bait (10.6 oz.) to kill 3 to 10 rats.

kill 3 to 10 rats.

There is no need to open the packet of pellets - mice and rats will chew through the wrapper to get the bait.

Mice: Apply 1 bait pack per placement. Two packs may be placed at points of very high mouse activity. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until fresh signs of mouse activity cease.

Rats: Apply 4 to 16 bait packs per placement. Space placements 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until fresh signs of rat activity cease.

Follow-up: Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of ordent food, water and harborage as much as possible. If reinfestation occurs.

water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

WARRANTY: Setler makes no warranty, expressed or implied, concerning use of this product other than inclicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions. (2250)

children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may disposed of on site or at an approved waste disposal tacility.

Container Disposal: Dispose of empty container in a sanitary landful, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

STORAGE AND DISPOSAL

Do not contaminate water, bod or feed by storage or disposal. Storage: Store in original container in a cool, dry place inaccessible to

MAKI PELLETS PLACEPACKS

### **KILLS NORWAY RATS. ROOF RATS, HOUSE MICE &** WARFARIN-RESISTANT NORWAY RATS

Active Ingredient: bromadiolone . . . . . . . . . 0.005% 

EPA Reg. No. 7173-213 EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

3600 W. Elm Street Milwaukee, WI 53209 (800) 351-1476

NET WEIGHT: 0.88 oz (25 grams)

PRECAUTIONARY STATEMENTS: Hazard to Humans and Domestic Animals CAUTION: keep away from humans, donestic animals and pals, May be harmful if swallowed or absorbed through the skin because this natient intery reduces the clotting ability of bood and cause bleeding. Do not get in eyes, on skin, or on clothing, Wash arms, hands and lace with soap and water after applying and belone eating and smoking.

FIRST AID: Have this label with you when obtaining treatment advice.

It swallowed: Call a poison control center or doctor immediately for treatment advice.

If nevers: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact tenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plerny of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air, If person is not breathing, call 91 to ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

Note to Physician: If ingested, administer Waterini K, initiamuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

Read the entire label on the outer package before using this product. It is illegal to sell these placepacks individually. There is no need to open the packet of pellets - mice and rats will chew through the wrapper to get the bait.

t is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE

Optional marketing statements: Contains bittering agent

Bitrex's is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland

Satisfaction guaranteed or your money back.

STORAGE AND DISPOSAL

STORAGE AND DISPOSAL
Storage: Store in original container in a dry place inaccessible to children and pets.
Disposal: If empty: Oo not reuse this container. Place in trash or offer for recycling if available. If partly filled. Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Alternate warranty statements:

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scaveriging mammals and birds might be po-soned if they feed upon animals that have eaten the bail. Do not apply directly to water, or to areas where surface water is present or to interlictal areas below the mean high water mark.

Bitrex<sup>TI</sup> is a trademark of Macharlan Smith Ltd., Edinburgh, Scotland Optional marketing statements,

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL, and follow all use directions and use precautions.

IMPORTAINT: Do not expose children, pets, or other nonlarget aimals to modernizates to help prevent accidents:

1. Since product not in use in a location out of reach of disident and pets aimals and nonlarget whose, or in tamper-resistant stations. These stations must be resistant to destruction by dops and by children under suryears of age, and must be uses when they are lifed, units must be secured or otherwise immobilized. Even strongle ball stations are needed in areas of nodes direction, raccoons, bears, or other potentially destructive aimals, or in areas prone to variation.

1. Dispose of product container, unused, spoiled, and unconsumed ball as specified on this label.

1. Use RESTRICTIONS: For control of house mice. Do not place bait in areas where there is a possibility of contaminating ultrain affects. This product may be used in aims pourt whose, so product own to outlainer, unused to all product may be used in aims pourt whose. Stop processing facilities, industrial, commercial and buildings. This product may be used in aims pourt whose, so provide the passible to product may be used in aims pourt whose and agricultural buildings. Non-reash areas: This product may be used in aims of homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where more will most stay between floors and walls, by graved openings, in or beside burtows, in commercial and consume the bait. Generally, are along wasts, by graved openings, in or beside burtows, in commercial and considered places, between floors and walls, by the product may be used in several productions and concealed places, between floors and walls, by the aims of their signs have been seen. Henove as much alternative food as possible.

, facilities, industrial, commercial i fi) and in and around related port i and public tor terminal

KILLS HOUSE MICE HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD HOUSE MICE APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

NET CONTENTS: 0.88 oz (25 grams)

KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS: Hazard to Humans and Domestic Animals

CAUTION: Keep away from humans, domestic animals and pets. May be harmful reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face with soap and water after applying and before eating

FIRST AID: Have this label with you when obtaining treatment advice.
If swallowed: Call a poison control center or doctor immediately for treatment advice.
If in eyes: Hold eye open and ruse slowly and gently with water for 15-20 minutes. Remove contact lenses; if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

control center or ooctor for treatment advice. If on skin or oldhing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

Note to Physician: If ingested, administer Vitamin K<sub>1</sub> inframuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. On not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Alternate warranty statements: Satisfaction guaranteed or your money back.

# MAKI

Active Ingredient: bromadiolone . . . . 0.005% 

APPLICATION DIRECTIONS: There is no need to open the packet of pollets - mice and rais will chew through the wrapper to get the balt. Apply 1 balt pack per placement into packs may be placed at points of very high mouse actively. Shace placements be 121 feel apart. Mannian a constant supply of tresh balt for 15 days or unit feels signs of mouse activity cease. Replace confaminated or spoided balt immediately. Called and dispose of all visible dead enhants and elitower balt properly. To discourage renfessation, intri sources of nodent bod, water and harborage as much as possible if renfessation occurs, repeat treatment. For a continuous intestation, set up termanent balt stations and replenish balt as needed.

STDRAGE AND DISPOSAL: Storage: Store in original container in a dry place naccessible to children and pets. Disposal: if empty. Do not reuse this container. Place in trash or offer for recyring if available. It partly filled: Call your local solid wastle agency or 1-800-CLEAND for deposal instructions. Never place unused product down any indoor or outdoor drain. , WI 53209 351-1476

### "Mouse only" outer carton label:

PRECAUTIONARY STATEMENTS
Hazard to Humans and Domestic Animals

CAUTION: Keep away from humans, domestic Animals and pets. May be harmful if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause beleding. Do not get in eyes, on skin, or on clothing, Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID: Have this label with you when obtaining treatment

If swallowed: Call a poison control center or doctor immediately

for treatment advice.

If in eyes: Hold ye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

control center or doctor for treatment advice, if inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Note to Physician: If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of rothrombin bines.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark

### STORAGE AND DISPOSAL

Storage: Store in original container in a dry place inaccessible

Stotage: Sicte in ringinal container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled. Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or

Warranty: Seller makes no warranty, expressed or implied, con-cerning the use of this product other than indicated on the label. Buyer assumes all risk of use and or nandling of this material when such use and or handling is contrary to label instructions.

EPA Reg. No. 7173-213

EPA Est. No. 7173-WI-1

## MAKI

## **PELLETS PLACEPACKS**

### KILLS HOUSE MICE

HOUSE MICE MAY CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active ingredient: bromadiolone . . . . . . . . . . 0.005% 

### KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

LIPH/TECH'

Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 (800) 351-1476

**NET WEIGHT:** 0.88 ounces up to 50 pounds

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and use

precausions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and path.

children and pets.

children and pets.

2. Apply bati in locations out of reach of children, pets. domestic animals and nontarget wildlife, or in tamper-resistant bail stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooled livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of house mice... place bait in areas where there is a possibility of contaminating lood or surfaces that come in direct contact with lood. Do not broadcast bait.

broadcast bait.

Urban areas: This product may be used in and around homes, food processing facilities, industrial, commercial and public buildings. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.

Non-urban areas: This product may be used inside of homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the batt. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS: There is no need to open the packet of pellets - mice and rats will chew through the wrapper

to get the bait.

Apply 1 bait pack per placement. Two packs may be piaced at points of very high mouse activity. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 da.s or until fresh signs of mouse activity cease. Replace contaminated or spoiled bait immediately. Collect and discose of all visible cead animals and leftover bait properly. To discourage reinlegstation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replanish bait as needed. stations and replenish bait as needed.

Alternate warranty statements:

Satisfaction guaranteed or your money back