

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

May 1, 2007

Liphatech. Inc. 3600 W. Elm Street Milwaukee, WI 53209

Attention: Ms Rachel Callies

Subject: Maki Pellets Place Packs

EPA Reg. No. 7173-213

Your amended application of December 6, 2006.

Purpose

The purpose of this submission is to submit data on weathered bait to support the addition of a burrow use on the label and to add a dye as an Alternate Formula.

Data

We have reviewed the data on a weathered formula (MRID No. 469681-01 and 469681-02 and found them acceptable.

- 1. In the future, submit all raw data for bait composition, formulations, rat and mouse bait spillage, and daily consumption for all animals.
- 2. Provide the size, shape, and composition of all test bait. Photos and measurements are helpful, plus the formulation method and extruder type (if any).
- 3. Please include a copy of the SOPs used in future data submissions.

Label

The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided you submit one (1) copy of final printed labeling to us, with the following changes, before you ship your product.

Label (Cont)

- 1. In your "WARRANTY", begin the text with "To the extent consistent with applicable law, seller ..."
- 2. Add "Wearing gloves" in "Follow-up" before "collect and dispose ..."

Existing stocks

Stocks of existing labels may be used for eighteen (18) months.

Consequence for non-compliance

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

**CSF** 

The Confidential Statement of Formula (CSF) dated December 6, 2006, is acceptable. We have placed a copy in our files for this product. All previous versions are obsolete.

You justified your additional formula on the basis that the dye had been approved in "Criteria & Policy Notice 2164.2". However, we were unable to verify that assertion. The background paper supporting the Notice concluded that your proposed dye produced important negative efficacy effects. Because we located other products for which we had approved formulas with your proposed dye, we will not object to its presence in this product at this time. However, if you intend to use this dye in other products or plan to continue its use in products where it has already been approved, you need to conduct a comparative study with albino rats to determine the effect of this dye on efficacy. Also, we need to know the registration number and MRID No. of any tests conducted with this dye.

If you have questions about this letter, please contact me at 703-605-0716(by phone), 703-305-6920 (by fax), or <a href="mailto:mccann.geri@epa.gov">mccann.geri@epa.gov</a> (by E-Mail).

Sincerely yours.

Geraldine McCann, Biologist Insecticide-Rodenticide Branch Registration Division (7505P)

Enclosure

Stamped label

## PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling balls with arms, bonds and focus on the contents. or animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining

treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by

mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or rhotor. eye. Call a poison control center or doctor

for treatment advice.

If on skin or clothing: Take off contaminated clothing, Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for

treatment advice. Note to Physician or Veterinarian: Contains bromadiolone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K<sub>1</sub> by inframuscular or oral administration. Check prothrombin time every 3 days until values return to normal

Values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not accomplished they water out a reas where apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

Storage: Store in original container in a cool, dry place inaccessible to children

and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the abel. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions

ACCEPTED EPA REWILLTICONIMENTS duct No.

EPA in bepayawiter Dated label MAY 0 1 2007 Under the rederal insecucide. Fungicide, and Rodenticide Act. as amended, for the pesticide registered under EPA Reg. No. 2/73-2/3

# MAKI

## **Pellets PlacePacks**

FOR INDOOR AND OUTDOOR **URBAN RODENT CONTROL** 

**KILLS NORWAY RATS, ROOF RATS,** HOUSE MICE AND WARFARIN-**RESISTANT NORWAY RATS** 

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST **DEAD RODENTS APPEARING FOUR** OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient:	bromadiolone	0.005%
Inert Ingredients		9.995%
Tot <u>a</u> ∤	,	0.000%

## KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

# LIPH/TECH

Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

**Net Weight:** 

4.4 ounces (5 x 0.88 oz. bait packs), or 5.3 ounces (6 x 0.88 oz. bait packs), or 7 ounces (8 x 0.88 oz. bait packs), or 8.8 ounces (10 x 0.88 oz. bait packs), or 10.6 ounces (12 x 0.88 oz. bait packs), or 1 pound up to 50 pounds

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL

This is a nonrefillable container.
Storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. indoor or outdoor drain.

Optional marketing statements:

Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait.

Alternate warranty statements:

Satisfaction guaranteed or your money back.

Optional marketinu stutemer.ts:

Contains bittering agent Bitrex™ is a trademark of Macfarian Smith Ltd., Edinburgh, Sectland



Page 1 of 5, Product label for EPA Reg. No. 7173-213, Submitted 12/6/06

DIFIECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions

IMPORTANT: Do not expose children, pets or other nontarget anima's to rodenticides. To help prevent accidents:

accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait, if bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway ats, roof rats and house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

Urban areas: May be used in and around homes, industrial, commércial and public buildings, food processing facilities, and similar man-made structures. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings.

Non-urban areas: May be used inside of homes and agricultural, industrial and commercial buildings.

Selection of Treatment Areas: Determine areas

where rats and/or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:** 

(Qualifier statement for 5 x 0.88 oz package.)
The bait packs in this package contain enough bait (4.4 oz) to kill one to three rats.

(Qualifier statement for 6 x 0.88 oz package:) The bait packs in this package contain enough bait (5.3 oz) to kill one to five rats.

(Qualifier statement for 8 x 0.88 oz package:)

The bait packs in this package contain enough bait (7 oz) to kill two to six rats.

Qualifier statement for 10 x 0.88 oz package: The bait packs in this package contain enough bait (8.8 oz) to kill three to nine rats.

(Qualifier statement for 12 x 0.88 oz package:)

The bait packs in this package contain enough bait (10.6 oz.) to kill three to ten rats.

Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet a art. Two packs may be needed at points of very high mouse activity. Maintain a constant supp y of fresh bait for 15 days or until signs of mouse activity cease.

Rats: Apply 3 to 16 packs per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of frest bait for 10 days or until signs of rat activity cease.

activity cease.

For rat burrows, insert 1 to 2 packs deep into each active burrow. Check treated burrows each morning and evening to make sure that bait has not been pushed out of burrows.

Follow-up: Fieplace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and latter bait, as well as any bait that has become

and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, I mit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. (34006)

# **Pellets PlacePacks**

FOR INDOOR AND OUTDOOR URBAN RODENT CONTROL

KILLS

HOUSE

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

EPA Reg. No. 7173-213 EPA Est. No. 0.005% 99.995% 100.000% 7173-WI-

REEP ( OUT OF REACH OF CHILDREN
'STATEMENTS: Hazard to Humans
Animals Qσ Domestic

**CAUTION:** Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling bait or animals. Wash arms, hands and tack with soap and water after applying and before eating and

Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Two packs may be needed at points of very high mouse activity. Maintain a constant supply of

Rats: Apply 3 to 16 packs per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease. For rat burrows, insert 1 to 2 packs deep into each active burrow. Check treated burrows each morning and evening to make sure that bait has not been pushed out of

Follow-up: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait, as well as any bait that has become accessible

to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

STORAGE AND DISPOSAL

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed

Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains bromadicione, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bieeding) or prolonged prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

Pestičide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

For a continuous infestation, set up permanent bait stations and replenish bait as needed,

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container. Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Manufactured by: Liphatech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209, 414-351-1476

by state and local authorities, by burning, if burned, stay out of smoke,

WARRANTY: Seller makes no warranty, expressed or in cerning the use of this product other than indicated on Buyer assumes all risk of use and/or handling of this masuch use and/or handling is contrary to label instructions. or implied, con-d on the label. s material when

APPLICATION DIRECTIONS:

fresh bait for 15 days or until signs of mouse activity cease.

Net Weight: 980 (25 grams)

"Storage and Disp solety for household

sposal

₫

packaging

STORAGE

AND DISPOSAL

Optional marketing statements

Satisfact

9

guaranteed

윽

Joy.

money

back.

statements.

Alternate warranty statements

Contains bittering agent Bitrex<sup>TM</sup> is a trademark of Masfarlar, Smith Ltd., Edinburgh, Scotland

This is a nonrefillable container.

Storage: Store in original container in a dry place storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

READ THIS LABEL and follow all use directions and precautions.

IMPURTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bail stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label. USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

Urban areas: May be used in and around homes, industrial, commercial and public buildings, food processing facilities, and similar man-made structures. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Non-urban areas: May be used inside of homes and agricultural, industrial and commercial buildings.

Selection of Treatment Areas: Determine areas where rats and/or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much alternative food as possible.

NORWAY RATS, ROOF RATS, MICE AND WARFARIN-RESISTANT NORWAY RATS

e Ingredient: bromadiolone...

DIRECTIONS FOR USE

Do not tear of through the Optional marketing

r open the e wrapper

pack -

(a)

ats and mice the bait.

≦.

chew

Reg. Ž

Page 2 cf 5 Product abel for EPA F Submitted 12/6/06

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label on the outer package before using this product. It is illegal to sell these placepacks individually.

WARRANTY: Seller makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions. Film No. 115-(34006)

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container. Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal

Contáiner Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 7173-213

Optional marketing statements

Net Weight: 0.88

0Z.

(25

grams)

Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

See side panel for additional precautionary statements CAUTION:

# NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS MICE AND WARFARIN-RESISTANT NORWAY RATS FOR INDOOR AND OUTDOOR URBAN RODENT CONTROL **PlacePacks**

m

XILL'S

**Pellets** 

Active Ingredient: bromadiolone. Inert Ingredients. Est. No. 7173-WI-1

... 0.005% .. <u>99.995%</u> . 100.000% ശ്

Contains bittering agent Bitrex<sup>TM</sup> is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland

**OUT OF REACH OF CHILDREN** 

PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic Animals CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling bait or animals. Wash arms,

hands and face with soap and water after applying and before eating and smoking. FIRST AID

Have this label with you when obtaining treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the

first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains bromadiolone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

statement for

packaging

Satisfaction guaranteed or your money Alternate warranty statements:

/ back

# "Storage and Disposal" solely for household use:

STORAGE AND DISPOSAL

This is a nonrefillable container.

Storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any product or a strain.

Do not tear open the wrapper to get at the

rats and

mice

will chew through the

Optional marketing statements

Page 3 of 5 Product label for EPA ,Teg. Submitted 12/5/06 . o 7173-213

Manufactured by: Liphatech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209, 414-351-1476

or by incineration, or

pack per placement, usually spaced 8 to 12 feet apart. Two packs may be needed at points of very high mouse activity. Maintain a constant supply 15 days or until signs of mouse activity cease. Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and swell as any bait that has become accessible to non-larget animals. To discourage reinfestation, limit sources of rodent food, water and harborage issible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. possible.

STORAGE AND DISPOSAL

For contaminate water, food or feed by storage or disposal. This is a nonrefillable contamer.

Ge Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

The Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

The Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, in the day state and local authorities, by burning. If burned, stay out of smoke. Do not contan Storage: Stor Pesticide Disp Container Dis if allowed by s as much as p Film No 115-APPLICAT fresh leftover '

Alternate "Storage and Disposal" state-ment for packaging intended solely for household use:

## STORAGE AND DISPOSAL

This is a nonrefillable container. Storage: Store in original container in a dry place inaccessible to children and

Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

## MAKI

## **Pellets PlacePacks**

FOR INDOOR AND OUTDOOR **URBAN RODENT CONTROL** 

**KILLS HOUSE MICE** 

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: bromadiolone..... 

EPA Reg. No. 7173-213

EPA Est. No. 7173-WI-1

## KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic

**CAUTION:** Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing Wear gloves when handling bait or animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious

If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or

doctor for treatment advice.
If on skin or clothing. Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or

pienty of cool water for 15-20 minutes. Call a poison control canter or doctor for treatment advice.

Note to Physician or Veterinarian: Contains bromadiolone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Net Weight: 0.88 oz. (25 grams)

Optional marketing statements:

Contains bittering agent Bitrex™ is a trademark of Macfarlan Smith Ltd., Edinourgh, Scotland



DIRECTIONS FOR US a violation of Federal law to use this product in a manner inconsistent with its labeling

READ THIS LABEL and follow all use directions and precautions.

\*\*Restruction of reach of children and pets.\*\*

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait comparants and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise inmobilized. Even stronger bait stations are needed in areas open to hooked livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

4. USE RESTRICTIONS: This product may be used to control house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

5. Dispose of product container, unused, spoiled, and uncontrol house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

6. Urban areas: May be used in transport vehicles (ships, trans.), and and around related port or terminal buildings.

7. Determine and agricultural, industrial and commercial buildings.

7. Selection of Treatment Areas: Determine areas where mice will most likely find and consume paul. Generally, these are along walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much alternative food as possible. Alternate warranty statements: Satisfaction guaranteed or your money back.

Optional marketing statements:

Do not tear open the pack - mice will chew through the wrapper to get at the bait.

> Page 4 of 5 Product label for EPA Reg. No. 7173-213 Submitted 12/6/06

## PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals CAUTION: Keep away from children, domestic animals and pets. If swallowed this product reduces the clotting ability of

blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling bait or animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

**FIRST AID** 

Have this label with you when obtaining

treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for

treatment advice.

If on skin or clothing: Take off contaminated clothing Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for

treatment advice.

Note to Physician or Veterinarian: Contains Note to Physician or veterinarian: Contains bromadiolone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not directly to water or to areas where apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

Storage: Store in original container in a cool, dry place inaccess ble to children and

pets. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-213 EPA Est. No. 7173-WI-1 Product No. Label

# MAKI **Pellets PlacePacks**

FOR INDOOR AND OUTDOOR **URBAN RODENT CONTROL** 

**KILLS HOUSE MICE** 

**HOUSE MICE CAN** CONSUME A LETHAL DOSE IN ONE **NIGHT'S FEEDING WITH FIRST DEAD** RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Inert Ingredients......99,995%

## KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements

## LIPH/TECH

Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

## **Net Weight:**

4.4 ounces (5 x 0.88 oz. bait packs), or 5.3 ounces (6 x 0..88 oz. bait packs), or 7 ounces (8 x 0.88 oz. bait packs), or 8.8 ounces (10 x 0.88 oz. bait packs) or 10.6 ounces (12 x 0.88 oz. bait packs), or 1 pound up to 50 pounds

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

## STORAGE AND DISPOSAL

This is a nonrefillable container.

Storage: Store in original container in a dry place inaccessible

to children and pets.

Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Optional marketing staremenis:

Contains bittering agent Bitrex™ is a trademark of Macfarlan Smith Ltd., Edinburgh, Spotland



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast batt.

Urban areas: May be used in and around homes, industrial, commercial and public buildings, food processing facilities, and similar man-made structures. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings.

Non-urban areas: May be used inside of homes and agricultural, industrial and commercial

buildings.

Selection of Treatment Areas: Determine areas where mice will most likely find and consume bait. Generally, thase are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been absorbed. observed. Remove as much alternative food as possible.

## **APPLICATION DIRECTIONS:**

APPLICATION DIRECTIONS:

Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Two packs may be needed at points of ver / high mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease. Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait, as well as any bait that has become

bait, as wel as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

Optional mark eting statements:

Do not tear or en the pack - mice will chew through the wrapper to get at the bait.

Alternate warranty statements:

Satisfaction guaranteed or your money back.

Page 5 of 5 Produc. label for EPA Reg. No. 7173-213 Submitted 12/6/06