US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS **REGISTRATION DIVISION (75-767)** WASHINGTON, DC 20460 NAME OF PESTICIDE PRODUCT REGISTRATION NOTICE OF PESTICIDE: Generation Mini Blocks (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Γ 5490691 LiphaTech 3600 West Elm St. Milwaukee, WI 53209 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label-in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. In the basis of information furnished by the registrant, the above remed pesticide is hereby Registered/Reregistred under he Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered This product is unconditionally registered in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)(5) provided that you: A. Make the following labeling changes before you release the product for shipment: 1. Add "EPA Reg. No. 7173-218" to your label.

2. Modify the "Pesticide Disposal" statement as follows:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

3. Wherever it occurs, your "First Aid" text must be separated from the rest of your precautionary statements as follows:

FIRST AID

IF SWALLOWED, call a physician at once.

ATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICAL	DATE OF 2 1 1995

4. Within the "USE RESTRICTIONS", indent the entire paragraphs entitles "URBAN AREAS" AND "NON-URBAN AREAS" (note the need for a hyphen) so that it is clear that the last sentence of the "USE RESTRICTIONS" applies to all sites in which the product may be used.

USE RESTRICTIONS: For control of Norway Rats, Roof Rats and House Mice.

URBAN AREAS: This product may be used in and around homes ... to gain entrance.

NON-URBAN AREAS: May be used inside of homes and agricultural buildings.

Do not place ... with food.

- B. Understand that <u>only</u> a 20 gram bait block can be sold under this registration number or distributor number. See attached "CONCLUSIONS" sheet.
- C. Within 15 months of registration, submit the results of your Storage Stability (63-17) and Corrosion Characteristics (63-20) data.

Submit one copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Robert A. Forrest Product Manager (14) Insecticide-Rodenticide Branch Registration Division (H7504C)

Enclosures: 1) Stamped label

2) A-79 Enclosure

PRECAUTIONARY STATEMENTS: HAZARD TO **HUMANS AND DOMESTIC ANIMALS**

CAUTION

Keep away from children, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding.

Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking. If swallowed, call a physician at once.

NOTE TO PHYSICIAN OR VETERINARIAN: This product may reduce the clotting ability of the blood and cause hemorrhaging. If NORWAY RATS AND HOUSE MICE CAN CONSUME A poisoning occurs, intramuscular and oral administration of Vitamin K₁ LETHAL DOSE IN ONE FEEDING WITH FIRST DEAD is entiriously as indicated in bishydroxycournarin overdoses. Repeated RODENTS APPEARING FOUR OR FIVE DAYS AFTER doses may need to be given for up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams or Inert Ingredients..... ponds.

STORAGE AND DISPOSAL:

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product should be securely wrapped in several layers of newspaper disposal facility,

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke,

KEEP AWAY FROM FOODSTUFFS

WARRANTY: Sellur mailes no training, expressed or implied, concerning the usa or this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handing is contrary to label instructions.

Satisfaction Guaranteed Or Your Money Back

Generation BLOCKS

READY-TO-USE

KILLS NORWAY RATS, ROOF RATS AND HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

TREATMENT BEGINS

ACTIVE INGREDIENT: [(bromo-4'-[biphenyl - 1 -1] -yl-4) 3-tetrahydro-1,2,3,4-naphthyl-1] 3-hydroxy-4, 2H-1, benzothiopyran-one 2"........................0.0025%

TOTAL

*Difethialone - Patented in the U.S.A.

KEEP OUT OF REACH OF CHILDREN CAUTION

and then disposed of in a sanitary landfill or at an approved waste. May be harmful or fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying for recycling or reconditioning, or puncture and dispose of in a sanitary and before eating and smoking. If av/allowed, call a physician at once. See left panel for additional should be spaced at interval precautionary statements

MANUFACTURED BY:

LiphaTech, inc. 3101 West Custer Ave. Milwaukee, WI 53209

ACCEPTED with COMMENTS in EPA Letter Dated

NET WEIGHT: 16 lbs. (363 x 20g) 19952 4

EPA REG. NO. 7173-

Under the Federal Insecticide, Fungieide, and Rollenticide Act Reserved, for the pesticide registered under EPA Reg. No. EPA EST, NO. 7173-WI-1

DIRECTION

It is a violation of Federal la inconsistent with its labeling.

READ THIS LABEL: Read directions and use precautions.

IMPORTANT: Do not expo animals to rodenticides. To help

1. Store product not in use in a

pets.
2. Apply bait in locations out animals, and nontarget wildlife These stations must be resis children under six years of age prevents such children from r obtaining bait. If bait can be sha units must be secured or other stations are needed in areas bears, other potentially destru vandalism.

Dispose of product container, as specified on this label,

USE RESTRICTIONS: For co House Mice.
URBAN AREAS; This produ

and industrial, commercial, an also be used in transport vehic around related port or termina buildings must be made in temp the walls or other external part loading docks) where rats or mi

NON URBAN AREAS: agricultural buildings.

Do not place bait in areas when food or surfaces that come in d

SELECTION OF TREATMEN Determine areas where rats consume the bait. Generally openings, in corners and conce or in locations where roder Remove as much alternative for

APPLICATION DIRECTIONS RATS: Apply 6 to 23 blocks (uninterrupted supply of fresh activity cease.

MICE: Apply 1 block per place foot intervals. Larger amount points of very high mouse activ fresh bait for 15 days or until sig

RATS AND MICE: Rep immediately. Collect and dis lettover bait properly. To prev food, water, and harborage as r occur, repeat treatment. When present, establish permanent neoclad.