UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

June 4, 2004

Mr. Thomas Schmit Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209

Dear Mr. Schmit:

Subject:

Application for amendment and revised labeling for Maki Pellets Bait Packs

(Bromadiolone)

EPA Reg. No. 7173-221

Your Submission Dated October 13, 2003

The Agency has reviewed your application for amendment dated October 13, 2003 and your revised label submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act.

- Your request to change the name of your product from "Maki Rodenticide Bait Packs (Pellets) with Bitrex" to "Maki Pellets Bait Packs" is acceptable.
- Your request to allow the sale of packages containing 3, 4, 5, 6, 8 or 10 bait packs, individual bait packs bearing the full product label with "mouse only" directions for use, and "bulk" packages ranging in size from 1 pound up to 50 pounds is acceptable. Please note that all packages containing greater than 1 pound of product require additional precautionary statements labeling language noted in the Agency's comments below.
- The labeling referred to above, as amended, is acceptable provided you make the following changes before you release the product for shipment bearing the amended labeling:

DIRECTIONS FOR USE

- 1. Under Directions for Use, after the violation of Federal law statement, add the following statement:
 - "Do not apply this product by any method not specified on this label."
- 2. Under **Directions for Use** in the "Use Restrictions" section:

- In the second sentence, add "human or pet" before the last word "food."
- Add, "Do not place near or inside ventilation duct openings."
- Modify the urban areas use restriction as follows: "This product may be used indoors. May only be used outdoors within 15 feet of homes, industrial, commercial, and public buildings." Change the phrase "in and around related port or terminal buildings" to "inside or within 15 feet of related port or terminal buildings."
- 3. Under Directions for Use, in the Application Directions section:
 - On the Rat and Mouse Label:

In the second sentence in both the "Rats:" and "Mice:" sections, at the end of the sentences starting with "Space placements..." add "no further than 15 feet from the structures."

• On the "Mouse only" Label:

In the second sentence under Application Directions, at the end of the sentence starting with "Space placements..." add "no further than 15 feet from the structures."

- 4. Under Directions for Use in the Application Directions section:
 - On the Rat and Mouse Label:

In the second sentence of the "Follow-up" section, insert "Wear gloves to" prior to "collect and properly dispose of all dead animals..."

On the "Mouse only" Label:

In the fifth sentence under Application Directions, insert "Wear gloves to" prior to "collect and properly dispose of all dead animals..."

PRECAUTIONARY STATEMENTS

- 5. Under **Precautionary Statements**, after the signal word and statement "Keep away from humans, domestic animals and pets": replace the text starting with "May be harmful..." and ending with "...eating and smoking." with the following:
 - For products less than or equal to one pound:

"Harmful if swallowed or absorbed through the skin because the material may reduce the clotting ability of blood and cause bleeding. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. If bait is handled, wear waterproof gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Users should

remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing."

For products greater than one pound:

"Harmful if swallowed or absorbed through the skin because the material may reduce the clotting ability of blood and cause bleeding. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wear shirt and long pants, shoes and socks and chemical-resistant (such as waterproof) gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing." (See No. 6 below for additional text required for products greater than one pound.)

- 6. Under Precautionary Statements, for products greater than one pound, add a "User Safety Requirements" heading and section following the "Hazards to Humans and Domestic Animals" section with the following text: "Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry."
- 7. Under Precautionary Statements, in the "First Aid" section, after the current "If Swallowed" statement, add the following: "Have person sip a glass of water if able to swallow" and "Do not induce vomiting unless told to do so by the poison control center or doctor." Or since the product is toxicity category IV by the oral route of exposure, you may delete the "If Swallowed" statement completely.
- 8. Under Precautionary Statements, in the "First Aid" section, it is recommended that separate "Note to Physician" and "Note to Veterinarian" text be placed on the labels.
 - The "Note to Physician" section should read:

"This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning symptoms occur, intramuscular and oral administration of Vitamin K1 may be needed. For human cases, Vitamin K1 is antidotal at 5-10 mg (not mg/kg) for children and 10-20 mg for adults. Repeated doses may be needed (based on monitoring of prothrombin times)."

• The "Note to Veterinarian" section must be revised as specified below and placed within a box:

"TREATMENT FOR PET POISONINGS

If pet or animal eats bait, call a veterinarian or Hotline Number (1-800-301-

7976) at once.

NOTE TO VETERINARIAN

This product contains bromadiolone, an anticoagulant. For animals ingesting (or suspected of ingesting) bait, and/or having obvious poisoning symptoms, such as bleeding or lowered prothrombin times, give Vitamin K1 at 2-5 mg/kg. Repeated doses may be needed for up to 30 days (based on monitoring of prothrombin times). It may be necessary to check prothrombin times every 3 days until values return to normal. In severe cases, blood transfusions may be necessary.

- 9. Under Precautionary Statements, in the "Environmental Hazards" section:
 - In the second sentence, insert "Dogs and other" prior to "predatory and scavenging..."

STORAGE AND DISPOSAL

- 10. In the Storage and Disposal box for both non-household and household use:
 - Under the "Storage" section, add the word "cool" before "dry location" (for non-household statement) and "dry place" (for household statement).

GENERAL

11. The Agency recommends the registrant include a company telephone number or toll-free hotline number along with its name and address.

Submit two copies of your final printed labeling before you release the product for shipment. A stamped copy is enclosed for your records. If you have any questions, please contact Ann Hanger at (703) 306-0395 or hanger.ann@epa.gov.

Sincerely yours

John Hebert

Product Manager 7

Insecticide/Rodenticide Branch Registration Division (7505C)

Welens.

Outer Container Label

DIRECTIONS FOR USE (continued from right column)

Rats: Apply 3 to 10 packs per bait placement. Space

Rats: Apply 3 to 10 packs per bait placement. Space placements at 15 to 30 foot intervals in inflested areas. Maintain an uninterrupted supply of bait for at least 10 days or until there are no new signs of rat activity. Mice: Use one pack per bait placement. Space placements at intervals of 8 to 12 feet. Maintain an uninterrupted supply of fresh bait for at least 15 days or until there are no new signs of mouse activity. Follow-up: Replace contaminated or spoiled bait immediately. Collect and properly dispose of all dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where reinfestation does occur, repeat treatment. Where a permanent source of infestation is present, establish permanent bait stations and replenish bait as needed.

PRECAUTIONARY STATEMENTS fazard to Humans and Domestic Animals

CAUTION: Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking. FIRST AID: Have this label with you when obtaining

treatment advice.
If swallowed: Call a poison control center or doctor

immediately for treatment advice.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses,

if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment arryice

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment

Note to Physician or Veterinarian: Contains bromadiolone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days or until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the balt. Do not apply directly to water, or to areas where surface water present or to intertidal areas below the mean high

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or

Storage: Store in original container in a dry location inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of

this product may be disposed of on site or at an approved waste disposal facility.

approved waste disposal facting.

Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Alternate "Storage and Disposal" statement for packaging intended solely for household use.

STORAGE AND DISPOSAL

Storage: Store in original container in a dry place inaccessible to children and pets.
Disposal: If empty: Do not reuse this container.
Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

ACCEPTED with COMMENTS In EPA Letter Dated: 4 2004 JUN

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as smended, for the pesticide registered under EPA Reg. No.

PELLETS BAIT PACKS

KILLS NORWAY RATS, **ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT NORWAY RATS**

NORWAY RATS MAY CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: bromad	enoloit	. 0.005%
Inert Ingredients		99,995%
Total		100.000%
EPA Reg. No. 7173-221	EPA Est. No.	7173-WI-1

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

LIPH/TECH

Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209

NET WEIGHT:

4.5 ounces (3 x 1.5 oz. bait packs), or 6 ounces (4 x 1.5 oz. bait packs), or 7.5 ounces (5 x 1.5 oz. bait packs), or 9 ounces (6 x 1.5 oz. bait packs), or 12 ounces (8 x 1.5 oz. bait packs), or 15 ounces (10 x 1.5 oz. bait packs), or 1.03 pounds up to 50 pounds

Optional marketing statements:

Contains bittering agent

Bitrex™ is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow a use directions and use precautions.

IMPORTANT: Do not expose children, pets or othe nontarget animals to rodenticides. To help preven

Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets

2. Apply bait in locations out of reach of children, pets domestic animals, and nontarget wildlife, or in tamper resistant bait stations. These stations must be resistant to destruction by dogs and children under six years o age, and must be used in a manner that prevents succhildren from reaching into bait compartments and obtaining bait. If bait can be shaken from stations wher they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, otherpotentially destructive animals, or in areas prone to potentially destructive animals, or in areas prone to vandalism

Dispose of product container, unused, spoiled and unconsumed bait as specified on this label

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice in the sites identified below for Urban areas and Non-urban areas. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

Urban areas: This product may be used in and around homes, industrial, commercial and public buildings; in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings; and in alleys

Do not use this product in sewers.

Non-urban areas: This product may only be used inside of homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much alternative food as nossible.

APPLICATION DIRECTIONS:

(Qualifier statement for 3 x 1.5 oz package only:)
The bait packs in this package contain enough bait (4.5 oz.) to kill one to four rats.

(Qualifier statement for 4 x 1.5 oz package only:) The bait packs in this package contain enough bait (6 oz.) to kill one to five rats. (Qualifier statement for 5 x 1.5 oz package only.)
The bait packs in this package contain enough bait (7.5

oz.) to kill two to seven rats.

oz.) to kill two to seven rats.

(Qualifier statement for 6 x 1.5 oz package only:)
The bait packs in this package contain enough bait (9 oz.) to kill three to nine rats.

(Qualifier statement for 8 x 1.5 oz package only:)
The bait packs in this package contain enough bait (12 oz.) to kill three to twelve rats.

(Qualifier statement for 10 x 1.5 oz package only:)
The bait packs in this package contain enough bait (15

(Qualifier statement for 10 x 1.5 oz package only:)
The balt packs in this package contain enough balt (15 oz.) to kill four to fourteen rats.

DIRECTIONS FOR USE are continued on left column.

Alternate warranty statements:

Satisfaction guaranteed or your money back.

Place Pack Label

It is a violation of Federal law to use this product in a manner inconsistent with its labeling, buter package before using this product. It is flegal to self these placepacks individually. DIRECTIONS FOR USE Read the entire label on the

MAKI **PELLETS BAIT PACKS**

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT **NORWAY RATS**

Active Ingredient: bromadiolone 0.005% EPA Reg. No. 7173-221 EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN **CAUTION**

See side panel for additional precautionary statements.

LIPH/TECH

Liphatech, Inc. 3600 W.Elm Street Milwaukee, WI 53209 1-800-351-1476

NET WEIGHT: 1.5 oz (43 grams)

WARRANIY. Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in a dry location inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Atternate "Storage and Disposal" statement for packaging intended solely for household use:

PRECAUTIONARY STATEMENTS: Hazard to Humans and Domestic Animals

CAUTION: Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because his material may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin, or or clothing. Wash arms, hands and ace with soap and water after applying and before eating and smoking.

FIRST AID: Have this label with you when obtaining treatment advice.

If it is posson control center or doctor immediately for treatment advice.

If in eyes, hold eye open and risse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take of contaminated clothing, a firse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take of contaminated clothing, a firse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take of contaminated clothing, a manufacegular. For humans or dogs that have ingested this product, or have obvious postoring symptoms (begeling) or lowered prothrombin time, give Vitamin K, by intramuscular or oral administration, Check prothrombin time every 3 days or until values return to normal.

ENVROMENTAL HAZARDS: This product is took to lish and wildlife. Predatory and scavenging mammals and birds might be poisoned upon animals that have eaten the ball. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL
Storage: Store in original container in a dry place inaccessible to children and pets.
Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place

unused product down any indoor or outdoor drain

Optional marketing statements:

Contains bittering agent

Bitrex" is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland



Alternate warranty statements:

Satisfaction guaranteed or your money back.

NET CONTENTS: 1.5 oz (43 grams)

Contains bittering agent Bitrex™ is a trademark of Macfarlan Smith Optional marketing statements

Ē

Edinburgh,

Scotland

It is a volation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Road this entire label and bulbw all use directions and use precautions.

IMPORTIANT: Do not expose children, pets or other nontaget animals to notembles. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply but in bocations out of reach of children, pets domests animals, and nontarget widelie, or in tamper-resistant bail stations. These stations must be resistant to destinuction by dogs and children under six years of age, and must be used in a manner that prevents such children in reaching into bed companienters and otherwise, when they are killed unds must be secured or otherwise immobilized. Even stronger bat stations are needed in areas open to horded firestock, reaccoons, bears, other potentially destructive animals, or in areas prone to variations.

3. Dispose of product container, nursed spoiled and unconstrained bail as specified on this label.

USE RESTRICTIONS: This product may be used to control house mice in the sites identified below for Urban areas. This product may be used in and around homes, industrial, commercial and public buildings, in transport vehicles (shops, trans, arroad) and on and around related port or terminal buildings; and in allers. Do not use this product may only be used inside of homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the best, commercial or possible, or in locations where nodents or their signs have been observed. Henove as much alternative food as possible, or in locations where nodents or their signs have been observed. Henove as much alternative food as possible.

MAKI PELLETS BAIT PACKS

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD HOUSE MICE APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

> Inert Ingredients 99.995%
> Total 100.000% EPA Reg. No. 7173-221 EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS: Hazard to Humans and Domestic Animals

CAUTION: Keep away from humans, domestic animals and pets. May be harmful marerial may reduce the cloting ability of blood and cause bleeding. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

before eating and smoking.

If swallowed: Call a poison control center or doctor immediately for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plently of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

Note to Physician: If incested, administer Vitamin K., intramuscularty or orally as indicated in

or occor for treatment across.

Note to Physician: If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in bishydrory.countarin overdoses. Repeat as necessary based on monitoring of prothombin times.

ENVIRONMENTAL HAZAROS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait Do not apply directly to water, or to areas where surface water is present or to intertical areas below the mean high water mark.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other han indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Alternate warranty statements: Satisfaction guaranteed or your money back.

Active Ingredient: bromadiotone 0.005%

APPLICATION DIRECTIONS: Use one pack per bat placement. Space placements at intervals of 8 to 12 feet. Maritain an uninterrupted supply of fresh bat for at least 15 days or until there are no new signs of mouse activity. Replace contaminated or spoked bat immediately. Collect and properly dispose of all dead animals and lethorer bat, as well as any bat that has become accessible to non-target animals, to discourage trenfestation, find sources of rodent food water and harborage as much as possible. If reinfestation does occur, repeal treatment, Where a permanet, source of negations for present, establish permanent bat stations and replends bat as needed.

\$TORAGE AND DISPOSAL: Storage: Store in original container in a dry place in trash or offer for recycling if available. If parily filled. Call your local solid waste agency or 1-800-CLEAVIIP for disposal instructions. Never place unused product down any indoor or outdoor dain.

(800) 351-

"Mouse only" outer carton label:

PRECAUTIONARY STATEMENTS
Hazard to Humans and Domestic Animals

CAUTION: Keep away from humans, domestic Arithmass and pets. May be harmful or latal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID: Have this label with you when obtaining treatment

If swallowed: Call a poison control center or doctor immediately for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or lothing: Take off contaminated clothing. Plinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Note to Physician or Veterinarian: Contains bromadiolone, an anticoaguiant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days or until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to mammals and birds. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to are

STORAGE AND DISPOSAL

Storage: Store in original container in a dry place inaccessible

Storage: Store in original container in all piece. To children and pets.
Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partity filled: Call your local solid waste agency or 1-600-CLEANUP for disposal instructions. Never place unused product down any indoor or

Warranty: Seller makes no warranty, expressed or implied, con-cerving the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

MAKI

PELLETS BAIT PACKS

KILLS HOUSE MICE

HOUSE MICE MAY CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: bromadiolone 0.005% EPA Reg. No. 7173-221 EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

LIPH/TECH

Manufactured by Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 (800) 351-1476

NET WEIGHT:

1.5 ounces up to 50 pounds

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodernicides. To help prevent accidents:

1. Store product not in use in a focation out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compertments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats, rool rats and house mice in the sites identified believe for Urban areas and Non-urban areas. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

Urban areas: This product may be used in and around homes, industrial, commercial and public buildings; in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings; and in alleys. Do not use this product in

Non-urban areas: This product may only be used inside of homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the bait. Generally, these are along, weller, by gnawed openings, nor beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as inuch alternative food as possible. APPLICATION DIRECTIONS:

APPLICATION DIRECTIONS:
Use Unsigned part bait placement. Space placements at intervals of 8 to 12 feet. Maintain an uninterrupted supply of fresh oait for at feet 15 days or unit mere are no new signs of mouse, activity. Replace, contaminated or spoiled bait immediately. Collect and properly dispose of all dead animals and leftoves bait, as well as any bait that has become accessible to non-target animals. Yo discourage reinfestation, limit 3outase of roden food, water aid harborage as much as possible. If reinfestation does occur, repeat treatment. Where a permanent but stations and replacish bait as present, establish permanent but stations and replacish bait as present. permanent bait stations and replanish bait as needed. •

Alternate warranty statements: Satisfaction guaranteed or your money hack



Optional marketing statements: Contains bittering agent

Bitrex "is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland