UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

May 1, 2007

Liphatech. Inc. 3600 W. Elm Street Milwaukee, WI 53209

Attention: Rachel Callies

Subject: Maki Pellets Bait Packs

EPA Reg. No. 7173-221

Your amended application of December 6, 2006.

Purpose

The purpose of this submission is to amend the registration of an enduse Rodenticide, to support the addition of burrow use on the label, and to support the added dye as an Alternate Formulation.

Data

We have reviewed the data on a weathered formula (MRID No. 469681-01 and 469681-02 and found them acceptable with the following comments:

- 1. In the future, submit all raw data for bait compositior, formulations, rat and mouse bait spillage, and daily consumption for all animals.
- 2. Provide the size, shape, and composition of all test bait. Photos and measurements are helpful, plus the formulation method and extruder type (if any).
- 3. Other efficacy comments are from a review by B. Jaccbs done June 30, 1997: "Efficacy citation and studies to support the claims proposed for...7173-221...were discussed and accepted in the joint efficacy review of 6/18/96. The house mouse study... assigned MRID 433988-05...pertaining to the "single-feeding" claim, was not accepted. The claim was not tested for roof rats. Therefore, these product's single-feeding claims are limited to Norway rats.

Label

The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided you submit one (1) copy of final printed labeling to us, with the following changes, before you ship your product:

- 1. In your "WARRANTY", begin the text with "To the extent consistent with applicable law, seller ..."
- 2. Add "Wearing gloves," in "Follow-up" before "Collect and dispose ..."

Existing stocks

Stocks of existing labels may be used for eighteen (18) months.

Consequence for non-compliance

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

CSF

The Confidential Statement of Formula (CSF) dated December 6, 2006, is acceptable. We have placed a copy in our files for this product. All previous versions are obsolete.

You justified your additional formula on the basis that the dye had been approved in "Criteria & Policy Notice 2164.2". However, we were unable to verify that assertion. The background paper supporting the Notice concluded that your proposed dye produced important negative efficacy effects. Because we located other products for which we had approved formulas with your proposed dye, we will not object to its presence in this product at this time. However, if you intend to use this dye in other products or plan to continue its use in products where it has already been approved, you need to conduct a comparative study with albino rats to determine the effect of this dye on efficacy. Also, we need to know the registration number and MRID No. of any tests conducted with this dye.

Questions

If you have questions about this letter, please contact me at 703-605-0716(by phone), 703-305-6920 (by fax), or mccann.geri@epa.gov (by E-Mail).

Sincerely yours,

Geraldine McCann, Biologist Insecticide-Rodenticide Branch Registration Division (7505P)

Enclosure

Stamped label

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domest a animais and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling bait or animais. Wash arms, hands and face with soap and water after applying and before eating and smoxing.

FIRST AID

Have this label with you when obtaining

treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains bromadiolone, an anticoagulant For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

Storage: Store in original container in a cool, dry place inaccessible to children and pets

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposa facility.

this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the abel. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions

EPA Reg. No. 7173-221 EPA Est. No. 7173-WI-1 Product No. Label

Page 1 of 5. Product label for EPA Reg. No. 7173-221, Submitted 12/6/06

MAKI

Pellets Bait Packs

FOR INDOOR AND OUTDOOR URBAN RODENT CONTROL

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT NORWAY RATS

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING **BEGINS**

Active Ingredient: bromadiolone 0 005 %

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

LIPH/TECH®

Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

Net Weight:

4.5 ounces (3 x 1.5 oz. bait packs), or 6 ounces (4 x 1.5 oz. bait packs), or 7.5 ounces (5 x 1.5 oz. bait packs), or 9 ounces (6 x 1.5 oz. bait packs), or 12 ounces (8 x 1.5 oz. bait packs), or 15 ounces (10 x 1.5 oz. bait packs), or 1 pound up to 50 pounds

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL

This is a nonrefillable container. Storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse or refiil this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. indoor or outdoor drain.

Optional marketing statements:

Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait,

Alternate warranty statements

Satisfaction guaranteed or your money back.

Optional marketing statements:

ACCEPTED Contains the incomplying The Bitrex is a trademark of Maulanan 19 miles in the Contain Contains in the Contain Edinburgh Scotland Under Undfedera Infefficion Fungicide, and Rodenheide Act. as amended, for the pesticide registered under EPA Reg. No. **CIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READTHIS LABEL and follow all use directions and precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

Store product not in use in a location out of reach

of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistart bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place near or inside ventilation duct openings. Do not contain nate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

Urban areas: May be used in and around homes, industrial, commercial and public buildings, food processing facilities, and similar man-made structures. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around related bort or terminal buildings.

Non-urban areas: May be used inside of homes and agricultural, industrial and commercial buildings.

Selection of Treatment Areas: Determine areas where rats and/or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

(Qualifier staternent for 3 x 1.5 oz package:) The bait packs in this package contain enough bait (4.5 oz.) to kill one to four rats.

(Qualifier staternent for 4 x 1.5 oz package:) The bait packs in this package contain enough bait (6 oz.) to kill one to five rats.

(Qualifier staternent for 5 x 1.5 oz package:) The bait packs in this package contain enough bait

(7.5 oz.) to kill two to seven rats. (Qualifier stater rent for 6 x 1.5 oz package:) The balt packs in this package contain enough balt

(9 oz.) to kill three to nine rats. (Qualifier statement for 8 x 1.5 oz package:) The bait packs in this package contain enough bait (12 oz.) to kill three to twelve rats.

(Qualifier stater lent for 10 x 1.5 oz package:) The bait packs in this package contain enough bait (15 oz.) to kill four to fourteen rats.

Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Two packs may be needed at points of very high mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

Rats: Apply 2 to 10 packs per placement, usually spaced 15 to 10 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

For rat burrows, insert 1 to 2 packs deep into each active burrow. Check treated burrows each morning

and evening to make sure that bait has not been pushed out of burrows.

Follow-up: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait, as well as any bait that has become accessible to ron-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. (34006)

APPLICATION DIRECTIONS: Alternate Intended

Film No. 115-

Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Two packs may be needed at points of very high mouse activity. Maintain a constant supply of fresh bail for 15 days or until signs of mouse activity cease.

Rats: Apply 2 to 10 packs per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease. For rat burrows, insert 1 to 2 packs deep into each active burrow. Check treated burrows each morning and evening to make sure that bait has not been pushed out of

Follow-up: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment, For a continuous intestation, set up permanent bait stations and replenish bait as needed.

Pellets

Bait

Packs

FOR INDOOR AND OUTDOOR URBAN RODENT CONTROL

KILLS

NORWAY RATS, ROOF RATS, MICE AND WARFARIN-RESISTANT NORWAY RATS

SOOH

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefiliable container.

Storage: Store in original container in a cool, dry place inaccessible to children and pets. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

pets. If swallowed, and causes bleedin Wear gloves when he face with soap and

s bleeding. 'Avoi s when handling I oap and water

CAUTION:

Keep ed, this

PRECAUTIONARY

OUT OF REACH OF CHILDREN
'STATEMENTS: Hazard to Humans
Animals

Çα

Domestic

EPA Reg. No.

7173-221

P

Est. No.

7173-WI-1

Active Ingredient: Inert Ingredients...

bromadiotone,

0.005% 99.99<u>5%</u> 100.000%

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT? FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

ίũ

Manufactured by: Liphatech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209, 414-351-1476

unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Finse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains bromadiolone an anticoagulant. For humans or dogs that have ingested this product or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K1 by intramuscular or oral administration. Check prothrombin time every 3 days until values return to norma!

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Net Weight: 2 743 grams)

Optional marketing statements

Contains Mittering agent Citrexin is a trademark of Macferian Smith Ltd., Edinburgh, Spotland

STORAGE AND DISPOSAL

This is a nonrefillable container.
Storage: Store in original container in a dry place inaccessible to children and pets.
Disposal: If empty. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any

"Storage and Disposal solely for household use:

statement

₫

packaging

or outdoor



ats and mice the bait.

will chew

Have this label with you when obtaining treatment advice. Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water f able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an away from children, domestic an mals and product reduces the clotting ability of blood Avoid contact with eyes, skin or clothing, lling bait or animals. Wash arms, rands and ater after applying and before eating and

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label. USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

Urban areas: May be used in and around homes, industrial, commercial and public buildings, food processing facilities, and similar man-made structures. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings.

Non-urban areas: May be used inside of homes and agricultural, industrial and commercial buildings.

Selection of Treatment Areas: Determine areas where rats and/or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much alternative food as possible.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THIS LABEL and follow all use directions and precautions.

Satisfact Optional marketing Alternate warranty statements. 9 guaranteed

윽

r your

money

back.

Page 2 ct 5 Product abel for EPA I Submitted 12/6/06 Reg. . O

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label on the outer package before using this product. It is illegal to sell these placepacks individually.

WARRANTY: Seller makes no warranty, expressed or implied, concerning use of this product other than indicated on the label, Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal

Container Disposal: Do not reuse or refill this container, Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning, if burned, stay out of smoke.

KEEP

out

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

EPA Reg. Optional marketing statements Contains bittering agent BitrexTM is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland Ş side panel for

Net Weight: 1.5 oz.

(43 grams)

Liphatech, Inc. 3600 W. Elm Street Mitwaukee, WI 53209 414-351-1476

additional precautionary statements

CAUTION:

EPA Est. No.

%200.001

Pellets Bait Packs

FOR INDOOR AND OUTDOOR URBAN RODENT CONTROL

KILLS NORWAY RATS, ROOF RATS, MICE AND WARFARIN-RESISTANT NORWAY RATS SOOH

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

OF REACH OF CHILDREN

7173-WI-1

ഗ്

PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling bait or animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains bromadiolone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal,

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

Alternate intended s "Storage and Disposal" solely for household use: statement for

packaging

STORAGE AND DISPOSAL

This is a nonrefillable container.

Storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not refuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any

Alternate warranty statements: guaranteed Q λος

money

back

Optional marketing statements

Do not tear open the wrapper to get at the

- rats and mice will chew through the

Page 3 of 5
Product label for EP. I
Submitted 12/6/06 H.g. 5 7173 ن

Manufactured by: Liphatech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209, 414-351-1476

ly find and consume batt. Generally, these are along walls, by gnawed openings, in or in locations where rodents or their signs have been observed. Remove as much

Do not contaminate water food.

Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Two packs may be needed at points of very high mouse activity. Maintain a constant supply hair for 15 days or until signs of mouse activity cease. Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and rabit, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harbonage ch as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

Do not contaminate water, food or feed by storage or disposal. This is a nonrefilable container.

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, if allowed by state and local authorities, by burning. If burned, stay out of smoke. APPLICATION DIRECTIONS: of fresh baif i leftover bait, as as much as p ice: A fresh STORAGE AND DISPOSAL

Alternate "Storage and Disposal" state-ment for packaging intended solely for household use:

This is a nonrefilable container.
Storage: Store in original container in a dry place inaccessible to children and

pets.
Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indear or outdoor drain. indoor or outdoor drain.

MAKI

Pellets Bait Packs

FOR INDOOR AND OUTDOOR **URBAN RODENT CONTROL**

KILLS HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

EPA Reg. No. 7173-221

EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic Animais

CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling bait or animals. Wash arms, hands and face with soap and water after applying and before eating and smoking. FIRST AID

Have this label with you when obtaining treatment advice.
If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious

person.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or

minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains bromadiolone, an anticoagulant. For humans or cogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Net Weight: 1.5 oz. (43 grams)

Optional marketing statements:

Contains bittering agent Bitrex [™] is a trademark of Mucfarlan Smith Ltd. Edinourgh, Scotland



DIRECTIONS FOR USE is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THIS LABEL and follow ali use directions and precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be used in a manner that prevents such children from reaching into be compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger be stations are needed in a reas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label. Alternate varranty statements:

USE RESTRICTIONS: This product may be used to control house mice. Do not broadcast bart.

This product may be used to control house mice. Do not broadcast bart.

This product may be used in and around homes, industrial, commercial and public buildings, food processing facilities, and similar man-made structures.

Droduct may also be used in and around homes, trains, aircraft) and in and around related port or terminal buildings.

Non-urban areas. May be used inside of homes and agricultural, industrial and commercial buildings.

Selection of Treatment Areas. Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed opening corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as mindustrial and consume bait. Satisfaction guaranteed or your money back.

alternative food as possible

Optional marketing statements:

Do not tear open the pack - mice will chew through the wrapper to get at the bait.

Page 4 of 5 Product label for EPA Reg. No. 7173-221 Submitted 12/6/06

PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. If swallowed this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling bail or animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID Have this label with you when obtaining treatment advice.

if swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless teld to do so by the prison poster leads to the swallow. told to do so by the poison control center or doctor. Do not give anything by mouth to

an unconscious person.
If in eyes; Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for

treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

treatment advice.
Note to Physician or Veterinarian: Contains bromadicione, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values. prothrombin time every 3 days until values return to normal

ENVIRONMENTAL HAZARDS: product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

Storage: Store in original container in a cool, dry place inaccessible to children and

pets.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-221 EPA Est. No. 7173-WI-1

Product No. Label

MAKI **Pellets Bait Packs**

FOR INDOOR AND OUTDOOR URBAN RODENT CONTROL

KILLS HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

LIPH/TECH

Liphatech, Inc. 3600 W. Elm Streat Milwaukee, WI 53209 414-351-1476

Net Weight:

4.5 ounces (3 x 1.5 oz. bait packs), or 6 ounces (4 x 1.5 oz. bait packs), or 7.5 ounces (5 x 1.5 oz. bait packs), or 9 ounces (6 x 1.5 oz. bait packs), or 12 ounces (8 x 1.5 oz. bait packs), or 15 ounces (10 x 1.5 oz. bait packs), or 1 pound up to 50 pounds

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL

This is a nonrefillable container.

Storage: Store in original container in a dry place inaccessible

Storage: Store in Grand Storage to children and pets.
Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal intentions. Naver place unused product down any indoor or outdoor drain.

Optional marketing statements:

Contains bittering agent Bitrex™ is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions.

IMPORTANT: Do not expose children, pets or other nontarge animals to rodenticides. To help prevent accidents:

Store product not in use in a location out of reach of children and pets.

2. Apply bait ir locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait if bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially dest uctive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this labe!

USE RESTRICTIONS: This product may be used to control house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, teedstuffs, food or feed handling equipment, or milk or meat handling equipment Do not broadcast bait.

Urban areas: May be used in and around homes, industrial, conmercial and public buildings, food processing facilities, and similar man-made structures. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings

Non-urban areas: May be used inside of homes and agricultural, industrial and commercial buildings.

Selection of reatment Areas: Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in or beside burrows, or in locations, where rodents or their signs have been observed. Remove as much alternative food as

possible.

APPLICATION DIRECTIONS:

Mice: Apply pack per placement, usually spaced 8 to 12 feet apart. Two packs may be needed at points of very high mouse activity. Maintain a constant supply of fresh bait for 15 days or until place of mouse activity coase.

signs of mouse activity cease.
Replace contaminated or spoiled bait immediately.
Collect and dispose of all dead animals and leftover bait, as we is as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

Optional marketing statements:

Do not tear open the pack - mice will chew through the wrapper to get at the bait.

Alternate warranty statements:

Satisfaction guaranteed or your money back.

Page 5 of 5 Product label for EPA Reg. No. 7173-221 Submitted 12/6/06