Hazard to Humans and Domestic Animals CAUTION: May be harmful if swallowed or absorbed through skin because it may reduce the clotting ability of blood and cause bleeding. Causes moderate eye irritation. Do not get in eyes, on skin or on clothing. Wash arms, hands and face before eating, drinking, chewing gum, using tobacco or using the toilet. Wear long sleeve shirt and long pants, shoes plus socks, and gloves when handling this product, and wash this clothing separately from other laundry. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

following application of this product must wear gloves. FIRST AID: Have this label with you when obtaining treatment advice. You may also call 1-800-351-1476 for emergency medical treatment information. If swellowed: Call a poison control center or doctor immediately for treatment advice. If In eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a ceison control center or doctor for treatment advice.

after the first 5 minutes, then continue rinsing eye. Cail a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Note to Physician or Veterinarian: Contains bromadiolone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Viramin K-t by intramuscular or oral administration. Check prothrombin time every 3 days until values resurn to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to mammals and birds. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, tood or feed by storage or disposal. Storage: Store in original container in a cool, dry place inaccessible to children and pets. Pesticide Disposal: Wastes resulting from the use of this product may disposed of on site or at an approved waste disposal acidity. Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local entireties by burging if burged school of empty container.

local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-222 EPA Est. No. 7173-WI-1

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL

Storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

7206/96/41



RODENTICIDE **BLOCK**

KILLS NORWAY RATS. ROOF RATS, HOUSE MICE & WARFARIN-RESISTANT NORWAY RATS

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

KEEP OUT OF REACH OF CHILDREN CAUTION: See side panel for additional precautionary statements.

LIPHATECH Milwaukee, vyi 5 1-800-351-1476

3600 W. Eim Street Milwaukee, WI 53209

NET WEIGHT:

NET WEIGHT:

4 ounces (113.5 grams) or

8 ounces (22/Ag(an(s))) or

12 ounces (340 grams)

DEC 2 9 2005

Cease.
For burrows, insert one to four 1-oz. pieces of block deep into each active burrow. Check treated burrows each morning and evening to make sure that bait has not been pushed out of purposes.

Collect and dispose of all visible dead animals and leftover bait properly. To discourage einfestation, limit sources of rodent codurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. 4 ounces (113.5 grams) or

DEC 2 9 2005

Under the Federal Insecticide Fungicide, and Rodentickie Act, as amended, for the pesticide registered under / 7*3-22*2 **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions. For information on this product (including health concerns, medical emergencies or pesticide incidents) call the National Pesticide Telecommunications Network at 1-800-858-7378.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

Store product not in use in a location out of reach of

2. Apply bait in locations out of reach of children, pets. domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandatism. 3. Dispose of product container, unused, spoiled and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats USE RESTRICTIONS: For control of Norway rats, roof rats and house mice in and around homes, industrial, commercial agricultural and public buildings. This product may also be used in transport vehicles (ships, trains, aircraft), and in and around related port or terminal buildings. Limit outdoor bait placements to within 15 feet of structures such as buildings or retaining walls, fences, streets, sidewalks, food or feed storage areas, lumber piles, trash containers or other structural features providing potential food or harborage for rats and/or mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine where rats or mice are likely to find and consume bait, such as along walks, by gnawed openings, corners and concealed places, between floors or walls, in burrows, or locations where rodents or their signs are seen. Remove as much atternative food as possible. **APPLICATION DIRECTIONS:**

(Qualifier statement only for 1 x 4 oz. block package size:) This package contains enough balt (4 oz.) to kill 1 to 3 rats. (Qualifier statement only for 2 x 4 oz. block package size:)
This package contains enough bait (8 oz.) to kill 2 to 7 rats.

(Qualifier statement only for 3 x 4 oz. block package size:) This package contains enough bait (12 oz.) to kill 3 to 12 rats. Each bait block is scored to be broken into 1-oz, pieces.

Mice: Break block and apply two 1-oz pieces of block per placement. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until fresh signs of mouse activity cease.

Rata:/Apply four to sixteen 1-oz pieces of block per placement. Space placements 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until fresh signs of rat activity reases.

Alternate warranty statements:

Satisfaction guaranteed or your money back.

Product label for EPA Reg. No. 7173-222 Submitted November 25, 2002