
 <p style="text-align: center;">U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) Ariel Rios Building 1200 Pennsylvania Ave, NW Washington, D.C. 20460</p> <p style="text-align: center;">NOTICE OF PESTICIDE: <u> </u> Registration <u> </u> Reregistration</p> <p>(under FIFRA, as amended)</p>	<p>EPA Reg. Number: 7173-228</p>	<p>Date of Issuance: November 9, 2004</p>
	<p>Term of Issuance: Conditional</p>	
	<p>Name of Pesticide Product: Maki Green Paraffin Blocks</p>	
<p>Name and Address of Registrant (include ZIP Code): Lipha Tech, Inc. 3600 West Elm Street Milwaukee, WI 53209 Attn: Mr. Thomas J. Schmit</p>		
<p><small>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</small></p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/preregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7) provided that you:</p> <ol style="list-style-type: none"> 1. Make the following label change(s) before you release the product for shipment: <ol style="list-style-type: none"> a. Add the following registration number: EPA Reg. No. 7173-228 to your label. b. In the USE RESTRICTIONS: statement under <u>"NON-URBAN AREAS"</u>: modify the statement to read: This product may only be used inside of homes and agricultural buildings. 2. Under the PRECAUTIONARY STATEMENTS, modify the statement to read: "Harmful if swallowed or absorbed through the skin because the material may reduce the clotting of ability of blood and cause bleeding. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. If bait is handled wear gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Users should remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing." 		
<p>Signature of Approving Official:  Geraldine R. McCann EPA/OPP/RD/IRB</p>	<p>Date: 11/9/2004</p>	

**Label
Acceptance**

3. Under **PRECAUTIONARY STATEMENTS**, in the First Aid statement, after "If swallowed", add the following: "Have person sip a glass of water if able to swallow" and "Do not induce vomiting unless told to do so by the poison control center or doctor." Or since the product toxicity is category IV by the oral route of exposure, you may delete the "If swallowed" statement completely.
4. Under **PRECAUTIONARY STATEMENTS**, in the First Aid section, it is recommended that separate "Note to Physician" and "Note to Veterinarian" text be placed on the labels.

The "Note to Physician" section should read:

"This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning symptoms occur, intramuscular and oral administration of Vitamin K1 may be needed. For human cases, Vitamin K1 is antidotal at 5-10 mg (not mg/kg) for children and 10-20 mg for adults. Repeated doses may be needed (based on monitoring of prothrombin times)."

**Label
Acceptance
(Continued)**

The "Note to Veterinarian" section should be revised as specified and placed within a box:

"TREATMENT FOR PET POISONINGS

If pet or animal eats bait, call a veterinarian or Hotline Number (1-800-301-7976) at once.

NOTE TO VETERINARIAN

This product contains bromadiolone, an anticoagulant. For animals ingesting (or suspected of ingesting) bait, and /or having obvious poisoning symptoms, such as bleeding or lowered prothrombin times, give Vitamin K1 at 2-5 mg/kg. Repeated doses may be needed for up to 30 days (based on monitoring of prothrombin times). It may necessary to check prothrombin times every 3 days until values return to normal. In severe cases, blood transfusions may be necessary.

5. Under **PRECAUTIONARY STATEMENTS**, in the "Environmental Hazards" section, revise the statement to read:

This product is toxic to fish and wildlife. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark."

6. Submit one (1) copy of the revised final printed label for the record before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6 (e). Your release for shipment of the product constitutes acceptance of these conditions.
7. A copy of the label stamped "Accepted with Comments" is enclosed for your records.

Questions:

If you have any questions or comments about this letter, please contact me at 703-605-0716 (by phone), 703-305-6596 (by fax), or mccann.geri@epa.gov (by E-Mail).

Sincerely,



Geraldine R. McCann
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure Stamped label

PRECAUTIONARY STATEMENTS
Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. May be harmful if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID
Have this label with you when obtaining treatment advice.
If swallowed: Call a poison control center or doctor immediately for treatment advice.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Note to Physician or Veterinarian: If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in bishydroxycoumarin overdose. Repeat as necessary based on monitoring of prothrombin times.
Environmental Hazards: This product is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal.
Storage: Store in original container in a cool, dry place inaccessible to children and pets.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg.No. 7173-
EPA Est.No. 7173-WI-1

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL:
Storage: Store in original container in a cool, dry place inaccessible to children and pets.
Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Alternate warranty statements:
Satisfaction guaranteed or your money back.

MAKI

GREEN PARAFFIN BLOCKS

**KILLS NORWAY RATS,
ROOF RATS, HOUSE MICE AND
WARFARIN-RESISTANT NORWAY RATS**
NORWAY RATS AND HOUSE MICE CAN CONSUME
A LETHAL DOSE IN ONE NIGHT'S FEEDING
WITH FIRST DEAD RODENTS APPEARING
FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active ingredient bromadiolone	0.005%
Inert ingredients	99.995%
Total	100.000%

KEEP OUT OF REACH OF CHILDREN
CAUTION: See side panel for additional precautionary statements.

LIPHA/TECH 3600 W. Elm Street
Milwaukee, WI 53209
(414) 351-1476

Net Weight: 1 pound (454 g)
or
12 ounces (340 g)
ACCEPTED
with COMMENTS
In EPA Letter Dated
NOV 9 2004
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
7193-228

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooded livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USER RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

Urban areas: This product may be used in and around homes food processing facilities, industrial, commercial and public buildings in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys and sewers.

Non-urban areas: This product may be used inside of homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:
Each block is scored to be broken into eight 2-oz. pieces.

Mice: Break block and apply one 2-oz. piece per placement. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until fresh signs of mouse activity cease.

Rats: Apply two to eight 2-oz. pieces of block (or one entire block) per placement. Space placements 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until fresh signs of rat activity cease.

For burrow applications, insert one or two 2-oz. pieces of block deep into each active burrow. Check treated burrows each morning and evening to make sure that bait has not been pushed out of burrows.

For sewer applications, securely attach one end of a wire to bait block and the other end to a stationary structure such as the bottom step of manhole ladder or sewer grate, allowing just enough wire for bait to rest on a manhole bench. If no bench is present, suspend bait a few inches above the high water line, or place bait on a board supported by opposing steps of the ladder. Secure bait in this manner to minimize chance for removal by rats or water. Place at least one entire bait block per manhole.

Follow-up: Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. (14704)