7/73	-235
------	------

5-625710

THE PROTECTOR AND A PROTECTOR
---

U.S. ENVIRONMENTAL PROTECTION AGENC Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460

7173-235

Date of Issuance: January 2, 2003

Term of Issuance:

EPA Reg. Number:

Name of Pesticide Product:

Generation Wrapped Mini Block

x Registration \_ Reregistration

NOTICE OF PESTICIDE:

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Lipha Tech 3600 West Elm Street Milwaukee, WI 53209

Attention: Thomas Schmit

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others

This product is registered in accordance with sec. 3(c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act provided that you make the following labeling changes and submit a copy of final printed labeling to us before you release product for shipment:

- 1. On your "Outer Container" and "Outer Carton" labels, use the preferred format for the "First Aid" text. On the other three (3) label, use the abbreviated format.
- 2. On the "Mouse Only Wrapper" label, change feeding claim as follows. Change "MAY" to "CAN", and "RODENTS" to "MICE".
- On the "Outer Carton" label, change the feeding claim as follows. Change "RODENTS" to "MICE".

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Enclosures.

1. Stamped Label

2. Minimum Type Sizes for Final Printed Label.

Signature of Approving Official:

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C)

January 2, 2003

EPA Form 8570-6

Hazard to Humans and Domestic Animals CAUTION: Keep away from children, domestic animals and pets. May be harmful or fatal if ommestic arimas and pets. May use natural or tratar swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soep and water after applying and before eating and smoking.

PRECAUTIONARY STATEMENTS

**FIRST AID** 

FIRST AID Have this label with you when obtaining treatment advice. If Swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Note to Physician or Veterinarian: This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K<sub>1</sub> is antidotal as indicated in bishydroxycoumarin overdoses. Repeated doses may be needed for up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apoly directly to water. and wildlife. Do not apply directly to water.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Oisposal: Wastes resulting from the use of this product may disposed of on site or at an approved waste disposal facility.

Container Disposal: Disposal of emply container in a

uisposar aumit, Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-\_\_\_ EPA Est. No. 7173-WI-1

Product No.

LIPHATECH, INC 3101 W. Custer Avenue Milwaukee, WI 53209

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

#### STORAGE AND DISPOSAL:

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Alternate warranty statements:

Satisfaction guaranteed or your money back.



# WRAPPED MINI BLOCKS

### KILLS NORWAY RATS, **ROOF RATS, HOUSE MICE AND** WARFARIN-RESISTANT HOUSE MICE

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difethialone*	0.0025%
Inert Ingredients	
Total ,	.00.0000%

\*Patented in the U.S.A.

### KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

### **Net Weight:**

4.2 ounces (6 x 0.7 ounce blocks) 5.6 ounces (8 x 0.7 ounce blocks) 6.3 ounces (9 x 0.7 ounce blocks) 7 ounces (10 x 0.7 ounce blocks) 8.5 ounces (12 x 0.7 ounce blocks) or bulk package containing 1 pound (23 x 0.7 ounce blocks) up to

50 pounds (approx. 1143 blocks) ACCEPTED with COMMENTS? in EPA Letter Dated:

JAN 2 2003

Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 7/73-235

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manne inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

BAPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other motantially destructive animals, or in areas grone to yandaism. potentially destructive animals, or in areas prone to vandaksm.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control USE RESTRICTIONS: This product may be used to control Norway rats, rool rats and house mice in the sites identified below for Urban Areas and Non-urban Areas. Do not place bait in areas where there is a possibility of contaminating lood or surfaces that come in direct contact with food. Do not braceas that: Urban Areas: This product may be used in and around homes, industrial, commercial and public buildings; in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Applications "around" buildings must be made in tamper-resistant bait stations placed along the walls or other external parts of buildings (e.g., doorways, ramps, loading docks) where rats or mice might seek entrance. Do not use this oroduct in sewers. use this product in sewers.

Non-urban Areas: This product may only be used inside of

homes and agricultural buildings

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:** 

(Qualifier statement for package containing 6 blocks only:)
This package contains enough bait (4.2 oz.) to kill one to three

(Qualifier statement for package containing 8 blocks only:)
This package contains enough balt (5.6 oz.) to kill one to four

(Qualifier statement for package containing 9 blocks only:)
This package contains enough bait (6.3 oz.) to kill two to six

(Qualifier statement for package containing 10 blocks only:)
This package contains enough bait (7 oz.) to kill two to seven

(Qualifier statement for package containing 12 blocks only:)
This package contains enough bait (8.5 oz.) to kill three to eight

rats.

Generation Wrapped Mini Blocks should be placed with the wrapper on. Mice and rats will chew through the wrapper to get the bait.

Mice: Apply one block per placement. Space placements at 8 to 12 foot intervals. Two blocks may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until freshsigns of mouse activity cease to appear.

to appear.

Rats: Apply 6 to 23 blocks per placement. Space placements at 15 to 30 foot intervals. Maintain an uninterrupted supply of fresh bait for 10 days or unbil fresh signs of rat activity cease to

appear.

Follow-up: Replace contaminated or spoiled bait immediately.

Collect and dispose of all visible dead arrimals and leftoyer bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

7 6

"Full label" wrapper label option: For retail sale in outer packages containing 6, 8, 9, 10 or 12 individual blocks, with size-specific qualifier statements on outer package, or bulk packaging from 1 pound up to 50 pounds.

WRAPPED MINI BLOCKS

INDIVIDUALLY WRAPPED

NO NEED TO TOUCH THE BAIT!

Active Ingredient: difethialone\* ... Net Weight: 0.7 oz (20 grams) . 0.0025% Inert Ingredients . . . . . . . 99,9975% 100.0000%

KEEP OUT OF REACH OF CHILDREN

Precautionary Statements: Hazard to Humans & Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. May be
this material may reduce the clotting ability of blood and cause bleeding. Do not get in eyes,
on skin or on clothing. Wash arms, hands and face with soap and water after applying and
before eating and smoking.
FIRST AID: Have this labet with you when obtaining treatment advice.
If Swallowed: Call a poison control center or doctor immediately for treatment advice. Do
not induce vorniting unless told to do so by the poison control center or doctor.
Note to Physician or Veterianams: If poisoning occurs, intransactian and oral administration
of Vitamin K, is antidotal as indicated in bishydroxycoumarin overdose. Repeated doses
may be needed for up to two weeks (based on monitoring of prothrombin times). In severe
cases, blood transfusions may be necessary

s, blood transfusions may be necessary commental **Hezards:** This product is toxic to fish and wildlife. Do not apply directly to wate

STORAGE AND DISPOSAL: Storage: Store in original container in a dry place inaccessible to children or pets. Disposal: if empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Alternate warranty statements: Satisfaction guaranteed or your money back.

SELECTION OF TREATMENT AREAS: Delemine areas where rais and/or mice will most likely find and consume the bait. Generally, these are along walls, by grawed openings, in comers and concealed places, between floors and walls or locations where objects for their signs hape been seen. Remove as much alternative food as possible APPLICATION DIRECTIONS: Generation Wrapped Mari Books should be placed with the wrapper on Mice and rais will chee through the wrapper to get the bait likes. Apply one block per placement. Space placements at 8 to 12 foot fleverals. Two blocks may be needed at points of very high mouse activity. Maritain as uninterrupted supply of fresh bait for 15 days or wall first signs of mouse activity cease to appear. Rais: Apply 6 to 23 blocks per placement. Space placements at 15 to 30 foot frends. Maritain an uninterrupted supply of fresh bait for 15 days or wall first signs of mouse activity crease to appear. Rais: Apply 6 to 23 blocks per placement. Space placements at 15 to 30 foot frends. Maritain an uninterrupted supply of first bait for 10 days or wall first signs of mouse banky crease to appear. Follow-up: Replace contaminated or spoads that immediately. Coffect and dispose or all visible dead animals and fellower bait properly. To discourage refriestation, final sources of ordern flood, water and hardwage as much as possible. If reinflestation occurs, repeat treatment. For a community fresholds to record.

"Abbreviated" wrapper label option: For retail or commercial sale in outer packages containing 6, 8, 9, 10 or 12 individual blocks, with size-specific qualifier statements on outer package, or bulk packaging from 1 pound up to 50 pounds.

Under the Federal Insecticide. Fungicide, and Rodentivide Act registered under EPA for the Ref. pesticide

PRECAUTIONARY STATEMENTS: Hazard to Humans and Domestic Animats CAUTION: Keep away from chidden, domestic animats and pets. May be hamful of statil it swallowed or absorbed through the sin because this natiental may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin, or on clothing. Wash arms, hands, and face with soap and realist after applying and before eating and smoking. The state of the table with you when obtaining treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce light again: This product may reduce the clothing ability of the blood and cause infing occurs, intramuscular and oral administration of Wannis Kr. is antidual as countain overfloses. Repeated doese may be needed for up to two weeks of prothorombin times), in severe cases, blood transfitusions may be necessary.

ZARDS: This TATE TO THE PRODUCT AND THE COUNTY OF WAIET.

THE COUNTY FOR THE PRODUCT AND THE COUNTY OF WAIET.

A PLECTURE TO THE TO THE PRODUCT AND THE BOOK AND THE PRODUCT AND THE



# WRAPPED NI BLOCKS

**EACH BAIT BLOCK IS** INDIVIDUALLY WRAPPED NO NEED TO TOUCH THE BAIT!

Active Ingredient: 0.0025% Inert Ingredients . . . . . . . . . 99.9975%

Net Weight: 0.7 oz (20 grams)

KEEP OUT OF REACH OF CHILDREN CAUTION
See side panel for additional precaution

LIPHATECH, INC. 3101 W. Custer Ave. Milwaukee, WI 53209 1-800-558-1003

Net Weight: 0.7 oz (20 grams)

Alternate "Storage and Disposal" statement for packaging intended solely for Lous shold us a:

Alternate warranty statements: Satisfaction guaranteed or your money back.

#### STORAGE AND DISPOSAL:

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place indused product down assignation or outdoor drain. any indoor or outdoor drain.

EPA Reg. No. 7173-Page 2 of 3

READ THIS LABEL: Read this entire label and lobour an manner inconsistent with its backing.

READ THIS LABEL: Read this entire label and lobour all use directions and use precautions.

BUPORTAMI: Do not expose children, pels or other nontarget animats to moterations. To help prevent accidents:

1. Sure product not in use in a location out of read of children and pels.

2. Apply bas in locations out of teach of children, pels, comestic earnals, and nontarget wildlife, or in tamper-resistant stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used manner than prevents such children from earling into best compartments and obtaining bas if blaid can be shaten from statents. The product may be used to other members and obtaining bas if blaid can be shaten from statents. De not place bast where there is an possibility of conformating food or surfaces that come in first deciding. USE RESTRICTIONS: This product may he used to control house mice in the state of the state of the product of the product may only be used to make the manner of the state of t

**HOUSE MICE** 

MAY CONSUME A

**LETHAL DOSE IN ONE** NIGHT'S FEEDING WITH

# WRAPPED eration MINI BLOCKS

### **KILLS HOUSE MICE**

**EACH BAIT BLOCK IS INDIVIDUALLY WRAPPED** 

NO NEED TO TOUCH THE BAIT!

NIGHT 5 PEEDING WITH Active Ingredient: difethialone\* . 0.0025% FIRST DEAD RODENTS Inert Ingredients . 99.9975% 1807EABING 4.09 F. DAVE

Net Weight: 0.7 oz (20 grams)

APPEARING 4 OR 5 DAYS Total .... AFTER FEEDING BEGINS Patented in the USA EPA Reg. No. 7173-EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN
Precautionary Statements: Hazard to Humans & Domestic Animals
CAUTION. Keep away from children, domestic animals and pets. May be
this material may reduce the clotting ability of blood and cause bleeding. Do not get in eyes
on skin or on clothing. Wash arms, hands and face with scap and water after applying and
before eating and smoking.
FIRST AID: Have this label with you when obtaining treatment advice.
If Swallowed: Call a poison control center or doctor immediately for treatment advice. Do
not induce vomitting unless told to do so by the poison control center or doctor.
Note to Physician or Vetermarian: if poisoning occurs, intramuscular and oral administration
of Vitamin K, is antitotal as indicated in bishydroxycoumarin overdose. Repeated doses
may be needed for up to two weeks (based on monitoring of prothrombin times). In severe
cases, blood transfusionis may the necessary \*\*C.\*\*\*\*
Environmental Hazards: This product is toxic to fish and wijdife. Do not apply directly to water.

WARRANTY: Safer makes no warranty, expressed or implied, concerning the use of this product other this impressed that the product of the product of the material when start for the substitutions contrary to label instructions.

Alternate variations start the safe safe on guaranteed or your money back.

APPLICATION DIRECTIONS: Generation Wrapped Mirri Blocks should be placed with the wrapper on. Mice will chew frough the wrapper to get the bula. Apply one block per placement. Space placements at 8 to 12 bod internals. Two blocks may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh ball for 15 days or until fresh signs of mouse activity clease to appear. Replace contaminated or spoided ball immediately. Collect and discover of all visible dead animals and lethover ball properly. To doscourage reinfestation, first sources of moder food water and fleshover ball properly. To doscourage reinfestation, first sources of moder for water and fleshover ball properly. To doscourage reinfestation, repeal treatment. For a continuous infestation, set the premarent ball stations and replanesh ball as needed.

STORAGE AND DISPOSAL: Storage: Store in original container in a dry place inaccessible to children or pets. Disposal: If empty. Do not reuse this container. Place in trash or offer for recycling if available. If parify filled: Call your local solid waste agency or 1,500 CLEAUD for disposal instructions. Never place unused product down any indoor or outdoor drain.

## Outer carton label:

id public buildings; in transport cas "around" buildings must be (e.g. doorways, ramps, loading

for Urban Areas and I come in direct contact

ver-resistant bait ust be used in a ten from stations in areas open to

#### PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and stroking. eating and smoking.

#### FIRST AID

FIRST AID

Have this tabel with you when obtaining treatment advice. If Swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vorniting unless told to do so by the poison control center or doctor. Note to Physician or Veterinarian: This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intransucular and oral administration of Vitamin K, is antidotal as indicated in bishydroxycoumarin overdoses. Repeated doses may be needed for up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water.

#### STORAGE AND DISPOSAL

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Plagosal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.


WARRANTY: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label

EPA Reg. No. 7173-\_\_\_ EPA Est. No. 7173-WI-1

Product No. Label No.

Manufactured By LIPHATECH, INC 3101 W. Custer Avenue Milwaukee, WI 53209

Alternate warranty statements. Satisfaction guaranteed or your money back.



# WRAPPED MINI BLOCKS

### KILLS HOUSE MICE

**EACH BAIT BLOCK IS INDIVIDUALLY WRAPPED** NO NEED TO TOUCH THE BAIT!

**HOUSE MICE CAN** CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difethialone\* . . . . . . . . . . . . . . 0.0025% \*Patented in the U.S.A.

50 pounds (approx. 1143 blocks)

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are filted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control

unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control house mice in the sites identified below for Urban Areas and Non-urban Areas. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not breadcast bait Urban Areas: This product may only be used in and around homes, industrial, commercial and public buildings; in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Applications "around" buildings must be made in tamper-resistant bait stations placed along the waits or other external parts of buildings (e.g., doorways, ramps, loading docks) where mice might seek entrance. Do not use this product in sewers. Non-urban Areas: This product may only be used inside of homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:** 

REEP OUT OF REACH OF CHILDREN
CAUTION
See side panel for additional precautionary statements.

Net Weight. 0.7 cunces (1 wrapped block)
up to

50 pounds (approx. 1143 blocks)

APPLICATION DIRECTIONS:
Generation Wrapped Mini Blocks should be placed with the wrapper to get the bait. Apply one block per placement. Space placements at 8 to 12 foot intervals. Two blocks may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until fresh signs of mouse activity cease to appear. Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent lood, water and harborage as much as possible. If reinfestation opermanent bat stations and reolevish bait as needed. permanent bait stations and replenish bait as needed.

> EPA Reg. No. 7173-Page 3 of 3