

7173-236

07/08/2009

1/26



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

JUL 08 2009

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Ms. Rachel M. Callies  
Liphatech, Inc.  
3600 W. Elm Street  
Milwaukee, WI 53209

Subject: Minor Label Changes

EPA Reg. No. 7173-236  
Application Dated May 27, 2009

Dear Ms. Callies:


The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated May 27, 2009 for the above product. The Registration Division (RD) has conducted a preliminary screen of this request for its applicability under PRN 98-10 and finds that the action (s) requested fall with the scope of PRN 98-10. The submitted label and application has been stamped "Notification" and will be placed in our records.

If you have any questions, call me at 703 305-5409 or electronically at [daniel.dani@epa.gov](mailto:daniel.dani@epa.gov)

Sincerely,

A handwritten signature, likely "Dani Daniel", in black ink.

Dani Daniel  
Registration Division (7505P)  
Insecticide/Rodenticide Branch

	United States <b>Environmental Protection Agency</b> Washington, DC 20460	<b>NOTIFICATION</b>	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
---	---	---------------------	--	-----------------------

**Application for Pesticide - Section I**

1. Company/Product Number <p style="text-align: center; font-size: 1.2em;">7173-236</p>	2. EPA Product Manager John Hebert	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <p style="text-align: center; font-weight: bold;">Difethialone Mini Blocks</p>	PM# Insecticide/Rodenticide Branch	
5. Name and Address of Applicant (Include ZIP Code) Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 <input type="checkbox"/> Check if this is a new address		
6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____		

**Section - II**

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
--	---


**Explanation:** Use additional page(s) if necessary. (For section I and Section II.) NOTIFICATION (per PR Notice 98-10) of: Minor Label Changes

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the label or the confidential statement of formula for this product. I understand that it is a violation of 18 USC Se. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 153.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

**Section - III**

<b>1. Material This Product Will Be Packaged In:</b>					
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.    No. per container	If "Yes" Package wgt    No. per container		
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 4.2, 5.6, 6.3, 7.0, 8.4, 9.8 or 11.2 oz or 1lb up to 50 lbs		5. Location of Label Directions <input checked="" type="checkbox"/> On label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____					

**Section - IV**

<b>1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)</b>			
Name Rachel M. Callies	Title Compliance Specialist	Telephone No. (Include Area Code) (414) 410-7235	
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 	3. Title Compliance Specialist		
4. Typed Name Rachel M. Callies	5. Date 27 May 2009		



3/26  
3600 WEST ELM STREET  
MILWAUKEE, WI 53209  
Tel: 414/351 1476 800/351 1476  
Fax: 414/247 8166

Document Processing Desk (NOTIF)  
EPA Office of Pesticide Programs (7504P)  
Room S4900, One Potomac Yard  
2777 S. Crystal Drive  
Arlington, VA 22202  
Attn: Mr. John Hebert

27 May 2009

Re: Notification of Minor Label Changes for:  
Difethialone Mini Blocks, EPA Reg. No. 7173-236

Dear Mr. Hebert,


Enclosed is a notification of Minor Label Changes for the product listed. The changes have been highlighted on the enclosed labels.

The minor changes made to this label include the addition of the alternate marketing statement, "Made in the USA." Additionally, we have added alternate wording to the center panel to allow for "See side/**back/inner** panel for additional precautionary statements."

Please contact me if you have any questions regarding this submission.

Sincerely,

Rachel M. Callies  
Compliance Specialist  
Liphatech, Inc.  
3600 West Elm Street  
Milwaukee, WI 53209  
414-410-7235  
calliesr@liphatech.com



# DIFETHIALONE Mini Blocks

**KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-  
RESISTANT HOUSE MICE**

**NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE  
NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS  
AFTER FEEDING BEGINS**

Active Ingredient: difethialone . . . . .0.0025%  
Inert Ingredients . . . . . 99.9975%  
Total . . . . .100.0000%

**KEEP OUT OF REACH OF CHILDREN**

## **CAUTION:**

See side/back/inner panel for additional precautionary statements.


### **Net Weight:**

4.2 ounces (6 X 20g blocks)  
5.6 ounces (8 X 20g blocks)  
6.3 ounces (9 X 20g blocks)  
7.0 ounces (10 X 20g blocks)  
8.4 ounces (12 X 20g blocks)  
9.8 ounces (14 X 20g blocks)  
11.2 ounces (16 X 20g blocks)

or

1 pound up to 50 pounds

(Liphatech Logo)  
Liphatech, Inc.  
3600 West Elm Street  
Milwaukee, WI 53209  
414-351-1476



5/26

## PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

**CAUTION:** Keep away from children, domestic animals and pets. May be harmful if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

### FIRST AID

Have this label with you when obtaining treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Note to Physician or Veterinarian:** Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

**Storage:** Store in original container in a cool, dry place inaccessible to children and pets.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

6/26

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL** and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents: 1. Store product not in use in a location out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

**USE RESTRICTIONS:** This product may only be used to control Norway rats, roof rats and house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

**Urban Areas:** This product may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and similar man-made structures. May also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.

**Non-urban areas:** This product may only be used inside of homes and agricultural, industrial and commercial buildings.

**Selection of Treatment Areas:** Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

## APPLICATION DIRECTIONS:

*Qualifier statement for 6 count package:* This package contains enough bait (4.2 oz.) to kill 1 to 3 rats.

*Qualifier statement for 8 count package:* This package contains enough bait (5.6 oz.) to kill 2 to 5 rats.

*Qualifier statement for 9 count package:* This package contains enough bait (6.3 oz.) to kill 2 to 6 rats.

*Qualifier statement for 10 count package:* This package contains enough bait (7.0 oz.) to kill 2 to 7 rats.

*Qualifier statement for 12 count package:* This package contains enough bait (8.4 oz.) to kill 3 to 8 rats.

*Qualifier statement for 14 count package:* This package contains enough bait (9.8 oz.) to kill 3 to 10 rats.

*Qualifier statement for 16 count package:* This package contains enough bait (11.2 oz.) to kill 3 to 12 rats.

**Mice:** Apply one block per placement. Two blocks may be needed at points of very high mouse activity. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.


**Rats:** Apply six to twenty-three blocks per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

**For sewer applications,** securely attach one end of a wire to bait blocks and the other end to a stationary structure such as the bottom step of manhole ladder or to a sewer grate, allowing just enough wire for bait to rest on manhole benching. If benching is not present, suspend bait a few inches above the high water line or place bait on a board supported by opposing steps of the ladder. Securing bait in this manner will minimize chances for removal by rats or water. Place at least 23 bait blocks per manhole.

**Follow-up:** Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

EPA Reg. No. 7173-236

EPA Est. No. 7173-WI-1



8/26

Full label wrapper: For sale in outer package containing 6 or more individually wrapped blocks, with size-specific qualifier statements on outer package label:

## DIFETHIALONE

### Mini Blocks

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difethialone . . . . . 0.0025%  
Inert Ingredients . . . . . 99.9975%  
Total . . . . . 100.0000%

EPA Reg. No. 7173-236

EPA Est. No. 7173-WI-1

### KEEP OUT OF REACH OF CHILDREN

### PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

### CAUTION:

Keep away from children, domestic animals and pets. May be harmful if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Wash arms, hands and face with soap and water after applying and before eating and smoking.

### FIRST AID

Have this label with you when obtaining treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Note to Physician or Veterinarian:** Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**Net Weight:** 0.7 ounces (20 grams)



## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL** and follow all use directions and use precautions. It is illegal to sell these packs [blocks] individually.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides.

To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.


## USE RESTRICTIONS:

This product may only be used to control Norway rats, roof rats and house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

**Urban Areas:** This product may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and similar man-made structures. May also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.

**Non-urban areas:** This product may only be used inside of homes and agricultural, industrial and commercial buildings.

**Selection of Treatment Areas:** Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.



**APPLICATION DIRECTIONS:**

**Mice:** Apply one block per placement. Two blocks may be needed at points of very high mouse activity. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease. **Rats:** Apply six to twenty-three blocks per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

**For sewer applications,** securely attach one end of a wire to bait blocks and the other end to a stationary structure such as the bottom step of manhole ladder or to a sewer grate, allowing just enough wire for bait to rest on manhole benching. If benching is not present, suspend bait a few inches above the high water line or place bait on a board supported by opposing steps of the ladder. Securing bait in this manner will minimize chances for removal by rats or water. Place at least 23 bait blocks per manhole.

**Follow-up:** Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

**STORAGE AND DISPOSAL**


Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

**Storage:** Store in original container in a cool, dry place inaccessible to children and pets.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Liphatech, Inc., 3600 West Elm Street, Milwaukee, WI 53209 414-351-1476



11/26

Abbreviated wrapper: For sale in outer package containing 6 or more individually-wrapped blocks, with size-specific qualifier statement on outer package label:

## DIFETHIALONE Mini Blocks

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-  
RESISTANT HOUSE MICE

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE  
NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS  
AFTER FEEDING BEGINS

Active Ingredient: difethialone . . . . . 0.0025%  
Inert Ingredients . . . . . 99.9975%  
Total . . . . . 100.0000%

EPA Reg. No. 7173-236

EPA Est. No. 7173-WI-1

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION:


See side panel for additional precautionary statements

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
Read the entire label on the outer package before using this product. It is illegal to sell  
these packs [blocks] individually.

(Liphatech Logo)  
Liphatech, Inc.  
3600 West Elm Street  
Milwaukee, WI 53209  
414-351-1476

**Net Weight:** 0.7 ounces (20 grams)



12/26

## PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

**CAUTION:** Keep away from children, domestic animals and pets. May be harmful if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

### FIRST AID

Have this label with you when obtaining treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Note to Physician or Veterinarian:** Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

**Storage:** Store in original container in a cool, dry place inaccessible to children and pets.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

# DIFETHIALONE Mini Blocks

KILLS HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH  
FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difethialone . . . . .0.0025%  
Inert Ingredients . . . . . 99.9975%  
Total . . . . .100.0000%

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION:

See side/back/inner panel for additional precautionary statements.

### Net Weight:

0.7 ounces (1 X 20g blocks)  
up to 50 pounds


(Liphatech Logo)

Liphatech, Inc.

3600 West Elm Street

Milwaukee, WI 53209

414-351-1476



## PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

**CAUTION:** Keep away from children, domestic animals and pets. May be harmful if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

### FIRST AID

Have this label with you when obtaining treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

15/26

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides.

To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

## USE RESTRICTIONS:

This product may only be used to control house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

**Urban Areas:** This product may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and similar man-made structures. May also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.

**Non-urban areas:** This product may only be used inside of homes and agricultural, industrial and commercial buildings.

**Selection of Treatment Areas:** Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.


## APPLICATION DIRECTIONS:

Apply one block per placement. Two blocks may be needed at points of very high mouse activity. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

**Follow-up:** Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

EPA Reg. No. 7173-236

EPA Est. No. 7173-WI-1



16/26  
Mouse only wrapped block option: For sale as individual, wrapped blocks, or in outer package containing 1 or more individually wrapped blocks:

## DIFETHIALONE Mini Blocks

KILLS HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difethialone . . . . . 0.0025%  
Inert Ingredients . . . . . 99.9975%  
Total . . . . . 100.0000%

EPA Reg. No. 7173-236

EPA Est. No. 7173-WI-1

### KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals

#### CAUTION:

Keep away from children, domestic animals and pets May be harmful if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

#### FIRST AID

Have this label with you when obtaining treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Note to Physician or Veterinarian:** Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Net Weight: 0.7 ounces (20 grams)



17/26

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides.

To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

## **USE RESTRICTIONS:**

This product may only be used to control house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

**Urban Areas:** This product may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and similar man-made structures. May also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.

**Non-urban areas:** This product may only be used inside of homes and agricultural, industrial and commercial buildings.

**Selection of Treatment Areas:** Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:** Apply one block per placement. Two blocks may be needed at points of very high mouse activity. Space placements 8 to 12 feet apart.

Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

**Follow-up:** Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

## **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

**Storage:** Store in original container in a cool, dry place inaccessible to children and pets.

**Disposal:** Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Liphatech, Inc., 3600 West Elm Street, Milwaukee, WI 53209 414-351-1476

18/26

Retail Consumer Label - Option 1:

# DIFETHIALONE

## Mini Blocks

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-  
RESISTANT HOUSE MICE

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE  
NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS  
AFTER FEEDING BEGINS

Active Ingredient: difethialone . . . . .0.0025%  
Inert Ingredients . . . . . 99.9975%  
Total . . . . .100.0000%

KEEP OUT OF REACH OF CHILDREN


### CAUTION:

See side/back/inner panel for additional precautionary statements.

#### Net Weight:

4.2 ounces (6 X 20g blocks)  
5.6 ounces (8 X 20g blocks)  
6.3 ounces (9 X 20g blocks)  
7.0 ounces (10 X 20g blocks)  
8.4 ounces (12 X 20g blocks)  
9.8 ounces (14 X 20g blocks)  
11.2 ounces (16 X 20g blocks)  
or  
1 pound up to 50 pounds

[Liphatech Logo]  
Liphatech, Inc.  
3600 West Elm Street  
Milwaukee, WI 53209  
414-351-1476



## Hazard to Humans and Domestic Animals

## Hazard to Humans and Domestic Animals

**CAUTION:** Keep away from children, domestic animals and pets May be harmful if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

## FIRST AID

Have this label with you when obtaining treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Note to Physician or Veterinarian:** Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

## STORAGE AND DISPOSAL

This is a nonrefillable container. Storage: Store in original container in a cool, dry place inaccessible to children and pets. Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

20/26

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents: 1. Store product not in use in a location out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

**USE RESTRICTIONS:** This product may only be used to control Norway rats, roof rats and house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait. **Do not use this product in areas accessible to children, pets, domestic animals or nontarget wildlife. Do not use this product outdoors.** This product may only be used inside of homes and agricultural, industrial and commercial buildings.

**Selection of Treatment Areas:** Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:**

*Qualifier statement for 6 count package:* This package contains enough bait (4.2 oz.) to kill 1 to 3 rats.

*Qualifier statement for 8 count package:* This package contains enough bait (5.6 oz.) to kill 2 to 5 rats.

*Qualifier statement for 9 count package:* This package contains enough bait (6.3 oz.) to kill 2 to 6 rats.

*Qualifier statement for 10 count package:* This package contains enough bait (7.0 oz.) to kill 2 to 7 rats.

*Qualifier statement for 12 count package:* This package contains enough bait (8.4 oz.) to kill 3 to 8 rats.

*Qualifier statement for 14 count package:* This package contains enough bait (9.8 oz.) to kill 3 to 10 rats.

*Qualifier statement for 16 count package:* This package contains enough bait (11.2 oz.) to kill 3 to 12 rats.

**Mice:** Apply one block per placement. Two blocks may be needed at points of very high mouse activity. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease. **Rats:** Apply six to twenty-three blocks per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease. **Follow-up:** Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

EPA Reg. No. 7173-236

EPA Est. No. 7173-WI-1

21/26

Retail Consumer Label - Option 2:

# DIFETHIALONE

## Mini Blocks

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-  
RESISTANT HOUSE MICE

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE  
NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS  
AFTER FEEDING BEGINS

Active Ingredient: difethialone . . . . . 0.0025%  
Inert Ingredients . . . . . 99.9975%  
Total . . . . . 100.0000%

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION:

See side/back/inner panel for additional precautionary statements.


#### Net Weight:

4.2 ounces (6 X 20g blocks)  
5.6 ounces (8 X 20g blocks)  
6.3 ounces (9 X 20g blocks)  
7.0 ounces (10 X 20g blocks)  
8.4 ounces (12 X 20g blocks)  
9.8 ounces (14 X 20g blocks)  
11.2 ounces (16 X 20g blocks)

Or

1 pound up to 50 pounds

[Liphatech Logo]  
Liphatech, Inc.  
3600 West Elm Street  
Milwaukee, WI 53209  
414-351-1476



22/120

## PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

**CAUTION:** Keep away from children, domestic animals and pets. May be harmful if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

### FIRST AID

Have this label with you when obtaining treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Note to Physician or Veterinarian:** Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

### STORAGE AND DISPOSAL

This is a nonrefillable container. Storage: Store in original container in a cool, dry place inaccessible to children and pets. Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

23/26

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents: 1. Store product not in use in a location out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

**USE RESTRICTIONS:** This product may only be used to control Norway rats, roof rats and house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait. **Do not use this product in areas accessible to children, pets, domestic animals or nontarget wildlife. Do not use this product outdoors.** This product may only be used inside of homes and agricultural, industrial and commercial buildings.

**Selection of Treatment Areas:** Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:**

*Qualifier statement for 6 count package:* This package contains enough bait (4.2 oz.) to kill 1 to 3 rats.

*Qualifier statement for 8 count package:* This package contains enough bait (5.6 oz.) to kill 2 to 5 rats.

*Qualifier statement for 9 count package:* This package contains enough bait (6.3 oz.) to kill 2 to 6 rats.

*Qualifier statement for 10 count package:* This package contains enough bait (7.0 oz.) to kill 2 to 7 rats.

*Qualifier statement for 12 count package:* This package contains enough bait (8.4 oz.) to kill 3 to 8 rats.

*Qualifier statement for 14 count package:* This package contains enough bait (9.8 oz.) to kill 3 to 10 rats.

*Qualifier statement for 16 count package:* This package contains enough bait (11.2 oz.) to kill 3 to 12 rats.

**1. Clean up:** Eliminate possible rodent food sources. Store food in sealed containers and sweep up food spills.

**2. Select Areas for Placement:** Focus on areas where rodents have been active - generally along walls, between floors or wall, inside cabinets, under appliances, in basements, attics or garages. Be sure to place out of reach of children and pets.

**3. Place Blocks:** For mice apply 1 block per placement, usually spaced 8 to 12 feet apart. For rats apply 6 to 23 blocks per placement, usually spaced 15 to 30 feet apart.

**4. Dispose:** Maintain a constant supply of fresh bait for 15 days for mice and 10 days for rats, or until signs of activity has stopped. When rodents are eliminated, wear gloves to collect and dispose of all visible dead animals and remaining bait.

**5. Prevent:** To prevent another infestation, limit sources of rodent food and water as much as possible.


EPA Reg. No. 7173-236

EPA Est. No. 7173-WI-1


24/26

**Wrapped Block Labeling for Retail Options #1 and #2: For packages of 6 or more wrapped blocks with full labeling on outer package:**

**Front of wrapped block:**



**Back of wrapped block:**





**ALTERNATE STORAGE AND DISPOSAL STATEMENT FOR PACKAGING INTENDED SOLELY FOR HOUSEHOLD USE:**

This is a nonrefillable container. Storage: Store in original container in a cool, dry place inaccessible to children and pets. Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**ALTERNATE WARRANTY STATEMENT FOR ALL LABEL OPTIONS:**


- To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

**ADDITIONAL WARRANTY STATEMENTS FOR ALL LABEL OPTIONS:**

- Satisfaction guaranteed or your money back.
- If for any reason you are not satisfied with this product, mail us proof of purchase to obtain full refund of your purchase.

**OPTIONAL MARKETING STATEMENTS:**

- Contains bittering agent.
- Bitrex™ is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland
- [Bitrex Logo]
- Each bait block is individually wrapped-no need to touch the bait!
- Kills up to X mice (6 mice for every 20g block in package)
- No Touch, Less [Reduced] Mess
- Can kill in 1 [one] feeding
- Can kill in 1 [one] feeding, Puede matar con una ración
- Made in [the] USA
- Ready to use
- Easy to use
- Simple, easy to use
- Simple set and kill
- Easy placement around the home
- Use inside cabinets, in closets, garages, attics and behind or under appliances
- Use in tight spaces
- Use in tight spaces where traps can not reach
- Plastic seal keeps bait fresh
- Can be used inside or outside
- Just place and wait – mice will eat through the wrapper
- Kills rats and mice
- Kill with Ortho Power
- Powerful Ortho Killing Baits
- Kill Mice 100% dead
- Kill mice and rats 100% dead
- Kills mice and rats – dead
- Specially formulated
- Proven formula



26/26

**-OPTIONAL MARKETING STATEMENTS (CONTINUED):**

- "X" Bait Blocks (with "X" being the number of bait blocks in the package)
- "X" Bait Blocks, Bloques con cebo (with "X" being the number of bait blocks in the package)
- **IMPORTANTE:** Para instrucciones de uso y primeros auxilios en español por favor llame al 1-866-648-1819. (Option for Reckitt Benckiser Products Only)
- Ortho's best.
- Ortho's best solution
- **Ready:** Eliminate rodent food sources - store food in sealed containers.  
**Set:** Place out of reach of children and pets. Select tight spaces where rodents are suspected - under appliances, in cabinets, garage or attic.  
**Kill:** Rats and mice will eat [bait] and die!

**THE FOLLOWING OPTIONAL MARKETING STATEMENTS ARE TO BE USED ONLY IN CONJUNCTION WITH THE ALTERNATE WARRANTY STATEMENT** "If for any reason you are not satisfied with this product, mail us proof of purchase to obtain full refund of your purchase."

- Ortho Guaranteed Killing Power
- Guaranteed
- Guaranteed Kill
- Guaranteed Ortho Kill
- Guaranteed to Kill Mice and Rats

