

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460

7173-238

EPA Reg. Number:

Date of Issuance: February 9,

2005

NOTICE OF PESTICIDE:

x Registration Reregistration

(under FIFRA, as amended)

Name of Pesticide Product

Generation Meal

Name and Address of Registrant (include ZIP Code):

LiphaTech 3600West Elm Street Milwaukee, WI 53209

Attention: Mr. Thomas J. Schmit

165 5-766745 17 Decision No.

339347

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others

We have reviewed your August 12, 2004, response to questions raised in our August 4, 2004, letter and found it acceptable. The laboratory efficacy studies (MRID No. 461546-06 and -07) are acceptable and support a "single feeding claim. Attached is copy of our review.

This product is registered in accordance with sec. 3(c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act provided that you submit a copy of final printed labeling to us, with the following labeling changes, before you release product for shipment:

- 1. Add the following registration number to the label: "EPA Reg. No. 7173-238".
- 2. Under your "Note to Physician or Veterinarian", change "lowered" to "prolonged".

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Enclosures.

1. Stamped Label

2. January 25, 2005, Efficacy Review

Signature of Approving Official:

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C) February 9, 2005

PA Form 8570-6

Dan Peacock, USB Flash Drive 1.1, E:\1-7-2005 Backup\Dan's Office Work\A Flash Drive 1\Difethialone\7173-238, Notice of Registration, 1-31-2005, new product.wpd

PRECAUTIONARY STATEMENTS rd to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animais and pets. May be harmful or fatal if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID

FIRST AID

Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Note to Physician or Veterinarian: Contains dilethiatone, an anticoaquiant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or overed prothrombin times, give Vitamin K, by intranuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean surface water is high water mark.

STORAGE AND DISPOSAL

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in a coot, dry place inaccessible to children and pets.


Pesticide Disposal: Wastes resulting from the use of this product may disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of empty container in a sanitary tandfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Product No.

Label No.



STORAGE AND DISPOSAL

Storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down and product drain. any indoor or outdoor drain.

Alternate warranty statements:

Satisfaction guaranteed or your money back.



MFAL

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difethiatone:*	0.0025%
Inert Ingredients	<u>99.9975%</u>
Total	100.0000%

*Patented in the U.S.A.

EPA Reg. No. 7173-

EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN

CAUTION: See side panel for additional precautionary statements.

3600 W. Elm Street Milwaukee, WI 53209 (800) 351-1476

ACCEPTED with Commencial in EPA Letter Dated:

NET WEIGHT:

1 pound up to 50 pounds

FEB - 9 2005

Under the Federal Insecticide. Fungicide, and Rodentkide Act as amended, for the pesticide registered under EPA Rog. No.

7173-238

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manne inconsistent with its labeling

READ THIS LABEL and follow all use directions and use precautions. IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and

pets. Apply bait in locations out of reach of Unilidren, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction oy dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from reaching into bait compartments and obtaining bait. If bait can be shaken from reaching when they are lifted, units must be secured or otherwise immonitized. Even stronger bait stations are needed in areas open to hoofed, livestock, rat.o.o.s. bears, other potentially destructive arimals, or in areas pro-le to vanda.sm.

3. Dispose of product underliner, unused, spoil-of, Ent. unconsumed half as predictions of the little of the littl

potentially destructive animals, or in areas project to various.sm.

3. Dispose of product of the formal project of the product may be used to control Norway rats, not rats and hours miss. To not place but in as 35 where there is a possibility of contamin uting fund or surfaces that come in direct contact with food.

8 a possuliny of containing using cool or say laces and contact with food.

Urban Areas: May be used indoors and in transport vehicles (ships, trains, avcraft). May be used outdoors withing 15 feet of bomes, food processing facilities, industrial, commercial, agricultural and public buildings, and similar manmade structures.

Non-urban Areas: This product may only be rised inside of homes and agricultural buildings.

Selection of Treatment Areas: Determine areas where lats or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

APPLICATION DIFFCTIONS:

Rats: Apply 3 to 16 ounces of bait per placement. Space placements at 15 to 30 foot intervals. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

Mice: Apply 1/4 to 1/2 ounce of bait per placement. Larger amounts (up to 2 ounces) may be placed at points of very high mouse activity. Space placements at 8 to 12 foot intervals. Maintain a constant supply

Space placements at 8 to 12 foot intervals. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease. Follow-up: Replace contaminated or spoiled bail immediately. Collect and dispose of all visible dead animals and leftover laroperty. To discourage reinlestation, limit sources of rodent lood, water and harborage as much as possible. If reinfestation occurs, respect viewalment. For a configuration-infestation, set up permanent bait stations and replenish bail as needed.

Page 1 of 1, Product label for EPA Reg. No. 7173-Submitted November 14, 2003