UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

July 26, 2007

300 813782 1165

Liphatech. Inc. 3600 W. Elm Street Milwaukee, WI 53209

Attention: Ms. Rachel M. Callies

Subject: Generation Meal

EPA Reg. No. 7173-238

Your letter of March 16 2007

Purpose

The purpose of this submission is to revise the label of this product, under section 3 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Label

The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided you submit one (1) copy of final printed labeling to us, with the following change, before you ship your product.

- 1. Revise the 1st Sentence of your "USE RESTRICTIONS" to read, "This product may **only** be used to control Norway rats, roof rats and house mice."
- 2. Revise the 2nd Sentence under "CAUTION", wherever it occurs, to read: "May be harmful if swallowed or absorbed through the skin because it may reduce the clothing ability of blood and cause bleeding."

Note: In the future, include an Amended Application Form (EPA Form 8570-1) when amending the labeling of a product.

Existing stocks

Stocks of existing labels may be used for eighteen (18) months.

Questions

If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or peacock, dan@epa.gov (by E-Mail).

Sincerely yours,

DGP

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C)

Enclosure

Stamped Label

Location

Dan Peacock, Flash Drive, 2gb, P:\Documents\Word, WP, Excel, etc\Difethialone\7173-238, rev label, 7-23-2007.doc

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. If swallowed this product reduces the clotting ability of blood and cause bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling bait or dead animals. Wash arms, hands and face with soap and water after applying and before eating and

FIRST AID

Have this label with you when obtaining

treatment advice.

treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes, Romove contact lenes, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for

treatment advice.

Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animls that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable

Storage: Store in original container in a cool, dry place inaccessible to children and

pets.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dipose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Product No.

Label No.

GENERATION MEAL

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND **WARFARIN-RESISTANT HOUSE MICE**

NORWAY RATS AND HOUSE MICE CAN CONSUME A **LETHAL DOSE IN ONE NIGHT'S FEEDING** WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Inert ingredients 99,9975%

EPA Reg. No. 7173-238

EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN

CAUTION: See side panel for additional precautionary statements.

LIPH/TECH* Milwaukee, WI 53209 (414) 351-1476

Liphatech, Inc. 3600 W. Elm Street

NET WEIGHT:

8 ounces, or 10 ounces, or 12 ounces, or 1 pound up to 50 pounds

ACCEPTED with COMMENTS in EPA Letter Dated:

JUL 26 2007

Alternate warranty statements:

Satisfaction guaranteed or your money back.
Under the Federal Insecticide. Fungicide, and Rodentiside Act as amended, for the pesticide registered under EPA Reg. No.

7173,238

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL

This is a nonrefillable container. Storage: Store in original container in a dry place

Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help

prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

 Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant balt stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Supplementary bait etations are immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive

animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

broadcast bait.

Urban Areas: This product may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and simlar man-made structures. May also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.

used in alleys.

Non-urban Areas: May only be used inside of homes, agricultural, industrial and commercial

Selection of Treatment Areas: Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

(Qualifier statement for package containing 8 ounces of bait only:)
This package contains enough bait (8 oz.) to kill

two to seven rats.

(Qualifier statement for package containing 10 ounces of bait only:)
This package contains enough bait (10 oz.) to kill three to nine rats.

(Qualifier statement for package containing 12 ounces of bait only:)
This package contains enough bait (12 oz.) to kill

three to ten rats.

three to ten rats.

Mice: Apply 1/4 to 1/2 ounce of bait (1-2 level tablespoons) per placement, usually spaced 8 to 12 feet apart. Larger amounts (up to 2 ounces) may be placed at points of very high mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

Rats: Apply 4 to 16 ounces of bait per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

Follow-up: Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all visible dead animals and leftover bait as well as any bait that has become

dispose of all visible dead animals and leftover bait as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. (10307)