7173-239

08/25/2005



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



.

ť

~

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

August 25, 2005

R34 772956 18

LiphaTech, Inc. 3600 W. Elm Street Milwaukee, WI 53209

Attention: Mr. Thomas J. Schmit

•

4.1

Subject	Difethialone Block EPA Reg. No. 7173-239 Your amended application of November 24, 2004
Purpose	This application, under section 3 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), submits data to support four (4) revised Confidential Statements of Formula (CSFs) and the addition of burrow and sewer uses to the labeling for this product.
Data Review	We have reviewed the data submitted to support the addition of the burrow and sewer uses to the labeling and to support the revised CSFs (1 basic and 3 alternatives) and found them to be acceptable. We have placed a copy of the CSFs in the files for this product. All other versions are obsolete.
Label	The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided you submit one (1) copy of final printed labeling to us, with the following changes, before you ship your product.
	1. Revise the "USE RESTRICTIONS" as follows to insure that sites are clearly identified:
	USE RESTRICTIONS: This product may be used to control Norway rats, roof rats, and house mice at the Urban and Non-urban sites identified below. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come into contact with food. Do not broadcast bait.

	Page 2 of 2
Label- continued	Urban Areas: This product may be used indoors only in transport vehicles (ships, trains, aircraft) and in related port or terminal buildings; in permitted areas of food processing facilities; and in homes, industrial, commercial, and public buildings, and similar man-made structures. Outdoors, this product may only be used within 15 feet of the types of buildings where indoor use is permitted. All outdoor bait placements must be made in tamper-resistant bait station, locked and secured as necessary, except for treatments of rat burrows and in sewer performed and monitored as direct under "APPLICATION DIRECTIONS:"
	Non-urban Areas: This product may only be used inside of homes and agricultural buildings.
	2. Revise the "For rat burrows:" section as follows:
	For rat burrows: Only burrow openings within 15 feet of the specified types of buildings located in Urban Areas may be treated with this product. Using a long-handled spoon or scoop, insert 1 to 2 pieces of block deep into each active burrow. Check treated burrows each morning and evening to make sure that bait has not been pushed out of burrows. Remove and properly dispose of any bait that has become accessible to children or nontarget animals.
	3. Under the "Sewer" directions, add "block" after "suspend bait".
	4. Under "Note to Physician or Veterinarian:", change "lowered" to "elevated". Note: This comment would apply to any of your anticoagulant products.
	5. Under "CAUTION", at the end of this section, add "If bait is handled, wear gloves."
Existing stocks	Stocks of existing labels may be used for eighteen (18) months.
Consequence for non- compliance	If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section $6(e)$. Your release for shipment of the product constitutes acceptance of these conditions.
Questions	If you have questions about this letter or the review, please contact me at 703- 305-5407 (by phone), 703-305-6596 (by fax), or <u>peacock,dan@epa.gov</u> (by E- Mail).
	Sincerely yours,
	DBA
	Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C)

Enclosures 1. Stamped Label

ſ

(

Location Dan Peacock, USB Flash Drive 1.1, F:\1-7-2005 Backup\Dan's Office Work\A Flash Drive 1\Difethialone\7173-239, add burrow and sewer use, 4 CSFs, 8-17-2005.wpd

PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. May be harmful if swatowed, because this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with scop and water after applying and before eating and smoking.

eating and smoking. FIRST AID Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give

or so by the poison control center of occur. Do not give anything by mouth to an unconscious person. Note to Physician or Veterinarian: Contains dilethialone, an anticoagulant. For humans or pets that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered protrombin times, give Vitamin K1 by intramuscular or oral administration. Check prothrombin time every 3 days untit values return to normal

ENVIRONMENTAL HAZARDS: This product is toxic to fish Environmental. HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait.Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

StorAdde AND DISPOSAL Do not corraminate water, tood or leed by storage or disposal. Storage: Store in original container in a cool, dry place inaccessible to children and pets. Pesticide Disposal: Wastes resulting from the use of this product may disposed of on site or at an approved waste disposal tacity.

Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Selier makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions

Product No.

Label No

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL

Storage: Store in original container in a dry place inaccessible to children and pets. Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling il available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down or under a outdoor disposal or place unused product down any indoor or outdoor drain.

Alternate warranty statements:

Satisfaction guaranteed or your money back.

Optional marketing statements;

Contains bittering agent

. Bitrex^{Te} is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland



DIFETHIALONE **BLOCK**

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE


NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difethialone:*	. 0.0025%
Inert Ingredients	<u>99.9975%</u>
Total	100.0000%

*Patented in the U.S.A. EPA Reg. No. 7173-239

EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN CAUTION: See side panel for additional precautionary statements.



Under the Federal Invecticide, Fungicide, and Rotentivide Act as smanded, for the pesticide registered under EPA Reg. No. 7173-239

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and use precautions. IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:
Store product not in use in a location out of reach of children and

Dets.

pets. 2. Apply beit in locations out of reach of children, pets, domestic animats, and nontarget wildlife, or in tamper-resistant bait stations. These statoons must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product contaner, unused, spoiled, and unconsumed bait as specified on this tabel.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food

contact with tood. Urban Areas: May be used indoors and in transport vehicles (ships, trains, aircaft). May be used outdoors within 15 feet of homes, lood processing facilities, industrial, commercial, agricultural and public buildings. and similar manmade structures. Non-urban Areas: This product may only be used inside of homes

and agricultural buildings Selection of Treatment Areas: Determine areas where rats or mice

will most likely find and consume bail. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative reduce to their signs have been seen. food as possible

APPLICATION DIRECTIONS:

(Qualifier statement only for 12 ounce block:) This package contains enough bait (12 oz.) to kill 3 to 12 rets.

Each balt block is scored to be broken into 2-oz. pieces.

Each balt block is scored to be broken into 2-oz. pieces. Mice: Break block and apply one 2-oz. piece of block per placement. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh balt for 15 days or until signs of mouse activity cease. Rats: Apply two to eight 2-oz. pieces of block per placement. Space placements 15 to 30 feet apart. Maintain a constant supply of fresh balt for 10 days or until signs of rat activity cease. For burrows, insert one or two pieces of block deep into each active burrow. Check treated burrows each morning and evening to make sure that balt has not been pushed out of burrows. For sewer applications, securely attach one end of a wire to bait blocks and the other end to a stationary structure such as the bottom step of manhole ladder or to a sewer grate, allowing just enough wire for balt to rest on manhole benching. If benching is not present, menner will minimize chances for removal by rats or water. Place at least one entire bait block per manhole. Follow-up: Replace contarrinated on spoiled bait immediately. Collect and dispose of all visible dead animats and leftover bait property. To discourage reintestation, lift sources of rodent bod, water and harborage as much as possible. If reinfestation occurs, repeat freatment. For a continuous intestation, seu up permanent bait stations and replenish bait as needed. (32904)

stations and replenish bait as needed. (32904)