### PRECAUTIONARY STATEMENTS Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. May be harmful if swallowed, because this product reduces the clotting ability of blood and causes bleeding. Do not get in eyes, on skin or no clothing. Wear gloves when handling bait or retrieving dead animals. Wash arms, hands and lace with soap and water after applying and before asting and smoking. eating and smoking.

FIRST AID

Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note to Physician or Veterinarian: Contains diffethialone, an

anticoagulant. For humans or pets that have ingested this product, or have obvious poisoning symptoms (bleeding) covered prothorombin times, give Vitamin K, by intramuscular or oral administration. Check prothrombin time every 3 days

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not contaminate water, tood or reed by slorage of disposar. Storage: Store in original container in a cool, dry place inaccessible to children and pets. Pesticide Disposal: Wastes resulting from the use of this product may disposed of on site or at an approved waste disposal facility. Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seiler makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label

Product No.

Label No.

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

### STORAGE AND DISPOSAL

Storage: Store in original container in a dry place inaccessible to children and pets.

maccessione to children and pets.

Disposal: If empty: On of reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Alternate warranty statements:

Satisfaction guaranteed or your money back

Optional marketing statements:

Contains bittering agent

Bitrex is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland



# DIFETHIALONE **BLOCK**

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difethialone:*	0.0025%
Inert Ingredients	<u>9.9975%</u>
Total	0.0000%

\*Patented in the U.S.A. EPA Reg. No. 7173-239

FPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN

CAUTION: See side panel for additional precautionary statements.

LIPH/TECH\* Milwaukee, WI 53209 (800) 351-1476

3600 W. Elm Street

**NET WEIGHT:** 12 ounces

or

1 pound

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and use precautions. IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and

pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are fifted. Units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other

potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place ball in areas where there is a possibility of contaminating food or surfaces that come in direct

is a possibility of contaminating food or surfaces that come in direct contact with food.

Urban Areas: May be used indoors and in transport vehicles (ships, trains, aircraft). May be used outdoors within 15 feet of homes, food processing facilities, industrial, commercial, agricultural and public buildings, and similar manmade structures.

Non-urban Areas: This product may only be used inside of homes and agricultural buildings.

Selection of Treatment Areas: Determine areas where rats or mice Selection of treatment Areas: Determine alreas where rais of nice will most likely find and consume bail. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors or walls, or in locations where rodents or their signs have been seen. Remove as much alternative lood as possible

APPLICATION DIRECTIONS:

(Qualifier statement only for 12 ounce block:)
This package contains enough balt (12 oz.) to kill 3 to 12 rats.

Each bait block is scored to be broken into 2-oz. pieces.

Each bait block is scored to be broken into 2-oz, pieces.

Mice: Break block and apply one 2-oz, piece of block per placement. Space piecements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

Rate: Apply two to eight 2-oz, pieces of block per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

For rat burrows: Insert one or two pieces of block deep into each active burrow using a long-handled spoon or scoop. Check freated burrows each morning and evening to make sure that bait has not been pushed out of burrows.

For sewer applications, securely attach one end of a wire to bait block and the other end to a stationary structure such as the bottom step of manhole ladder or to a sewer grate, allowing just enough wire for bait to rest on manhole benching. If benching is not present, suspend bait a few inches above the high water line or piece bait on a board supported by opposing steps of the ladder. Securing bait in this menine will maintrize chances for removal by rats or water. Place at least one entire bait block per manhole.

Follow-up: Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait property. To discourage reintestation, limit sources of rodent food, water and harborage as much as possible. If reintestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

## ACCEPTED

FEB 3 2006

Under the Federal Insecticide, Pungicide, and Rodenticide Act. as amended, for the pesticide Registered under EPA Reg. No. 7173

> Page 1 of 1, Product label for EPA Reg. No. 7173-239 Submitted August 30, 2004