

7173-240

5/26/2004

1/4



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

7173-240

Date of Issuance:

May 26, 2004

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Name of Pesticide Product:

Generation® Blue Pellets Bait Packs

Name and Address of Registrant (include ZIP Code):

LiphaTech
3600 West Elm Street
Milwaukee, WI 53209

160
17

754185

Attention: Mr. Thomas J. Schmit

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others

This product is registered in accordance with sec. 3(c)(7) of the Federal Insecticide, Fungicide and Rodenticide Act provided that you submit a copy of final printed labeling to us, with the following labeling changes, before you release product for shipment:

1. Place "If swallowed, this product reduces the clotting ability of blood and causes bleeding." as the 2nd Sentence in the "Note to Physician or Veterinarian".
2. After "EPA Reg. No. 7173-", add "240".

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

- Enclosures.
1. Stamped Label
 2. Minimum Type Sizes for Final Printed Label.

Signature of Approving Official:

Daniel B. Peacock

Daniel B. Peacock, Biologist
Insecticide-Rodenticide Branch
Registration Division (7504C)

Date

May 26, 2004

2/4

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID

Avoid this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Consult a Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Storage: Store in original container in a cool, dry place accessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this product when such use and/or handling is contrary to label directions.

Product No. Label No.



BLUE PELLETS BAIT PACKS

**KILLS NORWAY RATS,
ROOF RATS, HOUSE MICE AND
WARFARIN-RESISTANT HOUSE MICE**

**NORWAY RATS AND HOUSE MICE CAN CONSUME A
LETHAL DOSE IN ONE NIGHT'S FEEDING
WITH FIRST DEAD RODENTS APPEARING
FOUR OR FIVE DAYS AFTER FEEDING BEGINS**

| | |
|----------------------------------|-----------|
| Active Ingredient: difethialone* | 0.0025% |
| Inert Ingredients | 99.9975% |
| Total | 100.0000% |

*Patented in the U.S.A.

EPA Reg. No. 7173-

EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN

CAUTION: See side panel for additional precautionary statements.

LIPHA/TECH™

3600 W. Elm Street
Milwaukee, WI 53209
(800) 351-1476

NET WEIGHT:

- 3.52 ounces (4 x 0.88 oz. bait packs), or
- 4.4 ounces (5 x 0.88 oz. bait packs), or
- 5.3 ounces (6 x 0.88 oz. bait packs), or
- 7 ounces (8 x 0.88 oz. bait packs), or
- 8.8 ounces (10 x 0.88 oz. bait packs), or
- 10.6 ounces (12 x 0.88 oz. bait packs), or
- 13.2 ounces (15 x 0.88 oz. bait packs),
- or bulk packaging containing
- 1.05 pounds (19 x 0.88 oz. bait packs)

up to

50.05 pounds (approx. 910 x 0.88 oz. bait packs)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Urban Areas: May be used indoors and in transport vehicles (ships, trains, aircraft). May be used outdoors within 15 feet of homes, food processing facilities, industrial, commercial, agricultural and public buildings, and similar manmade structures.

Non-urban Areas: This product may only be used inside of homes and agricultural buildings.

Selection of Treatment Areas: Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in burrows, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

(Qualifier statement only for package containing 4 bait packs.)
This package contains enough bait (3.52 oz.) to kill one rat.

(Qualifier statement only for package containing 5 packs.)
This package contains enough bait (4.4 oz.) to kill 1 to 3 rats.

(Qualifier statement only for package containing 6 packs.)
This package contains enough bait (5.3 oz.) to kill 1 to 5 rats.

(Qualifier statement only for package containing 8 packs.)
This package contains enough bait (7 oz.) to kill 2 to 6 rats.

(Qualifier statement only for package containing 10 packs.)
This package contains enough bait (8.8 oz.) to kill 3 to 9 rats.

(Qualifier statement only for package containing 12 packs.)
This package contains enough bait (10.6 oz.) to kill 3 to 10 rats.

(Qualifier statement only for package containing 15 packs.)
This package contains enough bait (13.2 oz.) to kill 4 to 12 rats.

Mice: Use one pack per placement. Two packs may be placed at points of very high mouse activity. Space placements at 8 to 12 foot intervals. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

Rats: Apply 3 to 16 packs per placement. Space placements at 15 to 30 foot intervals. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

For rat burrows, insert 1 to 3 bait packs deep into each active burrow. Check treated burrows each morning and evening to make sure that bait has not been pushed out of burrows.

Follow-up: Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a burrow infestation, set up permanent bait stations and replenish bait as needed.

(03404)

**APPROVED
WITH COMMENTS
in EPA Letter Dated**

MAY 26 2004

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

7173-240



Additional marketing statements:

Contains bittering agent

generation™ is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland

Page 1 of 3, Product label for
EPA Reg. No. 7173-
Submitted February 6, 2004

3/4



Optional marketing statements:
Contains bittering agent
Bifex™ is a trademark of MacLaren Smith Ltd., Edinburgh, Scotland

"label" place pack label option: For retail sale in outer package containing 2 or more place packs, with size-specific qualifier statements on outer package label:

APPLICATION DIRECTIONS:
Rats: Apply 3 to 16 packs per placement. Space placements at 15 to 30 foot intervals. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease. For rat burrows, insert 1 to 2 bait packs deep into each active burrow. Check treated burrows each morning and evening to make sure that bait has not been pushed out of burrows.
Mice: Use one pack per placement. Two packs may be placed at points of very high mouse activity. Space placements at 8 to 12 foot intervals. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.
Follow-up: Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. (0606)

STORAGE AND DISPOSAL: Store in original container in a dry place inaccessible to children and pets.
Disposal: If empty: Do not reuse this container. Place in trash or other for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.
Liphatech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209 (800) 351-1476



KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

Active Ingredient: difethialone* 0.0025%
Inert Ingredients: 99.9975%
Total: 100.0000%
*Patented in the USA
EPA Reg. No. 7173- EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic Animals
CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.
FIRST AID: Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.
ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

WARRANTY: Seller makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions.

NET WEIGHT: 0.88 oz. (25 grams)

Alternate warranty statement: Satisfaction guaranteed or your money back.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ THIS LABEL and follow all use directions and use precautions.
IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents: 1. Store product not in use in a location out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooded livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container, unused, spoiled, or unconsumed bait as specified on this label.
USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.
Urban Areas: May be used indoors and in transport vehicles (ships, trains, aircraft). May be used outdoors within 15 feet of homes, food processing facilities, industrial, commercial, agricultural and public buildings, and similar manmade structures.
Non-urban Areas: This product may only be used inside of homes and agricultural buildings.
SELECTION OF TREATMENT AREA: Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in burrows, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

"abbreviated" place pack label option: For retail or commercial sale in outer package containing 2 or more place packs, with size-specific qualifier statements on outer package label:

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal.
Storage: Store in original container in a cool, dry place inaccessible to children and pets.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.
WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. (0606)



KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

Active Ingredient: difethialone* 0.0025%
Inert Ingredients: 99.9975%
Total: 100.0000%
*Patented in the USA
EPA Reg. No. 7173- EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN
CAUTION: See side panel for additional precautionary statements.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label on the outer package before using this product. It is illegal to sell these placepacks individually.

LIPHATECH 3600 W. Elm Street
Milwaukee, WI 53209
(800) 351-1476

NET WEIGHT: 0.88 oz. (25 grams)

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

Alternate warranty statement: Satisfaction guaranteed or your money back.

PRECAUTIONARY STATEMENTS: Hazard to Humans and Domestic Animals
CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.
FIRST AID: Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.
ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL
Storage: Store in original container in a dry place inaccessible to children and pets.
Disposal: If empty: Do not reuse this container. Place in trash or other for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Page 2 of 3, Product label for
EPA Reg. No. 7173-
Submitted February 6, 2004

4/4

ouse only" place pack label option: For retail sale as individual place packs, or in in outer
ckage containing 1 or more place packs:



UPC
(for position only)



BLUE PELLETS BAIT PACKS

KILLS HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL DOSE
IN ONE NIGHT'S FEEDING WITH FIRST DEAD MICE
APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

| | |
|----------------------------------|-----------|
| Active Ingredient: difethialone* | 0.0025% |
| Inert Ingredients: | 99.9975% |
| Total: | 100.0000% |

*Patented in the USA
EPA Reg. No. 7173- EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic Animals
CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.
FIRST AID: Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.
ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

WARRANTY: Seller makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions.

NET WEIGHT: 1.5 oz. (43 grams)

Alternate warranty statement: Satisfaction guaranteed or your money back.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THIS LABEL and follow all use directions and use precautions. IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents: 1. Store product not in use in a location out of reach of children, pets or other nontarget animals. 2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooped livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label. USE RESTRICTIONS: This product may be used to control house mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Urban Areas: May be used indoors and in transport vehicles (ships, trains, aircraft). May be used outdoors within 15 feet of homes, food processing facilities, industrial, commercial, agricultural and public buildings, and similar manmade structures. Non-urban Areas: This product may only be used inside of homes and agricultural buildings. SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in burrows, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THIS LABEL and follow all use directions and use precautions. IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents: 1. Store product not in use in a location out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooped livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label. USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Urban Areas: May be used indoors and in transport vehicles (ships, trains, aircraft). May be used outdoors within 15 feet of homes, food processing facilities, industrial, commercial, agricultural and public buildings, and similar manmade structures. Non-urban Areas: This product may only be used inside of homes and agricultural buildings. Selection of Treatment Areas: Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in burrows, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS: Use one pack per placement. Two packs may be placed at points of very high mouse activity/Space placements at 8 to 12 foot intervals. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease. Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinestation, limit sources of rodent food, water and harborage as much as possible. If reinestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. (03404)

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID: Have this label with you when obtaining treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN OR VETERINARIAN: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Storage: Store in original container in a dry place accessible to children and pets.

Disposal: If empty: Do not reuse this container. Place in trash or other for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down indoors or outdoors.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this product when such use and/or handling is contrary to label instructions.

Product No. Label No.

Alternate warranty statements: Satisfaction guaranteed or your money back.



BLUE PELLETS BAIT PACKS

KILLS HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL DOSE
IN ONE NIGHT'S FEEDING WITH FIRST
DEAD MICE APPEARING FOUR OR FIVE DAYS
AFTER FEEDING BEGINS

| | |
|----------------------------------|-----------|
| Active Ingredient: difethialone* | 0.0025% |
| Inert Ingredients: | 99.9975% |
| Total: | 100.0000% |

*Patented in the U.S.A.
EPA Reg. No. 7173- EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN
CAUTION: See side panel for additional precautionary statements.

LIPHA/TECH 3600 W. Elm Street
Milwaukee, WI 53209
(800) 351-1476

NET WEIGHT: 0.88 ounces (1 bait pack)
up to
50.05 pounds (approx. 910 x 0.88 bait packs)

Page 3 of 3, Product label for
EPA Reg. No. 7173-
Submitted February 6, 2004