UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

July 26, 2007

360 810320 1165

Liphatech. Inc. 3600 W. Elm Street Milwaukee, WI 53209

Attention: Ms. Rachel M. Callies

Subject: Generation Blue Pellet Bait Packs

EPA Reg. No. 7173-240

Your letter of March 13, 2007

Purpose

The purpose of this submission is to revise the label of this product, under section 3 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Label

The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided you submit one (1) copy of final printed labeling to us, with the following change, before you ship your product.

- 1. Revise the 1st Sentence of your "USE RESTRICTIONS", wherever it occurs, to read, "This product may **only** be used to control"
- 2. Revise the 2nd Sentence under "CAUTION", wherever it occurs, to read: "May be harmful if swallowed or absorbed through the skin because it may reduce the clothing ability of blood and cause bleeding."
- 3. On the full place pack label, add this 2nd Sentence after "**READ THIS LABEL**": "It is illegal to sell these placepacks individually."

4. Delete the optional marketing claim, "Newest second-generation, single-feed anticoagulant rodenticide."

Note: In the future, include an Amended Application Form (EPA Form 8570-1) when amending the labeling of a product.

Existing stocks Ouestions

Stocks of existing labels may be used for eighteen (18) months.

If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or peacock, dan@epa.gov (by

E-Mail).

Sincerely yours,

DRN

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C)

Enclosure

Stamped Label

Location

Dan Peacock, Flash Drive, 2gb, P:\Documents\Word, WP, Excel, etc\Difethialone\7173-240, rev label, 7-23-2007.doc

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or work and contact with eyes, skin or work and the contact with eyes and the contact with eyes, skin or work and the contact with eyes and the contact with eyes, skin or work and the contact with eyes and the contact with ey CAUTION: clothing. Wear gloves when handling dead animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining

treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment

advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

treatment advice.

Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the abel. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions

EPA Reg. No. 7173-240 EPA Est. No. 7173-WI-1 Product No. Label

Page 1 of 5, Product label for EPA Reg. No. 7173-240, Submitted 4/13/07

GENERATION

Blue Pellet Bait Packs

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING **BEGINS**

Active Ingredient: difethialone 0.0025%

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

LIPH/TECH*

Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

Net Weight:

3.5 ounces (4 x 0.88 oz. bait packs), or 4.4 ounces (5 x 0.88 oz. bait packs), or 5.3 ounces (6 x 0.88 oz. bait packs), or 7 ounces (8 x 0.88 oz. bait packs), or 8.8 ounces (10 x 0.88 oz. bait packs), or 10.6 ounces (12 x 0.88 oz. bait packs) or 1 pound up to 50 pounds

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL

STORAGE AND DISPOSAL

This is a nonrefillable container.

Storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. drain.

Optional marketing statements:

*Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait.
*Contains bittering agent

*Bitrex™ is a trademark of Macfarlan Smith Ltd., Edinburgh,

*Newest second-generation, single-feed anticoagulant redenti-

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent

1. Store product not in use in a location out of reach of

children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

Urban Areas: This product may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and similar manmade structures. May also be used in transport vahicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in

Non-urban Areas: May only be used inside of homes, agricultural, industrial and commercial buildings.

Selection of Treatment Areas: Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

(Qualifier statement for 4 x 0.88 oz package:)
The bait packs in this package contain enough bait (3.5 oz) to kill one rat.
(Qualifier statement for 5 x 0.88 oz package:)
The bait packs in this package contain enough bait (4.4 oz) to kill one to three rats.
(Qualifier statement for 6 x 0.88 oz package:)

(Qualifier statement for 6 x 0.88 oz package:)
The bait packs in this package contain enough bait (5.3)

oz) to kill one to five rats. (Qualifier statement for 8 x 0.88 oz package:)

The bait packs in this package contain enough bait (7 oz) to kill two to six rats.

(Qualifier statement for 10 x 0.88 oz package:) The balt packs in this package contain enough balt (8.8 oz) to kill three to nine rats.

(Qualifier statement for 12 x 0.88 oz package:)

The bait packs in this package contain enough bait (10.6)

oz.) to kill three to ten rats.

oz.) to kili three to ten rats.

Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Two packs may be needed at points of very high mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

Rats: Apply 3 to 16 packs per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

Follow-up: Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. It

water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a confidence of the stations of the confidence of the stations of the confidence o

Alternate warranty statements:

JUL Satisfazilia/guaranteed or your money back.

Under the Federal insecticide. Fungicide, and Rodentkide Act as amended, for the pesticide registered under EPA Reg. No. 7173-240

GENERATION

Blue Pellet Bait Packs

KILLS NORWAY RATS, ROOF RATS, **HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE**

NORWAY RATS AND HOUSE MICE CAN **CONSUME A LETHAL DOSE IN ONE** NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difethialone......0.0025% EPA Reg. No. 7173-240

EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic

CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling dead animals. Wash arms, hands and face with soap and water after applying and before eating and

FIRST AID

Have this label with you when obtaining treatment advice.

If swallowed: Call a poison control center or doctor immediately for

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or

minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Net Weight: 0.88 oz. (25 grams)

Optional marketing statements:

*Do not rear open the pack - rais and inice will thew through the wrapper to get at the bait.
*Conseins bittering agent
*Bittex™ is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland
*Newest second-generation, single-feed anticoagulant rodenticide

STORAGE AND DISPOSA is a nonrefillable container.

signs of rat activity cease. t, as well as any bait that has ile. If reinfestation does occur,

of fresh bait for 10 days or until sig dead animals and leftover bait, a I harborage as much as possible.

Two packs may be needed at points of very high mouse activity. Maintain a constant supply

Do not contaminate water, food or feed by storage or disposal. This is a nonrefiliable container. Storage. Storage in original container in a cool, dry place inaccessible to children and pets. Storage: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, by state and local authorities, by burning. If burned, stay out of smoke.

or by incineration, or if allowed

Manufactured by: Liphatech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209, 414-351-1476

Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Two packs may be needed at points fresh bair for 15 days or until signs of mouse activity cease.

Rats: Apply 3 to 16 packs per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of Follow-up: Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all of become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. Film No. 115-

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL
This is a nonrefillable container.
Storage: Store in original container in a dry place inaccessible to children and pets.
Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. or outdoor drain.

Alternate warranty statements:

Satisfaction guaranteed or your money back.

Remove as much alternative food as possible

Page 2 of 5 Product label for EPA Reg. No. 7173-240 Submitted 4/13/07



FOR USE

DIRECTIONS FOR It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HEAD THIS LABEL and follow all use directions and precautions.

IN Sore product not in use in a location out of reach of children and pets.

Shore product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children and pets.

2. Apply bait in locations out of reach of children and pets.

2. Apply bait in locations out of reach of children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hot of livestoch, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not broadcast bait.

Urban Areas: Ally product may be used to control Norway rats, roof rats and house mice. Do not broadcast bait.

Urban Areas: May only be used in and around homes, inclustrial, commercial agricultural and public buildings, food processing facilities and similar man-made structures. May only be used in transport values (ships, trains, aircraft) and commercial buildings.

Selection of Treatment Areas: Determine areas where rats and/or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in or beside burrows, or in locations where rodents or their signs have beeved or product may also be been observed.

"Abbreviated" place pack label option: For retail or commercial sale with size-specific qualifier statements on outer package label:

GENERATION **Blue Pellet Bait Packs**

KILLS NORWAY RATS. ROOF RATS. HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difethialone......

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label on the outer WARHANTY: To the extent consistent with applicable law, sellar expects individually. In the extent consistent with applicable law, sellar makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal

r container in a smoke.

empty of out of

r dispose of e burned, stay

ຣ≅

if available, by burning.

Do not reuse or refill this container. Offer for recycling by incineration, or if allowed by state and local authorities,

facility. Container Disposal: [canitary landfill, or by

EPA Reg. No. 7173-240

EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN **CAUTION:**

See side panel for additional precautionary statements.

LIPH/TECH

Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

Alternate warranty statements:

Net Weight: 0.88 oz. (25 grams)

PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic Animals

product reduces the clotting ability of handling dead animals. Wash arms, Keep away from children, domestic animals and pets. If swallowed, this publication. Avoid contact with eyes, skin or clothing. Wear gloves when the soap and water after applying and before eating and smoking.

FIRST AID causes bleeding I face with soap CAUTION: Holood and causes hands and face wif

Have this label with you when obtaining treatment advice.
If swallowed: Call a poison control center or doctor immediately for treatment advice.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off confaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intranuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARIDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

Satisfaction guaranteed or your money back. Optional marketing statements: *Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait.
*Contains bittering agent
*Bitrex™ is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland

*Newest second-generation, single-feed anticoagulant rodenticide

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL

This is a nonrefillable container. Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

> Page 3 of 5 Product label for EPA Reg. No. 7173-240 Submitted 4/13/07

processing facilities and similar man buildings. This product may also be

Do not contaminate water, food

used in alleys.

Non-urban Areas: May only be used inside of homes, agricultural, industrial and commercial buildings.

Selection of Treatment Areas: Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much atternative food as possible.

be needed at points of very high mouse activity. Maintain a constant supply or spoiled bait immediately. Wearing gloves, collect and dispose of all dead tanimals. To discourage reinfestation, limit sources of rodent food, water and continuous infestation, set up permanent bait stations and replenish bait as (10307) Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Two packs may to fresh bait for 15 days or until signs of mouse activity cease. Replace contaminated animals and leftover bait, as well as any bait that has become accessible to non-target a harborage as much as possible. If reinfestation does occur, repeat treatment. For a cneeded.

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Inert Ingredients......99,9975%

EPA Est. No. 7173-WI-1

EPA Reg. No. 7173-240

KEEP OUT OF REACH OF CHILDREN

Generation

Blue Pellet Bait Packs

KILLS HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL

PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic **Animals**

CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling dead animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for

treatment advice.

Manufactured by: Liphatech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209, 414-351-1476

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or

minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Net Weight: 0.88 oz. (25 grams)

DIRECTIONS FOR USE to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions. a violation of Federal

MPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children and pets.

2. Apply bait in locations out of reach of children and pets.

3. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be secured or otherwise immobilized. Even stronger be compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger be stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

1.SE RESTRICTIONS: This product may be used to control house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, foo feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

1. Use assessing sequipment, or milk or meat handling equipment. Do not broadcast bait.

1. Use assessing facilities and similar may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and similar may be used in transport vahicles (ships, trains, aircraft) and in and around related port or terminal buildings.

Alternate warranty statements: Satisfaction guaranteed or your money back.

Page 4 of 5 Product label for EPA Reg. No. 7173-240 Submitted 4/13/07

Alternate "Storage and Disposal" state-ment for packaging intended solely for household use:

STORAGE AND DISPOSAL

This is a nonrefillable container. Storage: Store in original container in a dry place inaccessible to children and

pets.
Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Optional marketing statements:

*Do not tear open the pack - rais and mice will thew through the wrapper to get at the hait.

*Contains bittering agent *Bitrex™ is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland *Newest second-generation, single-feed anticoagulant rodenticide



PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of

blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling dead animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining

treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for

treatment advice.

Note to Physician or Veterinarian: Contains difethialoné, an anticoagulant. For humans or dogs that have ingested this product, or or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal. **ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where

apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

Storage: Store in original container in a cool, dry place inaccessible to children and

pets.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-240 EPA Est. No. 7173-WI-1

Product No. Label

Page 5 of 5 Product label for EPA Reg. No. 7173-240 Submitted 4/13/07

Generation

Blue Pellet Bait Packs

KILLS HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING **BEGINS**

Active Ingredient: difethialone 0.0025%

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

LIPH/TECH

Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

Net Weight:

3.5 ounces (4 x 0.88 oz. bait packs), or 4.4 ounces (5 x 0.88 oz. bait packs), or 5.3 ounces (6 x 0.88 oz. bait packs), or 7 ounces (8 x 0.88 oz. bait packs), or 8.8 ounces (10 x 0.88 oz. bait packs), or 10.6 ounces (12 x 0.88 oz. bait packs), or 1 pound up to 50 pounds

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL

This is a nonrefillable container.

Storage: Store in original container in a dry place inaccessible

to children and pets.

Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait if bait into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to

Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used

USE RESTRICTIONS: This product may be used to control house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

Urban Areas: This product may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and similar man -made structures. May also be used in transport vahicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.

Non-urban Areas: May only be used inside of homes, agricultural, industrial and commercial buildings.

buildings.

Selection of Treatment Areas: Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

APPLICATION DIRECTIONS:
Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Two packs may be needed at points of very high mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.
Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

Alternate warranty statements:

Satisfaction guaranteed or your money back.

Optional marketing statements:

*Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait.

Contains bittering agent
Bitrex™ is a tracomark of Macfarlan Smith Ltd., Edinburgh, Scotland *Newert second-generation, single-feed anticoagulant rodenticide

