07/26/2007

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

July 26, 2007

300 810328

Liphatech. Inc. 3600 W. Elm Street Milwaukee, WI 53209

Attention: Ms. Rachel M. Callies

Subject: Generation Blue Pellet Place Packs

EPA Reg. No. 7173-241

Your letter of March 13, 2007

Purpose

The purpose of this submission is to revise the label of this product, under section 3 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Label

The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided you submit one (1) copy of final printed labeling to us, with the following change, before you ship your product.

- 1. Revise the 1st Sentence of your "USE RESTRICTIONS", wherever it occurs, to read, "This product may only be used to control"
- 2. Revise the 2nd Sentence under "CAUTION", wherever it occurs, to read: "May be harmful if swallowed or absorbed through the skin because it may reduce the clothing ability of blood and cause bleeding."
- 3. On the full place pack label, add this 2nd Sentence after "**READ THIS LABEL**": "It is illegal to sell these placepacks individually."

4. Delete the optional marketing claim, "Newest second-generation, single-feed anticoagulant rodenticide."

Note: In the future, include an Amended Application Form (EPA Form 8570-1) when amending the labeling of a product.

Existing stocks Questions

Stocks of existing labels may be used for eighteen (18) months.

If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or peacock.dan@epa.gov (by E-Mail).

Sincerely yours,

BBN

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C)

Enclosure

Stamped Label

Location

Dan Peacock, Flash Drive, 2gb, P:\Documents\Word, WP, Excel, etc\Difethialone\7173-241, rev label, 7-23-2007.doc

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling dead animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining

treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for

Call a poison control center or doctor for treatment advice.
Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where

apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

Storage: Store in original container in a cool, dry place inaccessible to children and pets

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty expressed or implied, concerning the use of this product other than indicated on the abel. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. tions.

EPA Reg. No. 7173-241 EPA Est. No. 7173-WI-1 Product No. Label

Page 1 of 5, Product label for EPA Reg. No. 7173-241, Submitted 4/13/07

GENERATION

KILLS NORWAY RATS, ROOF RATS, **HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE**

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST **DEAD RODENTS APPEARING FOUR** OR FIVE DAYS AFTER FEEDING

Active Ingredient: difethialone 0.0025%

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

LIPH/TECH®

Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

Net Weight:

3 ounces (2 x 1.5 ounce bait packs) 4.5 ounces (3 x 1.5 ounce bait packs) 6 ounces (4 x 1.5 ounce bait packs) 7.5 ounces (5 x 1.5 ounce bait packs) 9 ounces (6 x 1.5 ounce bait packs) 12 ounces (8 x 1.5 ounce bait packs) 15 ounces (10 x 1.5 ounce bait packs) or bulk packaging containing 1 pound up to 50 pounds

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL

This is a nonrefillable container.

This is a nonremable container.

Storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Optional marketing statements:

*Do not tear open the pack - rats and mice will chew through

the wrapper to get at the bait.
*Contains bittering agent
*Bitrex™ is a trademark of Macfarlan Smith Ltd., Edinburgh,

Scotland *Newest second-generation, single-feed anticoagulant rodenti-



DIRECTIONS FOR USE It is a violation of Federal law to use this product in a

manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions.

Blue Pellets Place Packs IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

 Store product not in use in a location out of reach of children and pets.
 Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

Urban Areas: This product may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and similar manmade structures. May also be used in transport vahicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.

alleys.

Non-urban Areas: May only be used inside of homes, agricultural, industrial and commercial buildings.

Selection of Treatment Areas: Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much alternative food as possible. alternative food as possible.

APPLICATION DIRECTIONS:

(Qualifier statement for 2 x 1.5 oz package:) This package contains enough bait (3 oz.) to kill one rat.

(Qualifier statement for 3 x 1.5 oz package:)

This package contains enough bait (4.5 oz.) to kill one to three rats. (Qualifier statement for 4 x 1.5 oz package:)

This package contains enough bait (6 oz.) to kill two to six rats.

(Qualifier statement for 5 x 1.5 oz package:) This package contains enough bait (7.5 oz.) to kill two to seven rats.

(Qualifier statement for 6 x 1.5 oz package:) This package contains enough bait (9 oz.) to kill three to nine rats.

(Qualifier statement for 8 x 1.5 oz package:)

This package contains enough bait (12 oz.) to kill four to ten rats.

This package contains enough bait (12 oz.) to kill four to ten rats. (Qualifier statement for 10 x 1.5 oz package:)

This package contains enough bait (15 oz.) to kill five to twelve rats.

Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

Rats: Apply 2 to 10 packs per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

Follow-up: Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food.

discourage reinfestation, limit sources of rodent food reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed D

WITH COMMENTS **b** EPA Letter Dated

JUL 2 6 2007

Alternate warranty statements:
Satisfaction quaranteed or your money back.

as amended for, the pesticut registered under hPA Reg N 7173-241

APPLICATION DIRECTIONS:

Film No. 115-

Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

Rats: Apply 2 to 10 packs per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

Follow-up: Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, lepeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

(10307)

Blue

Pellets Place Packs

KILLS NORWAY RATS, ROOF RAT HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

RATS,

Ω

RAT

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 7173-241

EPA Est. No.

Active Ingredient: Inert Ingredients.

difethialone.....

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Manufactured by: Liphatech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209, 414-351-1476

Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K1 by intramuscullar or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Net Weight: Ġ **4**3 grams)

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

*Do not tear open the pack - lats alid in wrapper to get a the balt.
*Contains bittering agent 'Bitter'' is a iradeniark of Macferlan Smi Edinburgh, Scotland
*Newest second-generation, single-feed anticoagulant rodenticide mice <u>≦</u> chew through

큵

tor EPA Reg. 13/07

No. 7173-24

Satisfaction guaranteed or your money back

Alternate warranty statements:

Smith 듄

STORAGE AND DISPOSAL

This is a nonrefillable container.

Storage: Store in original container in a dry place inaccessible to children and pets.
Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling dead animals. Wash arms, hands and face with soap and water after applying and before eating and

If is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FIEAD THIS LABEL and follow all use directions and precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

Urban Areas: This product may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and similar man -made structures. May also be used in transport vahicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.

Non-urban Areas: May only be used inside of homes, agricultural, industrial and commercial buildings.

Selection of Treatment Areas: Determine areas where rats and/or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings in or beside burrows, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Hemove as much alternative food as possible.

DIRECTIONS FOR USE

KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic

statements on outer package label: "Abbreviated" place pack label option: For retail or commercial sale with size-specific qualifier

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label on the outer package before using this product. It is illegal to sell these placepacks individually.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions. Film No. 115-

(10307)

Blue

Pellets

Place

Packs

HOUSE

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.
Storage: Store in original container in a cool, dry place inaccessible to children and pets.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal

EPA

Reg. No.

7173-241

Est. No.

7173-WI-1

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Net Weight: 1.5 oz. (43 grams)

KEEP OUT OF CAUTION: REACH OF CHILDREN

See side panel for additional precautionary statements

Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

KILLS NORWAY RATS, ROOF RATS,
MICE AND WARFARINRESISTANT HOUSE MICE

PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic Animals

...0.0025%

CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling dead animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertical areas below the mean high water mark.

is present or to intertidal areas below the mean high water mark.

Alternate "Storage and Disposal intended solely for household use:

packaging

STORAGE AND DISPOSAL

This is a nonrefillable container.

Storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Satisfaction guaranteed or your money

Alternate warranty statements

Optional marketing statements back

pack - rats and mice

will chew through

the wrapper

*Do not tear open the pack - rats and n get at the bait. *Contains bittering agent *Bitrex™ is a trademark of Macfarlan Sm *Newest second-generation, single-feed

Page 3 of 5 Product label for EPA Reg. No. 7173-241 Submitted 4/13/07

by incineration,

ъ

for 15 days or until signs of mouse activity cease. Heltover bait, as well as any bait that has become as much as possible. If reinfestation does occur, r bait, as well as th as possible. Film No. 115-Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Maintain a constant supply of fresh bait to Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead animals and accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

approved waste disposal facility. empty container in a sanitary landfill, ਰੰਡ STORAGE AND DISPOSAL tontaminate water, food or feed by storage or disposal. This is a nonrefillable container. le: Store in original container in a cool, dry place inaccessible to children and pets. Ide Disposal: Wastes resulting from the use of this product may be disposed of on site or at a iner Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose cared by state and local authorities, by burning. If burned, stay out of smoke.

Manufactured by: Liphatech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209, 414-351-1476

Generation **Blue Pellets Place Packs**

KILLS HOUSE MICE AND **WARFARIN-RESISTANT HOUSE MICE**

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Inert Ingredients......99.9975%

EPA Reg. No. 7173-241

EPA Est. No. 7173-WI-1

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling dead animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining treatment advice.

If swallowed: Call a poison control center or doctor immediately for

treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or

minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to

apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Net Weight: 1.5 oz. (43 grams)

Optional marketing systements:

*Do not tear open the pack - rais and mice will chew through the wrapper to get at the bait.

*Contains bittering agent
*Bitrex** is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland
*Neurons agent agent

Newest second-generation, single-feed anticoagulant rodenticide

DIRECTIONS FOR USE product in a manner inconsistent with its labeling. is a violation of Federal law to use this

HEAT THIS LABEL and follow all use directions and precautions.

HEAT THIS LABEL and follow all use directions and precautions.

HEAT THIS LABEL and follow all use directions and precautions.

Leads to the product not in use in a location out of reach of children and pets.

Apply bait in locations out of reach of children and pets.

Apply bait in locations out of reach of children and pets.

Apply bait in locations out of reach of children and pets.

Apply bait in locations out of reach of children and pets.

Apply bait in locations out of reach of children and pets.

Apply bait in locations out of reach of children and pets.

Apply bait in locations out of reach of children and pets.

Apply bait in locations out of reach of children and pets.

Apply bait in locations out of reach of children and pets.

Apply bait in locations out of reach of children and pets.

Apply bait in locations out of reach of children and pets.

Apply bait in locations out of reach of children and pets.

Apply bait in locations out of reach of children and pets are leaved in an energial and unconsumed bait as specified on this must be secured or otherwise immobilized. Even stronger bait stations are needed in reas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas product may be used to control house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, leedstuffs, lood or leed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

Urban Areas: This product may be used in transport vahicles (ships, trains, aircraft) and in an around related port or terminal buildings.

Non-trans Areas: May also be used in side of homes, industrial and commercial buildings.

Non-trans and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much alternative food as possible. Alternate warranty statements:

Satisfaction guaranteed or your money back.

Page 4 of 5 Product label for EPA Reg. No. 7173-241 Submitted 4/13/07



Do not con Storage: S Pesticide D Container I if allowed b

Alternate "Storage and Disposal" state-ment for packaging intended solely for household use:

STORAGE AND DISPOSAL

This is a nonrefillable container. Storage: Store in original container in a dry place inaccessible to children and

Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or cutdoor drain. outdoor drain.

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling dead animals. Wash arms, hands and from with eyes and water offer. hands and face with soap and water after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining

treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. treatment advice.

if on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for

treatment advice.

Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal. ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable

Storage: Store in original container in a cool, dry place inaccessible to children and

pets.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. er assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-241 EPA Est. No. 7173-WI-1

Product No. Label

Page 5 of 5 Product label for EPA Reg. No. 7173-241 Submitted 4/13/07

Generation

Blue Pellets Place Packs

KILLS HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING **BEGINS**

Active Ingredient: difethialone 0.0025%

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

Net Weight:

3 ounces (2 x 1.5 ounce bait packs) 4.5 ounces (3 x 1.5 ounce bait packs) 6 ounces (4 x 1.5 ounce bait packs) 7.5 ounces (5 x 1.5 ounce bait packs) 9 ounces (6 x 1.5 ounce bait packs) 12 ounces (8 x 1.5 ounce bait packs) 15 ounces (10 x 1.5 ounce bait packs) or bulk packaging containing 1 pound up to 50 pounds

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL

STORAGE AND DISPOSAL
This is a nonrefillable container.
Storage: Store in original container in a dry place inaccessible to children and pets.
Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

Store product not in use in a location out of reach of children and pets.

Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment.

equipment, or milk or meat handling equipment. Do not broadcast bait.

Urban Areas: This product may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and similar man -made structures. May also be used in transport vahicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.

Non-urban Areas: May only be used inside of homes, agricultural, industrial and commercial buildings.

Selection of Treatment Areas: Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much alternative food as

APPLICATION DIRECTIONS:

Mice: Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity

Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

Alternate warranty statements:

Satisfaction guaranteed or your money back.

Optional marketing statements:

*Do not tear open the pack - rats and mice will chest through the wrapper to get at

Contains bittering agent

*Bitrex™ is a trademark of Macfarlun Smith Ltd., Edinburgh, Scotland *Newest second-generation, single-reed anticoagulant rodenticide

