



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

7173-243

February 14, 2005

NOTICE OF PESTICIDE:

x Registration

Reregistration (under FIFRA, as amended)

Name of Pesticide Product:

Rozol Mini Blocks

Name and Address of Registrant (include ZIP Code):

LiphaTech 3600West Elm Street Milwaukee, WI 53209

Attention: Mr. Thomas J. Schmit

D-346327 R3//8 5-764024 R3//8 5-764632 R3//8 5-773599 R3//9

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others

The efficacy data (MRID Nos. 463256-05 thru -07) were acceptable. In the future, please include the raw data. Enclosed is a copy of our January 14, 2005, review.

When you have completed the storage stability and corrosion characteristics data, please submit these studies for review.

This product is registered in accordance with sec. 3(c)(7)(A) of the Federal Insecticide, Fungicide and Rodenticide Act provided that you submit a copy of final printed labeling to us, with the following labeling changes, before you release product for shipment:

- 1. Add the following registration number to the label: "EPA Reg. No. 7173-243".
- 2. Under your "Note to Physician or Veterinarian", change "lowered" to "prolonged".
- 3. Since the normal rates for rats are 4 to 16 ounces per placement and the size of one block is one (1) ounce, change "6 to 23 blocks" to "4 to 16 blocks". Mouse rates are acceptable.
- 4. Under "CAUTION" add this next to last sentence: Wear gloves when handling bait or retrieving dead animals.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Enclosures. 1. Stamped Label 2. January 14, 2005, Efficacy Review

Signature of Approving Official:

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch

Registration Division (7504C)

February 14, 2005

PA Form 8570-6

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. May be harmful if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining treatment advice. If swallowed: Call a poison control canter or doctor immediately for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Note to Physician or Veterinarian: Contains chlorophacinone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal. ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Storage: Store in original container in a cool, dry place inaccessible to children and pets.


Pesticide Disposal: Wastes resulting from the use of this

product may disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-EPA Est. No. 7173-WI-1 Product No



BLOCKS

FOR INDOOR AND OUTDOOR USE

KILLS HOUSE MICE, NORWAY RATS, AND ROOF RATS

Active Ingredient: chlorophacinone	9 . ,	. 0.005%
Inert Ingredients		99.995%
Total		100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See side panel for additional precautionary statements.

LIPH/TECH

3600 W. Pin Street Milwaukee, WI 53209 (414) 351-1476

NET WEIGHT:

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions. IMPORTANT: Do not expose children, pets or other nontarger animals to rodenticides. To help prevent accidents:

animias to rocenincies. Io neigh prevent according.

1. Store product not in use in a location out of reach of children and pets.

2. Apoly bait in locations out of reach of children, pets, domestic animals, and nontarget wildfile, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children. under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism

. Dispose of product container, unused, spoiled, and unconsumed beit as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place bait where it may contaminate food or surfaces that come in direct corract with food. Do not broadcast bait.
This product may be used in and around incres, industrial.

commercial, agricultural and public buildings. It may also be used in transport vehicles (snies, bains, aircraft) and in and around related port or terminal buildings. Applications "around" buildings must be in tamper-resistant bair stations placed elong the walls or other external parts ("Lu"d" y; "doorways, amps, loading docks) where rats or mice might suck to jain entrance.

APPLICATION DIRECTIONS:

Rats: Apply 6 to 23 blocks per placement. Spane placements at 15 to 30 foot intervals. Maintain an uninterrupted supply of fresh bait

to 30 foot intervals. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cea_e.

For rat burrows, insert 1 to 2 blocks deep into each active burrow. Check treated burrows each morning and evening to make sure that bait has not been pushed out of burrows.

Mice: Apply one block per placement. Two blocks may be needed at points of extremely high mouse activity. Space placements at 8 to 12 foot intervals. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity.

tements. It bot intervals. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease. Follow-up: Replace contaminated or spoiled bait immediately. Collect, and dispose of, all wisible dead animals and lettover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up formagent bait stations and replenish bait as needed. (18304)

who comments in EPA Letter Dated:

FEB 1 4 2005

Under the Federal Insecticide. Fungicide, and Rodontivide Act as amended, for the pesticide registered under EPA Reg. No.

71 73 - 243