



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

August 9, 2006

300 5-794547 1165

Liphatech. Inc. 3600 W. Elm Street Milwaukee, WI 53209

Attention: Mr. Thomas J. Schmit

Subject

Generation Meal Bait Packs EPA Reg. No. 7173-247

Your amended application of May 15, 2006

Purpose

This submission proposes to revise the label for this product, under sec 3 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), to clarify the product name, add "mouse only" labels, to add a "Do not tear ..." claim, to revise the presentation of the "single feeding" claim, and to add a "newest second-generation" claim for this product.

Review

We have reviewed your these requests for labeling changes and have the following comments:

- 1. Your request to change the product name of record to "Generation Meal Bait Packs" is acceptable.
- 2. Your new "mouse only" label is acceptable.
- 3. Your proposed label includes the addition of a new optional marketing claim to your label, "Do not tear open the pack. Rats and mice will chew through the wrapper to get at the bait." This request is acceptable, provided that they appear as two complete sentences, with proper punctuation, as shown above.

#### Reviewcontinued

- 4. Your proposed label includes the addition of a new optional marketing claim to your label, "Newest second-generation, single-feed anticoagulant rodenticide". This statement is unacceptable. While the statement is true, it is misleading since the active ingredient is no longer "new", having been on the market since 1995, eleven (11) years ago.
- 5. Your proposed label includes a third new optional marketing claim to your label, "Can kill in one feeding\*". You said that several competitors were putting this statement on the label of their products and putting the full text ("\*Norway rats and house mice can consume a lethal does in one night's feeding with first dead rodents appearing four or five days after feeding begins.") on another portion of the label.

We have consistently found this statement misleading over the past 20 years or more and have disapproved its use.

If you have noticed this practice in the market, please document it. If we have approved its use, we will contact the company and require that they phase out its use. If we did not approve it, we will forward that information to enforcement. As you are aware, the basic registrant is responsible for the labels of distributor products. Further, if a registrant submitted such a claim via the Notification process, the product could also be subject to enforcement action and penalties.

#### Labeling

The labeling submitted with the above letter is acceptable, provided that you submit one (1) copy of final printed labeling to us, with the following change, before you ship the product.

- 1. Your first optional marketing claim needs to appear as "Do not tear open the pack. Rats and mice will chew through the wrapper to get at the bait."
- 2. Delete the second optional marketing claim, "Can kill in one feeding\*".
- 3. Delete the optional marketing claim, "Newest second-generation, single-feed anticoagulant rodenticide".

Existing stocks Forms

Stocks of product with existing labels may be used for eighteen (18) months.

Consequence for non-compliance

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for

shipment of the product constitutes acceptance of these conditions.

Questions

If you have questions about this letter, please contact me at 703-305-5407 (phone); 703-305-6596 (fax); or <a href="mailto:peaceck.dan@epa.gov">peaceck.dan@epa.gov</a> (E-Mail).

Sincerely,

DBP

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C)

Attachment

Stamped Label

File Location Dan Peacock, Flash Drive, 256mb, J:\Difethialone\7173-247, revised label, name change, marketing claims, can kill, 7-27-2006.doc

# [Note: Label Image 1 of 6 is 120% larger than actual label. Outer Label (Front Panel and Left Panel) for 4 to 910 bait packs]

## PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give

anything by mouth to an unconscious person. Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposat. Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this

Pesticide Disposal: Wastes resulting from the use of this product may disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Product No.

Label No.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

AUG -19 2006

Under the Federal insecticide.

Parameter 6:000 e and Disputal statement for packaging statement stateme

#### STORAGE AND DISPOSAL

Storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Alternate warranty statements:

Satisfaction guaranteed or your money back.



# **MEAL BAIT PACKS**

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE

NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difethialone:		0.0025%
Inert Ingredients		99.9975%
Total		100.0000%
EPA Ren No 7173-247	ĖΡΔ	Fet No 7173-WL

#### KEEP OUT OF REACH OF CHILDREN

CAUTION: See side panel for additional precautionary statements.

# LIPH/TECH

3600 W. Elm Street Milwaukee, WI 53209 (800) 351-1476

#### **NET WEIGHT:**

3.52 ounces (4 x 0.88 oz. bait packs), or 4.4 ounces (5 x 0.88 oz. bait packs), or 5.3 ounces (6 x 0.88 oz. bait packs), or 7 ounces (8 x 0.88 oz. bait packs), or 8.8 ounces (10 x 0.88 oz. bait packs), or 10.6 ounces (12 x 0.88 oz. bait packs), or 13.2 ounces (15 x 0.88 oz. bait packs), or bulk packaging containing 1.05 pounds (19 x 0.88 oz. bait packs) up to

50.05 pounds (approx. 910 x 0.88 oz. bait packs)

#### Optional marketing statements:

Do not tear open the pack - rodents will chew through the wrapper to get at the bait. Rats and mice will chew through the wrapper.

Can kill in one feeding

\*Norway rats and house mice can consume a lethal dose in one night's feeding with first dead mice appearing four or five days after feeding begins.

Newest second-generation, single-feed anticoagulant rodenticide

# [Note: Label Image 2 of 6 is 120% larger than actual label. Outer Label (Right Panel) for 4 to 910 bait packs]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and use precautions. IMPORTANT: Do not expose children, pets or other nontarget animals

to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and bels.

pets.
2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining balt. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway fats, roof rats and house mice. Do not place balt in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Urban Areas: May be used indoors and in transport vehicles (ships, trains, aircraft). May be used outdoors within 15 feel of homes, tood processing facilities, industrial, commercial, agricultural and public buildings, and similar manmade structures.

Non-urban Areas: This product may only be used inside of homes, agricultural, commercial and industrial buildings.

Selection of Treatment Areas: Determine areas where rats or mice will most likely find and consume bail. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in burrows, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

#### **APPLICATION DIRECTIONS:**

(Qualifier statement only for package containing 4 bail packs:)
This package contains enough bail (3.52 oz.) to kill one rat.
(Qualifier statement only for package containing 5 packs:)

(Qualifier statement only for package containing 5 packs;) This package contains enough bait (4 .4 oz.) to kill 1 to 3 rats.

(Qualifier statement only for package containing 6 packs:)
This package contains enough bait (5.3 oz.) to kill 1 to 5 rats.

((Qualifier statement only for package containing 6 packs:)
This package contains enough balt (7 oz.) to kill 2 to 6 rats.

(Qualifier statement only for package containing 10 packs:) This package contains enough bait (8.8 oz.) to kill 3 to 9 rats.

(Qualifier statement only for package containing 12 packs:) This package contains enough bail (10.6 oz.) to kill 3 to 10 rats.

(Qualifier statement only for package containing 15 packs;) This package contains enough bait (13.2 oz.) to kill 4 to 12 rats.

Mice: Use one pack per placement. Two packs may be placed at points of very high mouse activity. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

Bats: Apply 3 to 16 packs per ptacement, usually spaced 15 to 30 teet apart. Maintain a constant supply of fresh balt for 10 days or until signs of rat activity cease.

For rat burrows, insert 1 to 3 bait packs deep into each active burrow. Check treated burrows each morning and evening to make sure that bait has not been pushed out of burrows.

Follow-up: Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

Page 1 of 3, Product label for EPA Reg. No. 7173-247 Submitted May 15, 2006

Optional marketing statements:

Do not tear open the pack - rodents will chew through the wrapper to get at the bait.

Rats and mice will chew through the wrapper.

Can kill in one feeding

\*Norway rats and house mice can consume a lethal dose in one night's feeding with first dead mice appearing four or five days after feeding begins.

Newest second-generation, single-feed anticoagulant rodenticide

**APPLICATION DIRECTIONS:** 

APPLICATION DIRECTIONS:

Rats: Apply 3 to 16 packs per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease. For rat burrows, insert 1 to 3 bait packs deep into each active burrow. Check treated burrows each morning and evening to make sure that bait has not been pushed out of burrows.

Mice: Usagne pack per placement. Two packs may be placed at points of very high mouse activity. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

Follow-up: Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait property. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

(13006)

STORAGE AND DISPOSAL: Storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Liphatech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209

(800) 351-1476

EPA Reg. No. 7173-247

Inert Ingredients: Active Ingredient: difethialone .....

99.9975% 100.0000% EPA Est. No. 7173-WI-1

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE



packs, with size-specific qualifier statements on outer package label:

"Full label" place pack label option: For retail sale in outer package containing 4 or more place

# BAIT PACKS

PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic Animals CAUTION: Keep away from children, domestic animals and pets. It swaltowed, this product reduces the clothing ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID: Have this label with you when obtaining treatment advice. It was a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow, Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person, Note to Physician or Veterinarian: Contains ditelhalone, an enticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged profitrombin times, give Vilamin K<sub>1</sub> by intranuscular or oral administration. Check profitrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildfile. Do not apply directly to water, or to areas where surface water is present or to Intertidal areas below the mean high

WARRANTY: Seller makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions.

ET WEIGHT: 0.88 oz. (25 grams)

#### **DIRECTIONS FOR USE**

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents: 1, Store product not in use in a location out of reach of children and pets. 2, Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in lamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this labet.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Urban Areas: May be used indoors and in transport vehicles (ships, trains, aircraft). May be used outdoors within 15 feet of homes, food processing facilities, industrial, commercial, agricultural and public buildings, and similar maramade structures.

Non-urban Areas: This product may only be used inside of homes, agricultural, commercial and industrial buildings.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume bait. Generally, these are along

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls, by grawed openings, in comers and concealed places, between floors or walls, in burrows, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

[Note: Label Image 3 of 6 is 120% larger than actual label.]

Z

Alternate warranty statement: Salislaction guaranteed or your money back

4 or more place packs, with size-specific qualifier statements on outer package label: "Abbreviated" place pack label option: For retail or commercial sale in outer package containing

Optional marketing statements:

Do not tear open the pack - rodents will chew through the wrapper to get at the bait. Rats and mice will chew through the wrapper.

Norway rats and house mice can consume a lethal dose in one night's feeding with first dead mice appearing four or five days after feeding begins.

Newest second-generation, single-feed anticoagulant rodenticide

#### STORAGE AND DISPOSAL

O not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may disposed of on site or at an approved waste disposal tacility.

Container Disposal: Disposa of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. (13006)

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL
Storage: Store in original container in a dry place inaccessible to children and perts.
Disposal: If emply: Do not reuse this container. Place in trash or offer for recycling if available. If partly tilled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

4

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent its labeling. Read the entire label on the outer package before using product. It is illegal to sell these placepacks individually.

## #

Milwaukee, WI 53209 (800) 351-1476 3600 W. Flm Street

NET WEIGHT: 0.88 oz. (25 grams)

CAUTION: See side panel for additional precautionary statements. KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 7173-247 Inert ingredients: Active Ingredient: difethialone AND WARFARIN-RESISTANT HOUSE MICE EPA Est. No. 7173-WI-1 99.9975%

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE

Alternate warranty statement: Satistaction guaranteed or your money back

PRECAUTIONARY STATEMENTS: Hazard to Humans and Domestic Animals

CAUTION: keep away from children, domestic animals and pets. If swallowed, this product reduces the crotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and race with soap and water after applying and before eating and smoking.

FIRST ACD: Eave this Libel with you when obtaining treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note to Physician or Veterinarian: Contains diffethialone, an anticoagulant. For humans or dogs that have it gristed it is product, or have obvirus poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitax in K<sub>1</sub> by incama scular or oral administration. Check prothrombin time every 3 days until Acues return to normals.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. On not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

Page Submitted May 15, 2006 EPA Reg. No. 2 of 7173-Product läbel ō

[Note: Label Image 4 of 6 is 120% larger than actual label.]

62

Optional marketing statements:

Do not tear open the pack - mice will chew through the wrapper to get at the bait. Mice will chew through the wrapper.

\*House mice can consume a lethal dose in one night's feeding with first dead mice appearing four or five days after feeding begins.

Newest second-generation, single-feed anticoagulant rodenticide

APPLICATION DIRECTIONS: Use one pack per placement. Two packs may be placed at points of very high mouse activity. Space placements 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease. Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait property. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permangnt bait stations and replenish bait as needed. (13006)

STORAGE AND DISPOSAL: Storage: Store in original container in a dry place inaccessible to children and pets. Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Liphatech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209

FIRST AID: Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person so a glass of water if able to swallow. Do not induce varniting unless told to do so by the poison control center or doctor. Do not give enrything by mouth to an unconscious person, note to Physician or Veterinarian: Contains diefinatione, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (Bleeding) or prolonged protitrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration.

(800) 351-1476

tor position only UPC



# **BAIT PACKS**

KILLS HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD MICE APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difethialone 0.0025%

Inert Ingredients: 99.9975% 100.0000%

EPA Est. No. 7173-WI-

EPA Reg. No. 7173-247

WARRANTY: Seller makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not an directly to water, or to areas where surface water is present or to intentidal areas below mean high water mark.

t apply

Afternate warranty statement: Satisfaction guaranteed or your money back (25 grams)

### **DIRECTIONS FOR USE**

PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic Animals CAUTION: keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE

It is a violation of Federal faw to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to redenticides. To help prevent accidents: 1, Store product not in use in a location out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism. 3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control house mice. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Urban Areas: May be used indoors and in transport vehicles (ships, trains, aircraft). May be used outdoors within 15 feet of homes, food

tood or surfaces that come in direct contact with food.

Urban Areas: May be used indoors and in transport vehicles (ships, trains, aircraft). May be used outdoors within 15 feet of homes, food processing facilities, industrial, commercial, agricultural and public buildings, and similar manmade structures.

Non-urban Areas: This product may only be used inside of homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in burrws, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

[Note: Label Image 5 of 6 is 120% larger than actual label.]

6 8 8

"Mouse only" place pack label option: For sale as individual place packs, or in in outer package containing 1 or more place packs:

# PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. It swallowed, this product reduces the clotting ability of blood and cause bleeding. Avoid contact with eyes, skin or clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID: Have this label with you when obtaining treatment

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

#### STORAGE AND DISPOSAL

Storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label

Alternate warranty statements:

Satisfaction guaranteed or your money back.

Optional marketing statements:

Do not lear open the pack - mice will chew through the wrapper to get at the bait.

Mice will chew through the wrapper.

Can kill in one feeding\*

\*House mice can consume a lethal dose in one night's feeding with first dead mice appearing four or five days after feeding

Newest second-generation, single-feed anticoagulant rodenticide



# **MEAL BAIT PACKS**

#### KILLS HOUSE MICE

HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD MICE APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active ingredient: difethialone:	0.0025%
Inert Ingredients	<u>99,9975%</u>
Total	
EPA Reg. No. 7173-247	EPA Est. No. 7173-WI-1

#### KEEP OUT OF REACH OF CHILDREN

CAUTION: See side panel for additional precautionary statements.

3600 W. Elm Street Milwaukee, WI 53209 (800) 351-1476

NET WEIGHT: 0.88 ounces (1 bait pack) 50.05 pounds (approx. 910 x 0.88 bait packs) DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and use precautions. IMPORTANT: Do not expose children, pets or other nontarget animals

to rodenticides. To help prevent accidents:

1. Slore product not in use in a location out of reach of children and

2. Apply balt in locations out of reach of children, pets, domestic Apply and in locations out or reach of winder, person of animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bail compartments and obtaining bait. If bail can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

Dispose of product container, unused, spoiled, and unconsumed balt as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice. Do not place bait in areas where there is a possibility of confaminating food or surfaces that come in direct contact with food.

Urban Areas: May be used indoors and in transport vehicles (ships, trains, excraft). May be used outdoors within 15 feet of homes, food processing facilities, industrial, commercial, agricultural and public buildings, and similar manmade structures.

Non-urban Areas: This product may only be used inside of homes, agricultural, commercial and industrial buildings.

Selection of Treatment Areas: Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in burrows, or in locations where rodents or trieir signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS: Use one pack per placement. Two packs may be placed at points of very high mouse activity. Space placements 8 to 12 feet apart. Maintain a constant supply of nesh batt for 15 days or until signs on nouse activity cease. Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeal treatment. For a continuous infestation, set up permanent bait stations and replenish bail as needed.

Page 3 of 3, Product label for EPA Reg. No. 7173-247 Submitted May 15, 2006