

7173-247

07/26/2007

1/7

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460



OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

July 26, 2007

300  
1165 810327

Liphatech. Inc.  
3600 W. Elm Street  
Milwaukee, WI 53209

Attention: Ms. Rachel M. Callies

Subject: Generation Meal Bait Packs  
EPA Reg. No. 7173-247  
Your letter of March 16, 2007

**Purpose** The purpose of this submission is to revise the label of this product, under section 3 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

**Label** The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided you submit one (1) copy of final printed labeling to us, with the following change, before you ship your product.

1. Revise the 1<sup>st</sup> Sentence of your "USE RESTRICTIONS", wherever it occurs, to read, "This product may **only** be used to control ...."
2. Revise the 2<sup>nd</sup> Sentence under "CAUTION", wherever it occurs, to read: "May be harmful if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding."
3. On the full place pack label, add this 2<sup>nd</sup> Sentence after "READ THIS LABEL": "It is illegal to sell these placepacks individually."

- 4. Delete the optional marketing claim, "Newest second-generation, single-feed anticoagulant rodenticide."

**Note:** In the future, include an Amended Application Form (EPA Form 8570-1) when amending the labeling of a product.

**Existing  
stocks  
Questions**

Stocks of existing labels may be used for eighteen (18) months.

If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or [peacock,dan@epa.gov](mailto:peacock,dan@epa.gov) (by E-Mail).

Sincerely yours,



Daniel B. Peacock, Biologist  
Insecticide-Rodenticide Branch  
Registration Division (7504C)

**Enclosure**

Stamped Label

**Location**

Dan Peacock, Flash Drive, 2gb, P:\Documents\Word, WP, Excel, etc\Difethialone\7173-247, rev label, 7-23-2007.doc

**PRECAUTIONARY STATEMENTS**

Hazard to Humans and Domestic Animals

**CAUTION:** Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling dead animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

**FIRST AID**

Have this label with you when obtaining treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

**Storage:** Store in original container in a cool, dry place inaccessible to children and pets.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-247  
EPA Est. No. 7173-WI-1

Product No.  
Label

Page 1 of 5,  
Product label for EPA Reg. No. 7173-247,  
Submitted 4/13/07

# GENERATION

## Meal Bait Packs

**KILLS NORWAY RATS, ROOF RATS,  
HOUSE MICE AND WARFARIN-  
RESISTANT HOUSE MICE**

**NORWAY RATS AND HOUSE MICE  
CAN CONSUME A LETHAL DOSE IN  
ONE NIGHT'S FEEDING WITH FIRST  
DEAD RODENTS APPEARING FOUR  
OR FIVE DAYS AFTER FEEDING  
BEGINS**

Active Ingredient: difethialone ..... 0.0025%  
Inert Ingredients ..... 99.9975%  
Total ..... 100.0000%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See side panel for additional precautionary statements.

### LIPHATECH®

Liphatech, Inc.  
3600 W. Elm Street  
Milwaukee, WI 53209  
414-351-1476

**Net Weight:**

3.5 ounces (4 x 0.88 oz. bait packs), or  
4.4 ounces (5 x 0.88 oz. bait packs), or  
5.3 ounces (6 x 0.88 oz. bait packs), or  
7 ounces (8 x 0.88 oz. bait packs), or  
8.8 ounces (10 x 0.88 oz. bait packs), or  
10.6 ounces (12 x 0.88 oz. bait packs) or  
1 pound up to 50 pounds

*Alternate "Storage and Disposal" statement for packaging intended solely for household use:*

**STORAGE AND DISPOSAL**

This is a nonrefillable container.  
**Storage:** Store in original container in a dry place inaccessible to children and pets.  
**Disposal:** If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

*Optional marketing statements:*

\*Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait.  
\*Newest second-generation, single-feed anticoagulant rodenticide

**ACCEPTED  
with COMMENTS  
in EPA Letter Dated:**

JUL 26 2007

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticides  
registered under EPA Reg. No.  
7173-247

**DIRECTIONS FOR USE**

3/7

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and precautions.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

**USE RESTRICTIONS:** This product may be used to control Norway rats, roof rats and house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

**Urban Areas:** This product may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and similar man-made structures. May also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.

**Non-urban Areas:** May only be used inside of homes, agricultural, industrial and commercial buildings.

**Selection of Treatment Areas:** Determine areas where rats or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:**

*(Qualifier statement for 4 x 0.88 oz package:)*  
The bait packs in this package contain enough bait (3.5 oz) to kill one rat.

*(Qualifier statement for 5 x 0.88 oz package:)*  
The bait packs in this package contain enough bait (4.4 oz) to kill one to three rats.

*(Qualifier statement for 6 x 0.88 oz package:)*  
The bait packs in this package contain enough bait (5.3 oz) to kill one to five rats.

*(Qualifier statement for 8 x 0.88 oz package:)*  
The bait packs in this package contain enough bait (7 oz) to kill two to six rats.

*(Qualifier statement for 10 x 0.88 oz package:)*  
The bait packs in this package contain enough bait (8.8 oz) to kill three to nine rats.

*(Qualifier statement for 12 x 0.88 oz package:)*  
The bait packs in this package contain enough bait (10.6 oz.) to kill three to ten rats.

**Mice:** Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Two packs may be needed at points of very high mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

**Rats:** Apply 3 to 16 packs per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

**Follow-up:** Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. (10307)

*Alternate warranty statements:*

Satisfaction guaranteed or your money back.

"Full label" place pack label. tion: with size-specific qualifier statements on outer package label:

(10307)

# GENERATION

## Meal Bait Packs

KILLS NORWAY RATS, ROOF RATS,  
HOUSE MICE AND WARFARIN-  
RESISTANT HOUSE MICE

NORWAY RATS AND HOUSE MICE CAN  
CONSUME A LETHAL DOSE IN ONE  
NIGHT'S FEEDING WITH FIRST DEAD  
RODENTS APPEARING FOUR OR FIVE  
DAYS AFTER FEEDING BEGINS

Active Ingredient: diethathalone..... 0.0025%  
Inert Ingredients: ..... 99.9975%  
Total: ..... 100.00000%  
EPA Reg. No. 7173-247 EPA Est. No. 7173-WI-1

**KEEP OUT OF REACH OF CHILDREN**  
PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic  
Animals

**CAUTION:** Keep away from children, domestic animals and  
pets. If swallowed, this product reduces the clotting ability of blood  
and causes bleeding. Avoid contact with eyes, skin or clothing.  
Wear gloves when handling dead animals. Wash arms, hands and  
face with soap and water after applying and before eating and  
smoking.

### FIRST AID

Have this label with you when obtaining treatment advice.  
If swallowed: Call a poison control center or doctor immediately for  
treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for  
15-20 minutes. Remove contact lenses, if present, after the first 5  
minutes, then continue rinsing eye. Call a poison control center or  
doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin  
with plenty of cool water for 15-20 minutes. Call a poison control  
center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains diethathalone, an  
anticoagulant. For humans or dogs that have ingested this product,  
or have obvious poisoning symptoms (bleeding) or prolonged  
prothrombin times, give Vitamin K1 by intramuscular or oral  
administration. Check prothrombin time every 3 days until values  
return to normal.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and  
wildlife. Predatory and scavenging mammals and birds might be  
poisoned if they feed upon animals that have eaten the bait. Do not  
apply directly to water, or to areas where surface water is present or  
to intertidal areas below the mean high water mark.

**WARRANTY:** To the extent consistent with applicable law, seller  
makes no warranty, expressed or implied, concerning the use of this  
product other than indicated on the label. Buyer assumes all risk of  
use and/or handling of this material when such user and/or handling is  
contrary to label instructions.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and precautions.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

**USE RESTRICTIONS:** This product may be used to control Norway rats, roof rats and house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

**Urban Areas:** This product may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and similar man-made structures. May also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.

**Non-urban Areas:** May only be used inside of homes, agricultural, industrial and commercial buildings.

**Selection of Treatment Areas:** Determine areas where rats and/or mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much alternative food as possible.

### APPLICATION DIRECTIONS:

**Mice:** Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Two packs may be needed at points of very high mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

**Rats:** Apply 3 to 16 packs per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

**Follow-up:** Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

Film No. 115-

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

**Storage:** Store in original container in a cool, dry place inaccessible to children and pets.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Manufactured by: Liphatech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209, 414-351-1476

### STORAGE AND DISPOSAL

This is a nonrefillable container.  
**Storage:** Store in original container in a dry place inaccessible to children and pets.  
**Disposal:** If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

### Optional marketing statements:

\*Do not tear open the pack - rat and mice will chew through the wrapper to get at the bait.  
\*Newest second-generation, single feed anticoagulant rodenticide

Net Weight: 0.88 oz. (25 grams)

### Alternate warranty statements:

Satisfaction guaranteed or your money back.

Page 2 of 5  
Product label for EPA Reg. No. 7173-247  
Submitted 4/13/07

4/17

"Abbreviated" place pack label option: For retail or commercial sale with size-specific qualifier statements on outer package label: 5/7

# GENERATION

## Meal Bait Packs

**KILLS NORWAY RATS, ROOF RATS, HOUSE  
MICE AND WARFARIN-  
RESISTANT HOUSE MICE**

**NORWAY RATS AND HOUSE MICE CAN  
CONSUME A LETHAL DOSE IN ONE  
NIGHT'S FEEDING WITH FIRST DEAD  
RODENTS APPEARING FOUR OR FIVE  
DAYS AFTER FEEDING BEGINS**

(10307)

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label on the outer package before using this product. It is illegal to sell these placepacks individually.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions.

Film No. 115-

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Active ingredient: dithethalone ..... 0.0025%  
Inert ingredients: ..... 99.9975%  
Total ..... 100.0000%

EPA Reg. No. 7173-247

EPA Est. No. 7173-WI-1

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:**

See side panel for additional precautionary statements.

# LIPH/TECH®

Liphatech, Inc.  
3600 W. Elm Street  
Milwaukee, WI 53209  
414-351-1476

Net Weight: 0.88 oz. (25 grams)

### PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic Animals

**CAUTION:** Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling dead animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

### FIRST AID

Have this label with you when obtaining treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains difethalone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

### STORAGE AND DISPOSAL

This is a nonrefillable container.

Storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Alternate warranty statements:

Satisfaction guaranteed or your money back.

Optional marketing statements:

\*Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait.  
Newest second-generation, single-feed anticoagulant rodenticide

Page 3 of 5  
Product label for EPA Reg. No. 7173-247  
Submitted 4/13/07

"Mouse only" pack full. el option:

6/7

**APPLICATION DIRECTIONS:**

**Mice:** Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Two packs may be needed at points of very high mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease. Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.  
Film No. 1-15  
(10307)

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.  
Storage: Store in original container in a cool, dry place inaccessible to children and pets.  
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.  
Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Manufactured by: Liphatech, Inc., 3600 W. Elm Street, Milwaukee, WI 53209, 414-351-1476

# Generation Meal Bait Packs

**KILLS HOUSE MICE AND  
WARFARIN-RESISTANT HOUSE MICE**

**HOUSE MICE CAN CONSUME A LETHAL  
DOSE IN ONE NIGHT'S FEEDING WITH  
FIRST DEAD RODENTS APPEARING FOUR  
OR FIVE DAYS AFTER FEEDING BEGINS**

Active Ingredient: difethialone..... 0.0025%  
Inert Ingredients..... 99.9975%  
Total..... 100.0000%

EPA Reg. No. 7173-247

EPA Est. No. 7173-WI-1

**KEEP OUT OF REACH OF CHILDREN**

PRECAUTIONARY STATEMENTS: Hazard to Humans & Domestic  
Animals

**CAUTION:** Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling dead animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

**FIRST AID**

Have this label with you when obtaining treatment advice.  
If swallowed: Call a poison control center or doctor immediately for treatment advice.  
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.  
If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.  
Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.  
**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**Net Weight: 0.88 oz. (25 grams)**

**Optional marketing statements:**

\*Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait.  
\*Newest second-generation, single-feed anticoagulant rodenticide

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**READ THIS LABEL** and follow all use directions and precautions.  
**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:  
1. Store product not in use in a location out of reach of children and pets.  
2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.  
3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.  
**USE RESTRICTIONS:** This product may be used to control house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.  
**Urban Areas:** This product may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and similar man-made structures. May also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.  
**Non-urban Areas:** May only be used inside of homes, agricultural, industrial and commercial buildings.  
**Selection of Treatment Areas:** Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much alternative food as possible.

**Alternate warranty statements:**

Satisfaction guaranteed or your money back.

Page 4 of 5  
Product label for EPA Reg. No. 7173-247  
Submitted 4/13/07

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

**STORAGE AND DISPOSAL**

This is a nonrefillable container.  
Storage: Store in original container in a dry place inaccessible to children and pets.  
Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

"Mouse only" outer carton label:

7/7

**PRECAUTIONARY STATEMENTS**

Hazard to Humans and Domestic Animals

**CAUTION:** Keep away from children, domestic animals and pets. If swallowed, this product reduces the clotting ability of blood and causes bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when handling dead animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

**FIRST AID**

Have this label with you when obtaining treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains difethialone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. This is a nonrefillable container.

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse or refill this container. Offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-247  
EPA Est. No. 7173-WI-1

Product No.  
Label

Page 5 of 5  
Product label for EPA Reg. No. 7173-247  
Submitted 4/13/07

# Generation Meal Bait Packs

**KILLS HOUSE MICE AND  
WARFARIN-RESISTANT HOUSE MICE**

**HOUSE MICE CAN CONSUME A LETHAL  
DOSE IN ONE NIGHT'S FEEDING WITH  
FIRST DEAD RODENTS APPEARING  
FOUR OR FIVE DAYS AFTER FEEDING  
BEGINS**

Active Ingredient: difethialone ..... 0.0025%  
Inert Ingredients ..... 99.9975%  
Total ..... 100.0000%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See side panel for additional precautionary statements.

**LIPHATECH®**

Liphatech, Inc.  
3600 W. Elm Street  
Milwaukee, WI 53209  
414-351-1476

**Net Weight:**

- 3.5 ounces (4 x 0.88 oz. bait packs), or
- 4.4 ounces (5 x 0.88 oz. bait packs), or
- 5.3 ounces (6 x 0.88 oz. bait packs), or
- 7 ounces (8 x 0.88 oz. bait packs), or
- 8.8 ounces (10 x 0.88 oz. bait packs), or
- 10.6 ounces (12 x 0.88 oz. bait packs), or
- 1 pound up to 50 pounds

*Alternate "Storage and Disposal" statement for packaging intended solely for household use:*

**STORAGE AND DISPOSAL**

This is a nonrefillable container.

Storage: Store in original container in a dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

*Optional marketing statements:*

\*Do not tear open the pack - rats and mice will chew through the wrapper to get at the bait.

\*Newest second-generation, single-feed anticoagulant rodenticide

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and precautions.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

**USE RESTRICTIONS:** This product may be used to control house mice. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not broadcast bait.

**Urban Areas:** This product may be used in and around homes, industrial, commercial, agricultural and public buildings, food processing facilities and similar man-made structures. May also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys.

**Non-urban Areas:** May only be used inside of homes, agricultural, industrial and commercial buildings.

**Selection of Treatment Areas:** Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, in or beside burrows, or in locations where rodents or their signs have been observed. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:**

**Mice:** Apply 1 pack per placement, usually spaced 8 to 12 feet apart. Two packs may be needed at points of very high mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. (10307)

*Alternate warranty statements:*

Satisfaction guaranteed or your money back.