
 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460</p> <p><b>NOTICE OF PESTICIDE:</b> <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration</p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number: 7173-250	Date of Issuance: September 18, 2006
	Term of Issuance:  <b>Conditional</b>	
	Name of Pesticide Product:  <b>Maki Bait Station II</b>	
Name and Address of Registrant (include ZIP Code):  Lipha Tech, Inc. 3600 West Elm Street Milwaukee, WI 53209 Attn: Mr. Thomas Schmidt		
<p><b>Note:</b> Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/preregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7) (A) provided that you submit one (1) copy of the final printed labeling to us, with the following changes, before you release the product for shipment:</p> <p>1. Add the following registration number: EPA Reg. No. 7173-250 to your label.</p>		
Signature of Approving Official:    Geraldine McCann EPA/OPP/RD/IRB	Date:  September 18, 2006	

2/3

2. Delete the word "readily" from the optional marketing claim: "Mice readily enter and feed inside" as we have not supporting data to evaluate how quickly mice will enter the unit.
3. Delete the optional marketing claim: "Bait station locks bait inside!" as the bait station has no locks and is not "tamper-resistant".
4. Under **Use Restrictions**: add "**only**" to the second sentence after "Use".

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A Stamped copy of the label is enclosed. If you have any questions or comments, please contact Geri McCann by phone (703-605-0716), fax (703-305-6920), or E-Mail ([mccann.geri@epa.gov](mailto:mccann.geri@epa.gov)).

**Enclosure**      Stamped label and review of the bait station.

(Outer carton front panel)

(Outer carton back panel)



### BAIT STATION II

KILLS MICE! FOR INDOOR USE ONLY

Net Weight: 1 oz (28 grams)

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements

ACCEPTED  
with COMMENTS  
In EPA Letter Dated  
SEP 18 2006  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No. 7173-XXXX



### BAIT STATION II

KILLS MICE! FOR INDOOR USE ONLY

Active Ingredient: bromadiolone . . . 0.005%  
Inert Ingredients . . . . . 99.995%  
Total . . . . . 100.000%

EPA Reg. No. 7173-XXXX EPA Est. No. 7173-WI-1


#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling  
**READ THIS LABEL** and follow all use directions and use precautions  
**USE RESTRICTIONS:** THIS IS NOT A TAMPER-RESISTANT BAIT STATION. DO NOT USE THIS PRODUCT IN AREAS ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS OR NONTARGET WILDLIFE. DO NOT USE THIS PRODUCT OUTDOORS. Use to control house mice in homes, industrial, commercial, agricultural and public buildings. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food  
**SELECTION OF TREATMENT AREAS:** Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by grawed openings, in corners and concealed places.  
**APPLICATION DIRECTIONS:** Remove bait station from carton and place bait station in horizontal position with top side against the wall, exposing both entrances. Space bait stations 8 to 12 feet apart along walls or in corners where mice or their signs have been seen. Replace bait stations if contents are consumed or contaminated, or if the carton is severely damaged and the bait is exposed. Placements not touched after 3 days should be moved to new locations where mouse activity is evident. Collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment  
**STORAGE AND DISPOSAL:** Storage: Store in original container in a cool, dry place inaccessible to children and pets. **Disposal:** If empty, do not reuse this container. Place in trash or other for recycling if available. If partly filled, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### PRECAUTIONARY STATEMENTS: Hazard to Humans and Domestic Animals

**CAUTION:** Keep away from children, domestic animals and pets. May be harmful if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.  
**FIRST AID:** Have this label with you when obtaining treatment advice  
If swallowed, call a poison control center or doctor immediately for treatment advice.  
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice  
If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice.  
**Note to Physician or Veterinarian:** Contains bromadiolone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K<sub>1</sub> by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.  
**Environmental Hazards:** This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water.  
EPA Reg. No. 7173-XXXX  
Lipotech, Inc., 3600 W. Elm Street Milwaukee, WI 53209 (800) 351-1476

(Label place on actual bait station)



**BAIT STATION II**  
KILLS MICE!

Active Ingredient:  
bromadiolone . . . . . 0.005%  
Inert Ingredients . . . . . 99.995%  
Total . . . . . 100.000%

Net Weight: 1 oz (28 grams)  
EPA Reg. No. 7173-XXXX  
EPA Est. No. 7173-WI-1

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION:** Contains anticoagulant rodenticide. If swallowed, call a physician at once. See outer package label for additional precautionary statements, first aid information, and directions for use.

This is NOT a tamper-resistant bait station. Do not use in areas accessible to children, pets or nontarget wildlife. DO NOT USE THIS PRODUCT OUTDOORS.  
Lipotech, Inc., 3600 W. Elm St., Milwaukee, WI 53209  
(800) 351-1476

#### Optional marketing claims

- EASY TO USE
- PREBAITED
- DISPOSABLE
- READY TO USE
- NO LOOSE BAIT
- NO NEED TO TOUCH THE BAIT
- MICE READILY ENTER AND FEED INSIDE
- NO LOOSE PELLETS TO SPILL OR SCATTER
- BAIT STATION LOCKS BAIT INSIDE
- CLEAR FOR EASY MONITORING
- CAN KILL IN ONE FEEDING\*
- \*HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS.