

#### U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

7173-251

EPA Reg. Number:

Date of Issuance:

March 5, 2007

### NOTICE OF PESTICIDE:

X Registration Reregistration (under FIFRA, as amended) Term of Issuance:

Conditional

Name of Pesticide Product:

Rozol Paraffin Block

Name and Address of Registrant (include ZIP Code):

LiphaTech 3600 West Elm Street Milwaukee, WI 53209 R-31 5-798122

Attention: Mr. Thomas Schmit

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

A. submit one (1) copy of final printed labeling, before you release the product for shipment, with the following changes:

- 1. Modify the "Qualifier Statement" as follows: "One 12-ounce bait block provides enough bait to kill 3 to 6 rats".
- 2. Under "Mice", delete the sentence "Two pieces may be needed at points of extremely high mouse activity" a one piece (2 oz) is the normal rate for points of extremely high mouse activity.

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7505C)

Date:

March 5, 2007

- 3. Add the registration number to your label, "EPA Reg. No. 7173-251".
- 4. Begin your "WARRANTY" text, with "To the extent consistent with applicable law, seller ...".
- 5. As required by the 1998 Rodenticide Cluster Reregistration Eligibility Decision (RED) document, the Agency may shortly require products such as this Chlorophacinone product, which contains field uses, to be a "Restricted Use Pesticide". EPA will send you a separate letter to you on this subject.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed. If you have any questions, please contact Dan Peacock by phone (703-305-5407), fax (703-305-6596), or E-Mail (peacock.dan@epa.gov).

Enclosures:

- 1. Stamped Label
- 2. Minimum Type Sizes for Final Printed Label

Dan Peacock, Flash Drive, 1gb, K:\Chlorophacinone\7173-251, Notice of Registration, 2-24-2007.doc

#### PRECAUTIONARY STATEMENTS Humans and Domestic Animals

Hazard to Humans and Domestic Ahimais

CAUTION: Keep away from children, dornestic
animals and pets. May be harmful if swallowed or absorbed
through the skin because it may reduce the clothing ability of
blood and cause bleeding. Do not get in eyes, on skin or on
clothing. Wear gloves when handling ball or retrieving dead
arimals. Wash arms, hands and lace with soap and water
after applying and before eating and smoking.

after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining treatment advice.

If swallowed Call a poison control center or doctor

trumediately for treatment advice.

If in eyes: Hold eye open and rhise slowly and gently with
water lor 15-20 minutes. Remove contact lenses, if present,
after the first 5 minutes, then contante rhisting eye. Call a
poison control center or doctor for treatment advice.

If on skin or docthing: Take off contaminated clothing. Rinse
skin with pienty of cool water for 15-20 minutes. Call a
poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Containe chlorophacinone,
an anticoagulant. For humans or dogs that have ingested
this product, or have obvious poisoning symptoms
(bleeding) or protonged protthrombin times, give Vitamin K<sub>4</sub>
by Intramuscular or onal administration. Check prothrombin
time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to lish

ame every 3 days main values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildife. Predatory and scavenging mammals and birds might be poisoned if they leed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the neen high water mark.

#### STORAGE AND DISPOSAL

SIOHAGE AND DISPOSAL

Do not containmake water, tood or feed by storage or disposal.

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal lacility.

Container Disposal: Dispose of empty container in a sanitary landiff, or by incineration, or if allowed by state and local authorities, by burning, if burned, slay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this malenal when such use and/or handling is contrary to label

EPA Reg. No. 7173-EPA Est. No. 7173-WI-1

Product No.

Alternate "Storage and Disposal" statement for packaging intended solely for household use:

#### STORAGE AND DISPOSAL

Storage Store in onginal container in a dry place inaccasable to chaldren and pets Obsposal: If empty: Do not reuse this container. Place in trash or other for recycling if available. If partly filled. Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain

### Alternate warranty statements:

Satisfaction guaranteed or your money back.



# **Paraffin Block**

### FOR INDOOR AND OUTDOOR USE

KILLS HOUSE MICE. NORWAY RATS, AND ROOF RATS

	chlorophacinone	
Total		00.000%

## KEEP OUT OF REACH OF CHILDREN CAUTION: See side panel for additional precautionary statements.

# LIPH/TECH

Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 (800) 351-1476

Net Weight: 1 pound (454g)

m EPA Letter Dated

: 5 200**7** 

Under the Rederal Insecticide. Rungicio» and Rodenticide Act as amended. In the pestions registered under EPA Reg. No

7**/13-2**5/

**DIRECTIONS FOR USE** 

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions. For information on this product (including health concerns, medical emergencies or pesticide incidents) call the National Pesticide information Center at 1-900-858-7378.

IMPORTANT: Do not appose children, pats or other nontarget animals to rodenticides. To help prevent accidents:

1. Siore product not in use he lacotation out of reach of children and pets.

2. Apply balt in locations out of reach of children, pets, domestic animals, and nonlarget widdlife, or in tamper-resistant balt stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching vito best compartments and obtaining balt. If best can be shatken from stations when they are littled, units must be secured or otherwise fromolitized. Even stronger balt stations are needed in areas open to hoofed tivestock, raccoons, bears, other potentially destructive arimsts, or in areas prone to vandalism.

3. Dispose of product container, unused, spolled, and unconsumed balt as specified on this label.

USE RESTRICTIONS: This product may be used to control Norwey rats, roof rats and house mice in and around homes, industrial, commercial, agricultural and public buildings. It may also be used in transport vehicles (phips, trains, sincraft) and and around releted port of terminal buildings. This product is sepacially well satisfied for use in well or death of the production of the production of the artificial production of the production of the

(Cuelifier statement only for package containing 12oz blocks:)
One 12-ounce bell block provides enough bait to kill 3 to 12 rats.

core 1,c-counce per mock provioes enough bait to kir 3 to 12 rats. Each block is scored to be broken into 2 oz. pieces. Milice: Break block and apply one 2 oz. piece per placement, usually spaced 8 to 12 feet apart. Two pieces may be needed at points of extremely high mouse activity, waintain an unimiferunpted supply of fresh bait for 15 days or until signs of mouse activity cease.

supply of fresh ball for 15 days or until signs of mouse activity cease.

Rats: Apoly two to eight 2 oz. pieces per placement, usually apaced 15 to 30 leet apart. Hainkain an uninterrupted supply of fresh balt for 10 days or until signs of rat activity cease.

For rat burrows, insert 1 to 2 pieces deep into each active burrows. Check treated burrows each morning and evening to make sure that ball has not been pashed out of burrows.

For sewer applications, securely attach one end of a wire to balk block and the other end to a state nor structure such as the bottom step of a manhote ladder or to a sewer grafe, alkowing just enough wire for balt to rest on manhote benching. If benching is not present, supend balt a lew inches above the high water line or place balf on a board supported by opposing steps of the ladder. Securing balt in this manner will minimize chances for removal by mals or water. Place at least one entire balt block per manhote. Follow-up: Reptace contaminented or spotled balt immediately. Collect and dispose of all wishte dead animals and leftover balt properly. To discourage reinfestation, limit sources of rodent lood, water and harborage as much as possible. It reinfestation, set up permanent balt stations and replenish balt as needed. (2210s)