1/8

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001



AS No.

Addivise

APRIOZI 2014

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

dar.

idian'

- Tom Schmit
- Liphatech, Inc.
- 3600 W. Elm Street Milwaukee, WI 53209

Subject:

Amendment to add an additional package size and to add directions for use of a cage

device for use inside of bait stations EPA Registration No.: 7173-258

Primary Brand Name: Difethialone Paste Place Pacs

Submission Date: February 14, 2014

#### Dear Mr. Schmit:

The label referred to above, submitted under FIFRA, as amended, is <u>acceptable</u>. Please submit one final printed copy for the above mentioned label before releasing the product for shipment. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at benbow.gene@epa.gov.

Sincerely,

Meredith Laws

**Branch Chief** 

Insecticide-Rodenticide Branch Registration Division (7504P)

# **Difethialone Paste Place Packs**

## FOR INDOOR AND OUTDOOR USE

KILLS NORWAY RATS, ROOF RATS; HOUSE MICE AND WARFARIN-RESISTANT
HOUSE MICE

NORWAY RATS AND HOUSE MICE MAY CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

 Active Ingredient: difethialone
 0.0025%

 Inert Ingredients
 99.9975%

 Total
 100.0000%

#### KEEP OUT OF REACH OF CHILDREN

## CAUTION

See [side][back][inner][outer] [panel][carton][label] for additional precautionary statements.

APR 2 1 2014

Under the Rederal Insecticide,
Fungicide, and Rodenticide Act,
as generated under
Registered under
EPA Reg. No. 7173-258

(Liphatech Logo) Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

# Net Weight:

16 lbs up to 50 lbs

This bait is packaged in 0.35 ounce (10 grams) individual packs

Alternate pack sizes:

This bait is packaged in 1.4 ounce (40 grams) individual packs

Statement required on label of inner packages holding less than 16 pounds of bait: It is illegal to sell this product in individual containers holding less than 16 pounds of bait.

#### PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Keep away from children, domestic animals and pets. All handlers (including applicators); must wear long-sleeved shirt, long pants; shoes, socks, and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet, and change into clean clothing. FIRST AID: Have this label with you when obtaining treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a

TREATMENT FOR PET POISONING: If animal eats bait, call veterinarian at once.

poison control center or doctor immediately for treatment advice.

**NOTE TO PHYSICIAN OR VETERINARIAN:** Contains the anticoagulant difethialone. If swallowed, this material may reduce the clotting ability of blood and cause bleeding. For humans or animals ingesting bait and/or showing obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K<sub>1</sub> intramuscularly or orally. Also for pets, if needed, check prothrombin time every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of in trash or at an approved waste disposal facility.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container. **[Plastic:]** Completely empty container, then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill. **[Paper:]** Completely empty container, then dispose of empty container in trash or at an approved waste disposal facility.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

### **Optional Statements:**

Satisfaction guaranteed or your money back

This package includes (X number of units) (Brand name of wire cage feeder).

EPA Reg. No. 7173-258 EPA Est. No. 7173-WI-1 Product No.: Label No:

Page 2 of 7 EPA Reg. No. 7173-258 021414 Liphatech, Inc. PCO Use Label, side/back/inner panel:

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other inontarget animals to rodenticides. To help prevent accidents:

- Store product not in use in a location out-of reach of children and pets.
- 2. Apply bait in locations out of reach of children pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

**Note:** Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

**USE RESTRICTIONS:** This product can only be used to control Norway rats, roof rats and house mice in and within 100 feet of man-made structures constructed in a manner so as to vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port or terminal buildings, and related structures around and associated with these sites. Fence and perimeter baiting beyond 100 feet from a structure, as defined above, is prohibited. Do not sell this product in individual containers holding less than 16 pounds of bait. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not apply directly to food or feed crops. Do not broadcast bait. Burrow baiting with this product is prohibited.

**Selection of Treatment Areas:** Determine areas where rats and/or house mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, beside burrows, or in locations where rats and/or house mice or their signs have been observed. Remove as much alternative food as possible.

APPLICATION DIRECTIONS: (Note: Only one of the two sets of application directions will appear on actual label)

Application Directions for 0.35 oz. (10 g) size:

Each [pack][pouch] contains 0.35 oz. (10 g)

**House Mice:** Apply 1 [pack][pouch] per placement, usually spaced 8 to 12 feet apart. Up to 4 [packs][pouches] may be needed at points of very high house mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of house mouse activity cease.

Rats: Apply 9 to 43 [packs][pouches] per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

Application Directions for 1.4 oz. (40 g) size:

Each [pack][pouch] contains 1.4 oz. (40 g)

House Mice: Apply 1 [pack][pouch] per placement, usually spaced 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of house mouse activity cease.

Rats: Apply 2 to 11 [packs][pouches] per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

Optional statement for all sizes: Bait may be removed from [pack][pouch] and placed in a feeding device that secures the unwrapped bait in a bait station. Discard empty wrapper in the trash.

**Follow-up:** Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all visible dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

Janerinon:

Marinerinon:

Mari

Agricultural Label, Center/Front Panel:

. 116: - 4 .



# **Difethialone Paste Place Packs**

#### **FOR INDOOR AND OUTDOOR USE**

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANTO HOUSE MICE

NORWAY RATS AND HOUSE MICE MAY CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient: difethialone	0.0025%
Inert Ingredients	99.9975%
Total	100.0000%

# KEEP OUT OF REACH OF CHILDREN CAUTION

See [side][back][inner][outer] [panel][carton][label] for additional precautionary statements.

(Liphatech Logo) Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 414-351-1476

### **Net Weight:**

8 lbs up to 50 lbs

This bait is packaged in 0.35 ounce (10 grams) individual packs

Alternate pack sizes:

This bait is packaged in 1.4 ounce (40 grams) individual packs

Statement required on label of inner packages holding less than 8 pounds of bait: It is illegal to sell this product in individual containers holding less than 8 pounds of bait.

in the s

animals

of ql

TUC

#### PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Keep away from children, domestic animals and pets: All-handlers (including applicators) must wear long-sleeved shirt, long pants, shoes, socks, and waterproof loves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

**User Safety Requirements:** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet, and change into clean clothing. **FIRST AID:** Have this label with you when obtaining treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice.

TREATMENT FOR PET POISONING: If animal eats bait, call veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN: Contains the anticoagulant difethialone. If swallowed, this material may reduce the clotting ability of blood and cause bleeding. For humans or animals ingesting bait and/or showing obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin  $K_1$  intramuscularly or orally. Also for pets, if needed, check prothrombin time every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in original container in a cool, dry place inaccessible to children and pets.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of in trash or at an approved waste disposal facility.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container. **[Plastic:]** Completely empty container, then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill. **[Paper:]** Completely empty container, then dispose of empty container in trash or at an approved waste disposal facility.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

### **Optional Statements:**

Satisfaction guaranteed or your money back

This package includes (X number of units) (Brand name of wire cage feeder).

EPA Reg. No. 7173-258 EPA Est. No. 7173-WI-1 Product No.: Label No:

Page 5 of 7 EPA Reg. No. 7173-258 021414 Liphatech, Inc. Agricultural Label, side/back/inner panel:

# 7/8

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other nontarget animals-to-rodenticides Fito help prevent accidents:

- 2. Of gl ) Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

**Note:** Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

USE RESTRICTIONS: This product can only be used to control Norway rats, roof rats and house mice in and within 100 feet of agricultural buildings and man-made agricultural structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Fence and perimeter baiting, beyond 100 feet from an agricultural structure as defined above, is prohibited. Do not sell this product in individual containers holding less than 8 pounds of bait. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment. Do not apply directly to food or feed crops. Do not broadcast bait.

Burrow baiting with this product is prohibited.

**Selection of Treatment Areas:** Determine areas where rats and/or house mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, beside burrows, or in locations where rats and/or house mice or their signs have been observed. Remove as much alternative food as possible.

APPLICATION DIRECTIONS: (Note: Only one of the two sets of application directions will appear on actual label)

Application Directions for 0.35oz. (10 g) size:

Each [pack][pouch] contains 0.35 oz. (10 g)

**House Mice:** Apply 1 [pack][pouch] per placement, usually spaced 8 to 12 feet apart. Up to 4 [packs][pouches] may be needed at points of very high house mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of house mouse activity cease.

Rats: Apply 9 to 43 [packs][pouches] per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

Application Directions for 1.4 oz. (40 g) size:

Each [pack][pouch] contains 1.4 oz. (40 g)

**House Mice:** Apply 1 [pack][pouch] per placement, usually spaced 8 to 12 feet apart. Maintain a constant supply of fresh bait for 15 days or until signs of house mouse activity cease.

Rats: Apply 2 to 11 [packs][pouches] per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

Optional statement for all sizes: Bait may be removed from [pack][pouch] and placed in a feeding device that secures the unwrapped bait in a bait station. Discard empty wrapper in the trash.

**Follow-up:** Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all visible dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

ië .

Signification,

neidre.

# PLACE PACK LABEL FOR BOTH PCO AND PAGRICULTURAL USE PRODUCTS:

Front Panel:

and rule, y,

inicialites, de l

Back Panel:

Difethialone Paste Place Packs

Active Ingredient:

> EPA Reg. No. 7173-258 EPA Est. No.

Liphatech, Inc., Milwaukee, WI 53209 414-351-1476

Difethialone Paste Place Packs

KEEP OUT OF REACH OF CHILDREN, PETS AND NONTARGET ANIMALS

**CAUTION:** See carton for complete directions and precautions. It is illegal to sell these bait [packs][pouches] individually.

Net Weight: 0.35 oz (10 grams)

Alternate pack sizes:

Net Weight: 1.4 oz. (40 grams)

#### **ALTERNATE CAUTION LANGUAGE:**

See outer [package][pail][carton][label] for complete directions and precautions. It is illegal to sell these bait [packs][pouches] individually.

#### **Optional Statements:**

Made in France