

7173-292

07-19-2010

1/7



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

7173-292

Date of Issuance:

JUL 19 2010

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Roach Gel Bait Syringe

Name and Address of Registrant (include ZIP Code):

Liphatech, Inc.
3600 W. Elm Street
Milwaukee, WI 53209

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5), provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.

Continued on page 2

Signature of Approving Official:

John Hebert, Product Manager 07
Insecticide-Rodenticide Branch, Registration Division (7505P)

Date:

JUL 19 2010

3. Make the following label changes before you release the product for shipment:
 - a. Revise the EPA Reg. No. so it reads, "EPA Reg. No. 7173-292."
 - b. On page 1, revise the sentence under the product name to read, "For use in and around the perimeter of homes and residential structures."
 - c. On page 1, under the ingredient statement, change "Inert Ingredients" to "Other Ingredients."
 - d. On page 2, for prominence, bold the First Aid, Environmental Hazards, and Physical and Chemical Hazards headings. In addition, for prominence and consistency with other products, it is recommended that the First Aid and Storage and Disposal information be placed in a box of solid line.
 - e. On page 2, revise the heading "General Information" to read, "Product Information."
 - f. On page 5, for the individual syringe, bold the First Aid, Environmental Hazards, and Physical and Chemical Hazards headings.
 - g. Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself. This information can be added by non-notification per PR Notice 98-10.
4. For future submissions, make the following changes to your Confidential Statement of Formulation (EPA Form 8570-4):
 - a. Box 4: Revise the EPA Reg. No. so it reads, "EPA Reg. No. 7173-292."

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. If you have any questions, please contact Julie Chao at 703-308-8735 or chao.julie@epa.gov.

John Hebert, Product Manager 07
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosure

Front Panel:

ROACH GEL BAIT SYRINGE

FOR USE IN AND AROUND HOMES AND RESIDENTIAL STRUCTURES

Active Ingredient: Indoxacarb	0.3%
Inert Ingredients	99.7%
Total	100.0%

EPA Reg. No. 7173-_____


EPA Est. No.

KEEP OUT OF REACH OF CHILDREN

CAUTION: Do not treat areas that are easily accessible to children and pets. Do not allow children and pets to play with bait stations. Refer to back/side panels for additional precautionary statements and first aid information.

(Liphatech logo)
 Liphatech, Inc.
 3600 W. Elm Street
 Milwaukee, WI 53209
 (414) 351-1476

Net Weight: 1.06 ounces (30 grams)
in a dispenser syringe plus 4 refillable bait stations



ACCEPTED
 With COMMENTS
 In EPA Letter Dated:
JUL 19 2010
 Under the Federal Insecticide, Fungicide
 and Rodenticide Act, As amended, for the
 pesticide Registered under EPA Reg. No:
7173-292

Back Panel:

PRECAUTIONARY STATEMENTS
Hazard to Humans and Domestic Animals

CAUTION: Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Do not treat areas that are easily accessible to children and pets. Do not allow children and pets to play with bait stations.

First Aid: Have the product container or label with you when calling a poison control center or doctor, or going for treatment,

Environmental Hazards: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

Physical and Chemical Hazards: Do not use this product in or on electrical equipment where a possibility of shock hazard exists.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: This is a nonrefillable container. Do not reuse or refill the gel bait dispenser. Offer for recycling if available or dispose of empty container in the trash.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THIS LABEL and follow all use directions and precautions. Use only for sites, pests, and application methods specified on this label.

GENERAL INFORMATION: This ready-to-use gel bait formulation is very effective at controlling German and American cockroaches in and around homes and residential structures.

Before you start

- Apply to areas that are not easily accessible to children and pets.
- Do not apply this bait product to surfaces recently treated with residual sprays.
- Do not apply a residual spray to surfaces where this bait has been applied.
- Do not apply in or on electrical equipment due to the possibility of shock.
- Do not apply to surfaces that where food is prepared or handled.
- Do not allow open foods to contact the gel material.
- Do not apply in locations of high temperature or direct sunlight.
- Gel bait deposits may be cleaned up with a damp paper towel or rag, or if dried, use a putty knife to scrape and discard in trash.



5/7

Where to use:

Indoors, in kitchens, bathroom, basements, garages and laundry rooms, as a crack and crevice, spot treatment or bait station application. Apply to areas frequented by cockroaches such as openings leading to voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, and behind and under appliances and cabinets where cockroaches are typically known to hide.

Outdoors, as a spot, thin bead or bait station application at pest entry sites such as along windows and doors, sewer areas, adjacent trees that harbor cockroaches, utility entry points, along walls, garbage holding areas, and other locations that serve as harborage for cockroaches. Select bait gel placement locations to help reduce the potential for subsequent human contact.

How much to apply:

For light to moderate infestations, apply 1 to 3 spots of this gel bait per 10 linear feet or one square yard. For heavy infestations, use 3 to 5 spots of gel bait per 10 linear feet or one square yard. Each bait spot should equal about 0.5 grams (1/4" diameter spot).



Figure 1: Spot of gel bait approx 0.5 gram

For all levels of cockroach infestation , you can also apply this gel bait in lines approximately 1/8 inch wide by 2 inches long. Inspect placements of gel bait periodically and apply fresh bait as needed.





Figure 2: Line of gel bait approx 1/8 inch by 2 inches

How to apply:

Cockroaches prefer pressure on three sides of their body and spend 75% of their existence living in cracks and crevices. For this reason, syringe applications directly in cracks and crevices will go a long way in eradicating the cockroach population.

For bait spots or lines:

- Remove cap from syringe tip
- Place syringe tip at the surface to be treated
- Apply light pressure to the plunger of the syringe
- After dispensing gel bait, replace cap on syringe tip



For refillable bait stations:

To fill the bait stations with roach gel bait:

- Insert plunger into the open end of the syringe and then remove cap from syringe tip
- Place tip of the syringe into the hole in the center of the bait station.
- Gently apply pressure to the plunger to fill the empty bait station with two grams of bait. The bait station is properly filled when the gel bait reaches the top of the pie-shaped fill level indicator.
- When bait filling is complete, firmly replace the cap on the tip of the syringe.

Indoors, place 1 to 4 filled bait stations (hole side up) under sinks, behind appliances, inside cabinets, inside garbage containers, in corners of cupboards, closets, under furniture and other locations where roach activity has been observed.

Outdoors, place 1 to 4 filled bait stations (hole side up) where roaches are actively foraging for food along exterior walls, near garbage cans and doorway entrances. Roaches will forage for food and can consume the bait within a matter of a few hours. The clear bait station cap allows for easy inspection of roach activity. When the bait station is empty (or near empty), refill the empty bait station with two more grams of bait.

Important roach baiting reminder: Whether applying bait as a syringe or as a bait station, keep a fresh supply of bait available for roaches. The clear view cap allows for easy inspection of roach activity. Cockroaches can remain active year round and prefer locations near food and water, and will gravitate to warm indoor locations. For every one roach you see, hundreds more are harboring inside your walls. Cockroaches are primarily nocturnal feeders. Roaches seen during the day were most likely forced out due to overcrowding, a possible sign of a severe infestation.

Optional graphics and text

Where to place the gel bait

Picture with arrows pointing under refrigerator

Picture with arrows pointing under drawers

Picture with arrows pointing behind trash receptacle in kitchen

Picture with arrows pointing to inside of storage cabinet under sink

Picture with arrows pointing behind toilet in bathroom

Picture with arrows pointing to inside edge of bathroom sink cabinet

Picture with arrows pointing to cracks and crevices at base of cabinet

Optional information

How it works:

This gel bait is highly attractive to German and American cockroaches. The handy applicator makes it easy to apply small placements of gel bait. For high cockroach densities, more placements will allow more roaches to eat bait at the same time.

Optional marketing statements:

No odor formula

Starts working in hours

Starts killing in hours

For hard to reach places such as cracks and crevices

Gel bait attracts roaches in search of food and water

No mixing required

Ready-to-use

Convenient syringe applicator

Convenient applicator


Precision syringe applicator

Gets bait where the roaches live

Makes multiple bait placements quick and easy

Makes baiting quick and easy

Easy way to apply bait



2
7

Easy to apply multiple bait placements
Formulated specifically for cockroaches
Quickly consumed by roaches
Use indoors and outdoors
Kills roaches indoors and outdoors

Product facts

- Kills: German and American cockroaches
- Where to use: In and around homes and other buildings / structures where roaches have infested or where they travel to seek food, water or shelter
- When to use: When cockroaches are observed or there is evidence of an infestation in or around homes and buildings

Alternate warranty statements:

Satisfaction guaranteed or your money back.

Label on individual syringes:

ROACH GEL BAIT SYRINGE

Active Ingredient: Indoxacarb	0.3%
Inert Ingredients	99.7%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION: Do not treat areas that are easily accessible to children and pets. Do not allow children and pets to play with bait stations. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

First Aid: Have the product container or label with you when calling a poison control center or doctor, or going for treatment,

Environmental Hazards: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

Physical and Chemical Hazards: Do not use this product in or on electrical equipment where a possibility of shock hazard exists.

See outer package label for complete directions and precautions.

EPA Reg. No. 7173-_____

EPA Est. No.

Net Weight: 1.06 ounces (30 grams)

