

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 28, 2020

Kylli Paavola Sr. Regulatory Compliance Specialist LiphaTech, Inc. 3600 W. Elm Street Milwaukee, WI 52309

Subject: Label Amendment – Addition of bushy-tailed woodrat, optional marketing claims, and other minor changes Product Name: Bromethalin Soft Bait EPA Registration Number: 7173-304 Application Date: 06/10/2020 Decision Number: 568932

Dear Ms. Paavola,

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2 EPA Reg. No. 7173-304 Decision No. 568932

with FIFRA section 6. If you have any questions, please contact Paul Di Salvo by phone at 703-347-0322, or via email at disalvo.paul@epa.gov.

Sincerely,

Paul P. Salso for

Venus Eagle, Product Manager 01 Invertebrate and Vertebrate Branch 3 Registration Division (7505P) Office of Pesticide Programs

Enclosure: Stamped Label

Center/Front Panel:

Bromethalin Soft Bait

FOR INDOOR AND OUTDOOR USE

KILLS NORWAY RATS, ROOF RATS, HOUSE MICE, AND ANTICOAGULANT-RESISTANT NORWAY RATS, ROOF RATS AND HOUSE MICE

 (Optional when other species are listed as target species on label directions: KILLS OTHER RODENT SPECIES AS LISTED ON THIS LABEL)
 (Optional when other species are listed as target species on label directions: KILLS RATS, MICE, DEER MICE, PACK RATS*, AND MEADOW VOLES*)

NORWAY RATS AND HOUSE MICE MAY CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING BUT IT MAY TAKE TWO OR MORE DAYS FROM TIME OF BAIT CONSUMPTION FOR THEM TO DIE

DUE TO STOP FEED ACTION, RODENTS TYPICALLY FEED LESS OR CEASE FEEDING ALTOGETHER AFTER CONSUMING A TOXIC DOSE

Active Ingredient: bromethalin	0.01%
Other Ingredients	<u>99.99%</u>
Total	00.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side [back][inner][outer] panel [carton][label] for additional precautionary statements.

(Liphatech Logo) Liphatech, Inc. 3600 W. Elm Street Milwaukee, WI 53209 800-351-1476

Net Weight:

4 pounds up to 50 pounds

Each pouch contains 0.28 oz. (8 g)

Alternate package statement:

This bait is packaged in 0.28 ounce (8 grams) individual pouches.

*Use not permitted in California

EPA Reg. No. 7173-304 EPA Est. No. 7173-WI-1

Page 1 of 4 EPA Reg. No. 7173-304 Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 7173-304

ACCEPTED

12/28/2020

122220 Liphatech, Inc. Side/back/inner panel:

FIRST AID: Have this label with you when obtaining treatment advice.		
If swallowed:	Call a poison control center or doctor immediately for treatment advice.	
	Have person sip a glass of water if able to swallow.	
	 Do not induce vomiting unless told to do so by the poison control center or doctor. 	
	Do not give anything by mouth to an unconscious person.	
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 	
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	Call a poison control center or doctor immediately for treatment advice.	
lf on skin or	Take off contaminated clothing.	
clothing:	Rinse skin with plenty of cool water for 15-20 minutes.	
•	Call a poison control center or doctor immediately for treatment advice.	
TREATMENT FO	PR PET POISONING: If animal eats bait, call veterinarian at once.	
NOTE TO PHYSICIAN OR VETERINARIAN: Contains the nerve poison bromethalin. This is not an anticoagulant type rodenticide. There is no antidote. For humans or animals known or thought to have ingested bait within 4 hours, limit		

rodenticide. There is no antidote. For humans or animals known or thought to have ingested bait within 4 hours, limit absorption by emesis or lavage and with multiple treatments of activated charcoal. For humans or animals showing obvious poisoning symptoms (muscle tremors, loss of hind limb use, and/or seizures) treatment should be therapeutic and supportive.

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Keep away from children, domestic animals and pets. All handlers (including applicators) must wear long pants, shoes, socks, and waterproof gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing them. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet, and change into clean clothing.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of in trash or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. **[Plastic:]** Completely empty container then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill. **[Paper:]** Completely empty container, then dispose of empty container in trash or at an approved waste disposal facility.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Optional Statements:

Satisfaction guaranteed or your money back.

Page 2 of 4 EPA Reg. No. 7173-304

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamperresistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

USE RESTRICTIONS: This product can only be used to control Norway rats, roof rats and house mice

(Optional species that may be listed on label as target per	sts along with California restriction)
Deer mouse (Peromyscus maniculatus)	White-footed mouse (Peromyscus leucopus)
Cotton mouse (Peromyscus gossypinus)	Bushy-tailed woodrat* (Neotoma cinerea)
Cotton rat* (Sigmodon hispidus)	Meadow vole* (Microtus pennsylvanicus)
Eastern harvest mouse* (Reithrodontomys humuli)	White-throated woodrat* (Neotoma albigula)
Golden mouse* (Ochrotomys nuttalli)	Southern plains woodrat* (Neotoma micropus)
Polynesian rat* (Rattus exulans)	Mexican woodrat* (Neotoma mexicana)
*Not permitted for use against the following species in Ca	lifornia: Cotton rat, Eastern harvest mouse, Golden mo
Polynesian rat Meadow vole White-throated woodrat Sc	

*Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat, Bushy-tailed woodrat, and Mexican woodrat.

in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port or terminal buildings, and related structures around and associated with these sites. Fence and perimeter baiting beyond 100 feet from a structure, as defined above, is prohibited. Do not sell this product in individual containers holding less than 4 pounds of bait. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feed, food or feed handling equipment, or milk or meat handling equipment. Do not apply directly to food or feed crops. Do not broadcast bait. Burrow baiting with this product is prohibited.

Selection of Treatment Areas: Determine areas where rats and/or house mice [*when optional species are claimed:* rats, mice, and/or meadow voles] will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, beside burrows, or in locations where signs of rats and/or house mice [*when optional species are claimed:* rats, mice, and/or meadow voles] have been observed. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

The active ingredient in this product is different from anticoagulant rodenticides. Individual rats and mice typically feed less or cease feeding altogether after consuming a toxic dose.

Bait may be removed from the pouch and placed in a feeding device that secures the unwrapped bait in a bait station. Discard empty wrapper in the trash.

Page 3 of 4 EPA Reg. No. 7173-304 122220 Liphatech, Inc. House Mice [Mice and Meadow Voles*]: Apply 1 to 2 pouches per placement, usually spaced 8 to 12 feet apart. Up to 4 pouches may be needed at points of very high activity.

Rats: Apply 4 to 24 pouches per placement, usually spaced 15 to 30 feet apart. Adjust the amount of bait applied to the level of rat feeding expected at each bait placement.

Baiting Strategy: Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect placement and replenish bait at sites where there is evidence of heavy feeding or where there is continued evidence of rodent activity. Normally, the volume of bait consumed will be significantly less with bromethalin baits than the anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least one week to provide all rodents a chance to feed on the bait. Continue baiting until all signs of feeding have ceased.

Follow-up: Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all visible dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

<u>Optional Statements:</u> This bait [product] [alternate brand name] is attractive to rodents This bait [product] [alternate brand name] is palatable Helps stop damage caused by rodents Controls rodents Effective control Stop-feed action: rodents cease feeding after consuming a toxic dose Convenient & easy-to-use Pouches can be secured in a bait station, skewered on a wire and placed between or below floor slats, or on a nail (in locations out of reach of children, pets and non-target animals)

SOFT BAIT WRAPPER LABEL

Front Panel:

Bromethalin Soft Bait

KEEP OUT OF REACH OF CHILDREN, PETS AND NONTARGET ANIMALS

CAUTION: See carton for complete directions and precautions. It is illegal to sell these bait pouches individually.

Net Weight: 0.28 oz. (8 grams)

Back Panel:

Bromethalin Soft Bait
Active Ingredient:
Bromethalin 0.01%
Other Ingredients: <u>99.99%</u>
Total:
EPA Reg. No. 7173-304
EPA Est. No. 7173-WI-1
Liphatech, Inc., Milwaukee, WI 53209
800-351-1476