

BUTCHERS

Front Panel

BUTCHER'S QUANTUM DISINFECTANT CLEANER

Active Ingredients:

n-Alkyl (60ZC ₁₄ , 30ZC ₁₆ , 5ZC ₁₂ , 5ZC ₁₈ ,) dimethyl benzyl ammonium chlorides	4.5Z
n-Alkyl (68ZC ₁₂ , 32ZC ₁₄ ,) dimethyl ethylbenzyl ammonium chlorides	4.5Z
Inert Ingredients	<u>91.0Z</u>
Total	100.0Z

EPA Reg. No. 7176-13

EPA Est. No. 7176-MA-1

Keep Out Of Reach Of Children
DANGER

See back panel for additional precautionary statements.
THE BUTCHER POLISH CO. Marlborough, MA 01752

NET
ONE U.S. GALLON
3.785L

ACCEPTED


NOV 16 1988

Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 7176-13

Q.FP(7)
1/22/87

BUTCHERS

Quan.LC(9)
1/22/87



Label Copy

**BUTCHER'S
QUANTUM
Disinfectant Cleaner**

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISINFECTION - To clean and disinfect floors, and walls, tables, chairs, sinks and tubs, mix Quantum 1 oz. per gallon of water. Wet surface thoroughly with clean mop, sponge, or cloth. Allow to remain wet for 10 minutes, and to air dry. For heavily soiled areas, a pre-cleaning step is required. Quantum is for hospitals, nursing homes, schools, food processing and service facilities, and other institutions. At 1 oz. per gallon of water, Quantum is an effective disinfectant against:

Pseudomonas aeruginosa PRD-10	Brevibacterium ammoniagenes
Escherichia coli	Streptococcus faecalis
Klebsiella pneumoniae	Shigella dysenteriae
Salmonella schottmuelleri	Staphylococcus aureus
Salmonella choleraesuis	Enterobacter aerogenes

At this level the product is also fungicidal against pathogenic fungi, Trichophyton mentagrophytes, when used as directed on bathroom, shower room or locker room floors.

Efficacy tests have demonstrated that Quantum is an effective bactericide, fungicide, in the presence of organic soil (5% blood serum).

VIRUCIDAL ACTIVITY - The product, when used on hard nonporous inanimate surfaces at 1 oz. per gallon of water, exhibits effective virucidal activity against Influenza virus type A2 (Asian) (upper respiratory), Herpes simplex virus type 1 (causative agent of fever blisters), Adeno virus type 2 (swollen glands), and Vaccinia virus (representative of pox virus).

MILDEWSTAT - To control mold and mildew on pre-cleaned hard nonporous surfaces (such as floors, walls, table tops) mix 1 oz. per gallon of water. Apply solution with a cloth, mop or sponge, making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears.

BUTCHERS

3/6

ACCEPTED
NOV 16 1988
Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 7176-13

PRECAUTIONARY STATEMENT

Hazard to Human and Domestic Animals
DANGER

Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Wash thoroughly with soap and water after using. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL: Store in original container away from extreme heat or cold. Collect any spilled material for proper disposal.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

THE BUTCHER POLISH CO. Marlborough, MA 01752

1 GALLON SIZE

Q.FP(7)
1/22/87

BUTCHERS

**BUTCHER'S QUANTUM
DISINFECTANT
CLEANER**

Active Ingredients:

n-Alkyl (60XC ₁₄ , 30XC ₁₆ , 5XC ₁₂ , 5XC ₁₈ ,) dimethyl benzyl ammonium chlorides	4.5Z
n-Alkyl (68XC ₁₂ , 32XC ₁₄ ,) dimethyl ethylbenzyl ammonium chlorides	4.5Z
Inert Ingredients	<u>91.0Z</u>
Total	100.0Z


EPA Reg. No. 7176-13

EPA Est. No. 7176-MA-1

**Keep Out Of Reach Of Children
DANGER**

See back panel for additional precautionary statements.
THE BUTCHER POLISH CO. Marlborough, MA 01752

NET
FIVE U.S. GALLONS
16.945L



Q.PP(7)

10/19/87

PRELIMINARY BUTCHERS

STORAGE and DISPOSAL: Store in original container away from extreme heat or cold. Collect any spilled material for proper disposal.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

ACCEPTED
NOV 16 1988
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 7176-13

3 and 55 GALLON SIZES

Q.PP(7)

10/19/87