(Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.)





Bath Mate Acid-Free Disinfectant Washroom Cleaner

Cleans • Disinfects • Deodorizes • Ready-To-Use • Mildewstatic

Active Ingredients:	
n-Alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆) dimethyl benzyl ammonium chloride	0.06%
Didecyl dimethyl ammonium chloride	0.02%
Other (Inert) Ingredients:	<u>99.92%</u>
Total:	

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements on back (side) (left) (right) (panel) (of) (label) (below).

Net Contents:

JUN 2 1 2004

Under the Federal Insacticide, Fungicide, and Rodenfolde Act as arrenden, for the positicide, registered under EPA Reg. No. 7176-25

Product of U.S.A.

3-16-04 Page 1 of 4 EPA Reg. No. 7176-25

(Marketing Text/Claims)

Cleans, disinfects and deodorizes toilet bowls, urinals, tubs, showers and other hard, non-porous washroom (restroom) surfaces. Use on glazed porcelain, glazed ceramic, sealed grout, stainless steel, formica, plexiglass, fiberglass and chrome.

An effective one-step cleaner disinfectant in the presence of organic soil load. For daily washroom (restroom) cleaning in hospitals, motels, hotels, nursing homes, business and industrial buildings, restaurants and food plants. Non-acid formula with a fresh floral fragrance.

Kills Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, Staphylococcus aureus (Methicillin resistant (MRSA)), Influenza A/Hong Kong, Herpes Simplex Type 1 and Type 2, *Trichophyton mentagrophyt*es (athlete's foot fungus) and Chlamydiae trachomatis on hard, non-porous environmental surfaces in the presence of organic soil (5% blood serum).

Kills HIV-1* (Human Immunodeficiency Virus Type 1) which causes AIDS (Acquired Immunodeficiecy Syndrome). Against HIV-1 this product is virucidal after 1 minute (contact time) in the presence of organic soils (5% blood serum).

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Cleaning, Disinfecting and Deodorizing Toilet Bowls and Urinals:

- 1. Flush toilet or urinal. Lower the water level in the bowl by forcing water over trap with a bowl swab.
- 2. Remove excess water from bowl swab.
- 3. Apply 2 oz. of disinfectant solution to the bowl swab.
- 4. Swab all surfaces. Start under the rim and work down.
- 5. Leave treatment on surfaces for at least 10 minutes.
- 6. Flush toilet or urinal. Rinse bowl swab.

Preliminary cleaning is required for heavily soiled surfaces.

Cleaning, Disinfecting and Deodorizing Sinks, Tubs and Other Hard Non-Porous Surfaces:

- 1. Apply product with a cloth, sponge, mop or spray applicator to wet all surfaces thoroughly.
- 2. For heavier soils, agitate with a hand pad or brush if necessary.
- 3. Let treated surfaces remain wet for 10 minutes and rinse thoroughly.

Pre-clean heavily soiled surfaces before disinfecting.

To Control Mold and Mildew:

Apply product to pre-cleaned hard, non-porous environmental surfaces. Allow to air dry. Repeat application weekly or when growth reappears.

*Kills HIV-1 ON PRE-CLEANED INANIMATE SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

Contact Time: Allow surface to remain wet for 1 minute to kill HIV-1. For other organisms allow surface to remain wet for 10 minutes.

Disposal of Infectious Material: Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store only in tightly closed, original container in a secure area inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

(For containers 1 gallon for less:)

Do not reuse empty container. Rinse thoroughly, securely wrap in several layers of newspaper and discard empty container in trash.

(For containers greater than 1 gallon:)

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration or if allowed, by state and local authorities, by burning. If burned, stay out of smoke.

ENVIRONMENTAL HAZARDS (for containers 5 gallons and larger)

Do not discharge effluent containing this product into lakes, streams, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Harmful if inhaled. Avoid breathing spray mist. Remove contaminated clothing and wash clothing before reuse.

3-16-04 Page 3 of 4 EPA Reg. No. 7176-25

FIRST AID

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE. XXX-XXXX-XXXX

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

EPA Reg. No. 7176-25 EPA Est. No.

©2004 The Butcher Company, Sturtevant, WI, 53177 U.S.A.

EPA Rec

3-16-04 Page 4 of 4 EPA Reg. No. 7176-25