

Destun® 3M

Stop! Read the label before using.

EPA Reg. No. 7182-10

EPA Est. 10411-TN-01

Active Ingredient: Perflutidone*

1,1,1-Trifluoro-N-[2-methyl-4-(phenylsulfonyl)phenyl]methanesulfonamide

Inert Ingredients

50.0%

50.0%

100%

*U.S. Patent No. 4,005,141

CAUTION Keep out of reach of children

Precautionary Statements

Humans and Domestic Animals: Harmful if swallowed. If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. DO NOT induce vomiting or give anything by mouth to an unconscious person. Get medical attention. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Avoid breathing dust or spray mist.

Environmental: Keep out of lakes, ponds or streams. DO NOT contaminate water by cleaning equipment or disposal of wastes. DO NOT apply when weather conditions favor drift and runoff. Apply this product only as specified on this label.

5 Pounds
Net Contents

Directions For Use

General Information: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

A broadcast or band application of DESTUN 50WP Tobacco Herbicide is recommended for use over the top of blue cured tobacco at transplanting for control of many annual grasses and broadleaf weeds and suppression of yellow nutsedge.

Spray Equipment: Conventional spray equipment and Tee Jet nozzle tips 8002 to 8006 (or equivalent) should be used for broadcast applications and 8002E to 8006E (or equivalent) nozzle tips should be used for band treatments. A clean 50 mesh screen should be used at the nozzle. Spray equipment should be calibrated before spraying to ensure the correct dosage rate. Check the sprayer during application to be sure it is operating properly and delivering a uniform spray pattern. DO NOT use spray equipment for other purposes until thoroughly cleaned.

Mixing: Thoroughly mix DESTUN 50WP Herbicide as a paste or thick slurry in water in a separate container before adding to the spray tank. The spray tank should contain 1/2 the total amount of water to be used before adding the slurry with agitation. Use vigorous by pass or mechanical agitation in the spray tank. Avoid leaving spray mixture in tank without constant agitation.

Storage and Disposal: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide spray mixture or hose solution that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Dispose of container in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.