

ACTIVE algaecide is efficient, economical and stable in use dilution.

ACTIVE is compatible with all chemicals used in pool water and will not damage tile, concrete, metal, or plastics.

ACTIVE keeps pool water free and sparkling, clear of visible algae, slime and green brown colors.

ACTIVE improves filter operation and cuts down need for other chemicals.

ACTIVE imparts tone and a pleasant "feel" to swimming pool water.

EPA REG. No. 7189-4

Do not reuse container. Destroy when empty.

This product is toxic to fish. Do not discharge pool water into lakes, streams, or ponds.

CORROSIVE: Wear goggles or face shield and rubber gloves when handling.

ACTIVE SWIMMING POOL ALGAECIDE

Outstanding Algae Growth Depressant

ACTIVE INGREDIENT:

Alkyl * Dimethyl Benzyl Ammonium Chloride
* (C₁₄. 60%; C₁₂. 25%; C₁₆. 15%) 10%

INERT INGREDIENT: 90%

100%

Manufactured By:

ACTIVE CHEMICAL CORP.

P. O. BOX 97, HUNTINGDON VALLEY, PA.

ONE GALLON

WARNING

KEEP OUT OF REACH OF CHILDREN
Causes severe skin irritation. May cause eye injury. Do not get in eyes or on skin. In case of eye contact, flush copiously with water and seek medical attention. In case of skin contact, flush copiously with plenty of water immediately. Harmful if swallowed. Avoid contamination of food.

DIRECTIONS

Initial Application: To a cleaned pool add one gallon to 50,000 gallons of water, or ratio thereof.

Maintenance Dose: Use one quart per 50,000 gallons of water every 5 to 7 days. When weather is hot or bathing load is heavy, use this dosage every 5 days or as necessary.

Booster Dose: Immediately after every rain add one quart per 50,000 gallons of water as above.

Important: Follow above directions without fail, even when pool is not used. Algae growth must be fought at all times.

Pool-side Surfaces: After cleaning surfaces, use one oz. to four gallons of water for sanitizing or one oz. to two gallons of water for disinfecting.

FIRST AID

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Note to Physician: Probable mucosal damage may contraindicate gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

