

# DANGER POISON

## ANTIDOTE AND FIRST AID TREATMENT

**ATROPINE** is the EMERGENCY ANTIDOTE for METHYL PARATHION POISONING. Consult your physician about the proper dosage and supply of this drug. When you receive the antidote, apply it as directed. For more information, contact your local health department.

**INHALATION** If swallowed, call a physician immediately. Induce vomiting by introducing a finger into the throat or by giving warm salt water. Take a second glass of water. Repeat until vomit flows freely. NEVER INDUCE VOMITING BY METHOD OF ADMINISTRATION.

**EXPOSURE** If the material has been spilled on you, wash immediately and disrobe from the vicinity of the spill. Wash contaminated clothing and wash skin with plenty of running water. If the person gets into the eyes, flush immediately with running water for at least ten minutes.

**IF WARNING SYMBOLS APPEAR** Give or administer this antidote immediately. Call your physician for attention. If you have a WARNING SYMBOL ATROPINE, you have antidote for you and your family. Start with one respirator immediately if patients are in the area. Transport the patient immediately to the nearest hospital.

### NOTE TO PHYSICIAN

When used as directed, this insecticide is safe for humans and animals. However, it is a powerful poison and should be handled with care. It is highly toxic to fish and wildlife.

**TREATMENT** Atropine is the antidote for the parathion class of insecticides. Atropine is a parasympatholytic drug which blocks the action of acetylcholine at the cholinergic synapse. It is used to counteract the effects of parathion poisoning. The antidote is given in a series of doses. The first dose is given immediately and subsequent doses are given at intervals of 30 to 60 minutes. The total dose is 10 to 20 mg per 100 lb of body weight. Atropine is given by the intramuscular route. It is not given by the oral route because of its bitter taste. Atropine is also given by the intravenous route in severe cases. Atropine is given until the patient is no longer sweating and the heart rate is normal. Atropine is given until the patient is no longer sweating and the heart rate is normal.

### DANGER

Keep out of reach of children. Do not use in areas where children play. Do not use in areas where food is stored. Do not use in areas where animals are kept. Do not use in areas where water is used for drinking. Do not use in areas where water is used for irrigation. Do not use in areas where water is used for washing. Do not use in areas where water is used for bathing. Do not use in areas where water is used for swimming. Do not use in areas where water is used for fishing. Do not use in areas where water is used for boating. Do not use in areas where water is used for water skiing. Do not use in areas where water is used for water polo. Do not use in areas where water is used for water aerobics. Do not use in areas where water is used for water polo. Do not use in areas where water is used for water polo.

## DANGER—POISON—PRECAUTIONS



### POISONOUS IF SWALLOWED



### POISONOUS BY SKIN CONTACT



### POISONOUS IF BREATHED

### POISONOUS TO FISH AND WILDLIFE

Do not use in areas where fish and wildlife are present. Do not use in areas where water is used for drinking. Do not use in areas where water is used for irrigation. Do not use in areas where water is used for washing. Do not use in areas where water is used for bathing. Do not use in areas where water is used for swimming. Do not use in areas where water is used for fishing. Do not use in areas where water is used for boating. Do not use in areas where water is used for water skiing. Do not use in areas where water is used for water polo. Do not use in areas where water is used for water aerobics. Do not use in areas where water is used for water polo.

SOUTHERN FARMERS ASSOCIATION




# 4 LB. Methyl Parathion

## Emulsifiable Insecticide Concentrate

STOP - READ LABEL BEFORE USING!

### POISON

See Side Panels for Antidote & Precautions



### DANGER

Keep Out of Reach of Children

4 LB. Methyl Parathion Emulsifiable Insecticide Concentrate... 45.00  
 1 LB. Methyl Parathion Emulsifiable Insecticide Concentrate... 12.00  
 1/2 LB. Methyl Parathion Emulsifiable Insecticide Concentrate... 6.00  
 1/4 LB. Methyl Parathion Emulsifiable Insecticide Concentrate... 3.00

Distributed By

SOUTHERN FARMERS ASSOCIATION

815 NORTH BROADWAY  
 MEMPHIS, TENNESSEE 38102

DANGER POISON

NOTE AND FIRST AID TREATMENT

IS THE EMULSIFIABLE INSECTICIDE... METHYL PARATHION... consult your physician... supply...

If swallowed, call a physician... if inhaled, get into fresh air... if in eyes, flush with water...

If the material has been spilled... remove all contaminated clothing... wash with soap and running water...

Symptoms: Headache, dizziness, nausea, vomiting, diarrhea, weakness, blurred vision, difficulty breathing...

NOTE TO PHYSICIAN

Methyl Parathion is a cholinesterase inhibitor... Atropine is the specific therapeutic antidote...

Atropine is the specific therapeutic antidote... If there are signs of parasympathetic... atropine sulfate... interval... atropine sulfate...

DANGER



4 LB. Methyl Parathion Emulsifiable Insecticide Concentrate

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children

ACTIVE INGREDIENTS (by weight) \*0,0-dimethyl 0-p-ecrotophenyl thiophosphate... 45.47% Aromatic Petroleum Solvent (Xylene)... 48.47% INERT INGREDIENTS Inert (by weight) \*Methyl Parathion

Distributed By

SOUTHERN FARMERS ASSOCIATION

921 North 4th Street, New Orleans, Louisiana 70112

PRECAUTIONS IN USE

Do not use on food-bearing plants... Do not use on ornamental plants... Do not use on lawns... Do not use on water bodies... Do not use on fish ponds...

GENERAL DIRECTIONS

SFA 4 LB. Methyl Parathion can be used... on a wide variety of insects... Apply to the foliage... Use a fine mist nozzle...

DIRECTIONS FOR USE

For control of insects on ornamental plants... For control of insects on lawns... For control of insects on water bodies...

DISPOSAL OF EMPTY CONTAINERS

Do not reuse empty containers... Do not burn empty containers... Do not dump empty containers in water...

Additional information regarding safety and usage... Contact your local health department for more information...