RESTRICTED L E PESTICIDE

DUE TO FETOTOXICITY AND ONCOGENICITY IN ANIMALS.

For sale to and use only by certified applicators or by persons under their supervision and only for those uses covered by the certified applicator's certification.

PENTACON-40

LABELED FOR PRESSURE TREATMENT USE

ACTIVE INGREDIENTS:

Pentachlorophenol*	34.40%
Other Chlorophenols and related compounds*	4.00%
INERT INGREDIENTS:	61.60%
TOTAL	100.00%

*Equivalent to 40.0% Technical Pentachlorophenol

EPA Reg. No. 7234-11 EPA Est. No. 7234-NC-2

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENTS

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Flush with plenty of water. Get medical attention.

IF ON SKIN: Wash immediately with plenty of soap and water.

IF INHALED: Remove victim to fresh air. Get medical attention.

NOTE TO PHYSICIAN: This product is a metabolic stimulant. Treatment is supportive. Forced diuresis may be effective to reduce total body burden. Treat hyperthermia with physical measures. Do not administer aspirin, phenothiazines, or atropine since they may enhance toxicity.

AUG 3

1998

Refer To Additional Precautionary Information The Label Under The Heading "Precautionary Statements: Hazards To Humans And Domestic Arimals".

Manufactured by:

Charlotte, NC 28208

pesticide, registered under EPA Reg. No.

Under the Federal Insecticite, Funnicid NOTE: Seller makes no warranty, expressed or implied, concerning the Wood Protection Products, Infrodenticide Act as amended, for the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

PHYSICAL AND CHEMICAL HAZARDS

be or store near heat of open flame. Close container after each use.

The registrant has complied with all terms and conditions of the registration governing the composition of this product as approved by the United States Environmental Protection Agency under section 3 of the Federal Insecticide, Fungicide, and Rodenticide Act. The use of this product for any purpose other than those stated on the label, including use of this product in the manufacture or formulation of other pesticide products or in repackaging of the product, is prohibited.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product controls decay (rot) and molds, and preserves wood against attack by Fungi, Termites, Powder-Post Beetles and Carpenter Ants.

To make a ready-to-use solution for wood preservation mix this concentrate with a diluent petroleum solvent. This product mixes easily with solvents such as kerosene, fuel oil, mineral spirits, or other petroleum distillates. Final mixture of this product will depend on the density of the diluent oil. Solutions containing pentachlorophenol in ranges of 5 to 40% have been used successfully in treating wood to extend its useful service life. Wood products treated with correct amounts of pentachlorophenol will be protected against fungal attack, termites, stain and other decay organisms.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Storage of this product in unheated vessels is possible. Viscosity increases as temperatures decrease. KEEP AWAY FROM FIRE. DO NOT STORE NEAR OPEN FLAME.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for **EACCEPTE** Dayding or reconditioning, or puncture and dispose of in a sanitary dispose of in a sanitary procedures approved by state and local authorities. **DANGER:** May be fatal if swallowed, inhaled, or absorbed through skin. Causes skin and eye irritation. Causes delayed chemical burns. Do not get in eyes, on skin or on clothing. Do not breathe vapors, spray mist, or dust. Use with adequate ventilation. Do not take internally. Wash thoroughly after skin contact, before eating, drinking, use of tobacco products, or using restrooms.

The U.S. EPA has determined that pentachlorophenol can produce defects in the offspring of laboratory animals. Exposure to pentachlorophenol during pregnancy should be avoided.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation (e.g., manually opening/closing cylinder doors, moving trams out of cylinders, mixing chemicals, and handling freshly treated wood).

Applicators must wear gloves impervious to the wood treatment formulations in all situations where dermal contact is expected (e.g., handling freshly treated wood and manually opening cylinder doors).

Individuals who manually open cylinder doors must wear gloves and a respirator.

Individuals who enter pressure treatment cylinders and other related equipment that is contaminated with wood treatment formulation (e.g., cylinders that are in operation or are not free of the treatment solution) must wear protective clothing (including overalls, jackets, gloves, and boots) impervious to the wood treatment formulation, and a respirator.

Protective clothing must be changed when it shows signs of contamination. Applicators must leave all protective clothing, workshoes or boots, and equipment at the plant. Worn-out protective clothing and workshoes or boots must be left at the treatment plant and disposed of in any general landfill, in the trash, or in any other manner approved for pesticide disposal.

NOTE TO USER: As used on this label, the term "respirators" means properly fitting, well-maintained, half-mask canister or cartridge respirators which are MSHA/NIOSH-approved for organic vapors and acid gases. Examples of acceptable materials for protective clothing (e.g., gloves, overalls, jackets, and boots) required during application and handling of pentachlorophenol are polyvinyl acetate (PVA), polyvinyl chloride (PVC), neoprene, NBR (Buna-N), and nitrile. In addition, plastic-coated disposable coveralls impervious to dust are acceptable for dust protection.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless and in accordance with requirements of a National Pollutant Discharge Elimination System (NPDES) permit, and that the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying a local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.