

HOUSEHOLD INSECT CONTROL

Directions: Add 2 ounces of Heptachlor Emulsifiable to one gallon of water (0.5% emulsion) Apply as follows:

Insect	% Concentration	Treatment Information
Roaches (Waterbugs)	0.5%	Thoroughly spray infested cracks, hiding places and adjacent exposed surfaces where they crawl.
Ants	0.5%	Spray trails and areas around door sills and window frames.
Silverfish & Firebrats	0.5%	Spray baseboards, areas behind shelving, book cases and storage areas.
Flies, Mosquitos, Wasps	0.5%	Spray surfaces such as doors, around windows and areas frequented by these pests. Also, treat screens, window frames and door sills.

TERMITE CONTROL

Insect	% Concentration	Treatment Information
Termites	0.5%	Make application to the soil as specified for termite control.

TURF INSECT CONTROL

TOXIC TO FISH AND WILDLIFE. Keep out of any body of water; lakes, streams, and ponds. Birds feeding in treated areas may be harmed.

(for lawns, park areas, golf courses, cemeteries, nurseries)

MIX DIRECTIONS: Add 1 1/4 oz. FORHEP 4 to each gallon water to obtain diluted product for turf insect control.

ACCEPTED
 4-28-67
 UNDER THE FEDERAL INSECTICIDE ACT
 FUNGICIDE AND MOLLUSCICIDE ACT
 FOR THE FEDERAL REGISTER
 ED UNLESS OTHERWISE REGISTERED

FORHEP-4

HEPTACHLOR EMULSIFIABLE

(Contains 4.05 lbs. Technical Heptachlor per Gallon Equivalent to 3.00 lbs. Actual Heptachlor plus 1.05 lbs. Related Compounds.)

ACTIVE INGREDIENTS

Heptachlor*	32.65%
Related Compounds*	11.48%
Petroleum Distillate	50.87%

INERT INGREDIENTS --- 5.00%

TOTAL ----- 100.00%

DILUTED PRODUCT DOSAGE:

Insect	Per Acre	Per 1000 Sq. Ft.	Treatment Information
Ants	49 gal	1.1 gal	Apply to the soil.
Asiatic Garden Beetle Larvae	49 gal	1.1 gal	Wash into the top few inches of the soil.
Black Vine Weevil	24.5 gal	5.6 gal	Work into the top few inches of the soil.
Chiggers	24.5 gal	.6 gal	Apply to grass, turf or ornamental plants.
Earwigs	24.5 gal	.6 gal	Apply around the base of trees, under shrubs, along walks, fences and foundation of buildings.
European Chafer Larvae	49 gal	1.1 gal	Wash into the top few inches of the soil.
Fleas	24.5 gal	1.1 gal	Apply to grass, turf or ornamental plants.
Grasshoppers	.6 gal	.25 gal	Apply to grass, turf or ornamental plants.
Green June Beetle	73 gal	1.6 gal	Wash into the top few inches of the soil.
Japanese Beetle Larvae	49 gal	1.1 gal	Wash into the top few inches of the soil.
Mosquitoes	10 gal	.2 gal	Make application to grass, turf or ornamentals.
Ticks	24.5 gal	.6 gal	Apply to grass, turf or ornamental plants.
White-Fringed Beetle Larvae	49 gal	1.1 gal	Wash into the top few inches of the soil.
White Grubs	49 gal	1.1 gal	Wash into the top few inches of the soil.
Wireworms	49 gal	1.1 gal	Work into the soil.

* HEPTACHLOROTETRAHYDRO - 4, 7 - METHANOINDENE

WARNING: Keep out of reach of children
SEE REAR PANEL FOR OTHER WARNING

NET CONTENTS

GALLONS



ANOTHER FINE PRODUCT OF

FORSHAW CHEMICALS, INC.

P. O. BOX 6055

CHARLOTTE, N. C. 28207

ACCEPTED

4-28-67

7234-31

FOR USE IN THE UNITED STATES
ED UNDER NO.

WARNING:

TERMITE CONTROL

DIRECTIONS:

Add 1 gallon of Heptachlor Emulsifiable to 72 gallons of water (0.5% emulsion). Apply the 0.5% emulsion as follows:

1—Slab-Type Construction

- a—Apply 1 gallon per 10 square feet as an overall pre-construction treatment under the slab and along attached porches or entrance platforms.
- b—Apply 2 gallons per 5 lineal feet to critical areas under the slab as pre-construction treatment, such as along the inside of the foundation walls and around utility entrances and interior partition foundation walls.
- c—Apply 2 gallons per 5 lineal feet in a trench along the outside of foundation walls, including entrance platforms and porches where the foundation is not more than 15-18 inches deep.

2—Building With Crawl Spaces

- a—Apply 2 gallons per 5 lineal feet in a trench along the outside of foundation walls, including entrance platforms and porches where the foundation is not more than 15-18 inches deep. If over 15-18 inches deep but not over 30 inches, apply 4 gallons per 5 lineal feet. Do not go deeper than the top of the footing.
- b—Apply 2 gallons per 5 lineal feet as a trenching application to critical areas under the house, such as along the inside of foundation walls and around piers and utility entrances. If trench is deeper than 15-18 inches but not over 30 inches, apply 4 gallons per 5 lineal feet. Do not go deeper than the top of the footing.
- c—Apply 1 gallon per 10 square feet of soil surface as a pre-construction treatment where the attached porches, entrance platforms, utility entrances, etc., have covering slab on fill of ground.
- d—Apply 1 gallon per 5 lineal feet of wall to voids in hollow masonry units of the foundation.

3—Buildings With Basements

- a—Apply 1 gallon per 10 square feet as an overall pre-construction treatment under the basement flooring, attached porches, entrance platforms, utility entrances, and similar situations where slab fill is at ground level.
- b—Apply 2 gallons per 5 lineal feet in a trench along the outside of foundation walls, including entrance platforms and porches where the foundation is not more than 15-18 inches deep. If over 15-18 inches deep but not over 30 inches, apply 4 gallons per 5 lineal feet. Do not go deeper than the top of the footing.
- c—Apply 2 gallons per 5 lineal feet as a trenching application to critical areas under the house, such as along the inside of foundation walls, porches, entrances and piers. If trench is deeper than 15-18 inches but not over 30 inches, apply 4 gallons per 5 lineal feet. Do not go deeper than the top of the footing.
- d—Treat all voids in hollow masonry units of the foundation at the rate of 1 gallon per 5 lineal feet of wall.

Premises treated with 0.5% heptachlor will give residual control for termites for a minimum of five years.

May be fatal if swallowed. Do not breathe vapor, dust or spray mist. Do not get on skin. In case of contact wash immediately with soap and water. Do not contaminate feed and foodstuffs.

Do not apply when weather conditions favor drift of spray from areas treated.

Birds feeding in treated area may be harmed.

ANTIDOTE:

External—In case of spillage on skin, wash promptly with soap and water.

Internal—Emetic of 1 tablespoonful mustard in tumbler of water.

Call a physician.

WARNING

KEEP OUT OF REACH OF CHILDREN

Keep children and pets off treated area until this material is washed into the soil and area is thoroughly dry.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes or by burning. (Keep out of smoke.)

NOTICE

Neither the manufacturer nor the seller makes any representation or warranty, express or implied, concerning this material, except that it is of the manufacturer's standard quality. Neither shall be held responsible in any manner for any personal injury or property damage or other type of loss resulting from the handling, storage or use of this material. The buyer accepts and uses this material on these conditions.