17.41 233 FUREOG PBPP - ,

 pecialized fog. . . THE ME ME . . and the state of the second the second se and the second

THITE is a semi-concent

Forfog-PBPP

AN FFFELTIVE - LON SENT -CENTRATE FOR FAST KNOCKOOWN AND K

> For exposed Files, Roaches, G. ats. Storid. Grain Pests and others on Food Processing Plants, Restaurants, Dairy Barris and Food. Storage Warehouses


DIRECTIONS

FORFOG PBPP F : Construction of the second street, and the second second street, and the second street, the second street, and and the second state of the second wether the addition of the term of the term of the second s ver matery concerns to concern per granary wee vil, rice weeks and constants paper prether, andours ois grain moth, Mediterrateur, fleur moth and gran Use Fog equipment of accordance with march Π facturer's direction. Dosage by togging should be 2 to 6 ounces per 1,000 cubic feet of space. Repeat treat ments at intervals as needed. Do not remain as treates areas, ventilate the area after treatment is completed Spray application for crawling insects named above. thoroughly spray with a coarse wet spray with repeated treatments into all parts of rooms suspected of harboring these pests. Pay particular attention to cracks and hidden surfaces around sinks or food storage areas where these insects may be hiding. This is a contact insecticide and it is necessary in all cases that the insects be contacted directly with the spray to obtain results.

EPA Registration No 7234 33 EPA Ert No. 7234 - NC - 2

......

CAUTION: Keep out of reach of children. See Back Panel for Additional Cautions



• • <u>• .</u> . THEFT EAST OFFTE THE 2002003

. .

and the state of the and the second From the construction of the construction o

in the property of the second se

. . . **.** . .

Keep out of reach of children.

• •

Bettow pethy tands and fish bowls before fogging.

Do not rease empty dram. Return to drum conditioner or destroy by perforating or crushing and burying is a rafe place away from water supplies.

Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or I. ling of this material when such use and/or handling is contrary to label instructions.





a semi concenmillized fog - And Mic-

e de la construction de la const والمبالي والمنافر المناب والمنافي المنافي والمنافي والمنافي والمراجم المسوع فالفاق the state of the second st

Forfog-PBPP

AN EFFECTIVE FOGGING SEMI - CON-CENTRATE FOR FAST KNOCKDOWN AND KILL

> For exposed Flies, Roaches, Gnats, Stored Grain Pests and others, in Food Processing Plants, Restaurants, Dairy Barns and Food Storage Warehouses.

DIRECTIONS

In proper fogging application FORFOG PBPP Fog Co^{r} ate kills the accessible, exposed stages of flies mosquitoes, silverfish, small flying moths, grats, cric kets, roaches, spiders, scorpions, waspy, hornets, clover mites, meese mites cheese skipper granary wea vil, rice weevel, grain beetle, spider beetles, angoumois grain moth, Mediterranean flour moth and grain mites. Use Fog equipment in accordance with manufacturer's direction. Dosage by fogging should be 2 to 6 ounces per 1,000 cubic feet of space. Repeat treatments at intervals as needed. Do not remain in treated areas, ventilate the area after treatment is completed. Spray application for crawling insects named above, thoroughly spray with a coarse wet spray with repeated treatments into all parts of rooms suspected of harboring these pests. Pay particular attention to cracks and hidden surfaces around sinks or food storage areas where these insects may be hiding. This is a contact insecticide and it is necessary in all cases that the insects be contacted directly with the spray to obtain results.

EPA Registration No. 7234 - 33 EPA Est. No. 7234 NC - 2

ACTIVE INGREDIENTS Piperonyl Butoxide, Technical** Pyrethrins Petroleum distilla e Tetrachloroethylene

** Equivalent to 1.20% of (butylcarbityl) (6 propylpiperonyl) ether, and to 30% of related compounds.

CAUTION: Keep out of reach of children.

See Back Panel for Additional Cautions



650 STATE STREET, CHARLOTTE, N. C. 28208

100.00 % 1.5 0.15 % 68.35% 30.00%

CAUTION

Use FORFOG PBPP is food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food process ing surfaces should be covered or thoroughly cleaned. before using.

This insecticide is an oil base material. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Keep out of reach of children. Harmful if swallowed.

Keep out of reach of children.

Remove pets, birds and fish bowls before fogging.

Do not reuse empty drum. Return to drum conditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or I. ling of this material when such use and/or handling is contrary to label instructions.

