

## DIRECTIONS

NET  
CONTENTS

## GALLON

FORMAL-50 is especially suited for the preparation of stable emulsions upon mixing with water. These mixtures are easily applied by means of hand power sprayers and garden flowers. This emulsion is effective in the control and control of many other insects as listed on this label, mites and aphids.

## APPLICATIONS WITHIN FOOD AREA OF FOOD HANDLING ESTABLISHMENTS-Limited to Crack and Crevice Treatment

**ONLY**-Apply with equipment that can deliver a fine stream of a small amount of FOR-MAL 50 directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, contacts or hollow equipment legs where roaches and ants hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Application of this product in the food areas of food handling establishments, other than as a crack and crevice treatment, is not permitted.

**FLY CONTROL:** As a spray, mix FOR-MAL 50 at the rate of 1 pt./gal. per 50 gal. water (pt. 60oz.). Apply the spray, from outside farm buildings and over all areas of the exterior of incoming feed, feed storage, feed processing, and feed delivery areas. The spray should be applied to the feed, feed storage, and feed delivery areas at least once per week. The spray should be applied to the exterior of the building and to the ground around the building.


**FOR-MAL 50**

## MANUFACTURED BY

## ACTIVE INGREDIENT

Malathion -O,O-Dimethyl dithiobisphthalate of diethyl mercapt succinate  
Petroleum Hydrocarbons

## INERT INGREDIENTS



## CAUTION

KEEP OUT OF REACH OF CHILDREN  
See Back Panel for Additional Warnings



ANOTHER FINE PRODUCT OF

**FORSHAW CHEMICALS, INC.**

NET  
CONTENTS

GALLONS

# FOR-MAL 50

Malathion 50% - Methyl Benzoate, w/ Spider mites,

make two or more applications of a spray containing 1-1.2 pts.

FOR-MAL 50 with sufficient water to cover one acre. Make no

applications on plants later than 10 days before harvest.

ORNAMENTALS: For control of aphids, spider mites, whitefly,  
mealybug, thrips, Japanese beetle adult, four-lined leaf bug  
damaged plant bug, rose leaf hopper, potato leaf hopper, and  
book scale crawler on ornamentals. Apply 1-1.2 pts. per 100  
gallons water. For control of softbrown scale and Monterey pine  
scale on ornamentals, apply 2-1.2 pts. FOR-MAL 50 per 100 gals.

NOTE: Injury may occur on certain ferns including Boston,  
Maiden hair and Pteris, as well as some species of Crassula.

50%

## CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid  
breathing of vapors or spray mist. Avoid contact with skin. Wash  
thoroughly after using. Do not get in eyes, mouth or on  
clothing. For eyes, get medical attention. Avoid contamination  
of feed and feeders. Highly toxic to fish--do not contaminate  
any body of water by spillage, drift, cleaning of  
equipment, or disposal of containers. Do not drink  
empty containers. Do not allow containers to remain  
near any body of water or to leak away from water supply.  
Do not drink water from containers exposed to spray or  
water. Protect the environment by avoiding  
contamination of soil, water and surface waters.

## Forshaw Chemicals, Inc.



## CAUTION

KEEP OUT OF REACH OF CHILDREN

See Back Panel for Additional Cautions



ANOTHER FINE PRODUCT OF

**FORSHAW CHEMICALS, INC.**

P.O. BOX 607

CHARLOTTE, N.C. 28201