

[7234-53]

FOR SYN

KILLS: HOUSEFLIES, MOSQUITOES, GNATS, WASPS

ACTIVE INGREDIENTS:

(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	0.100%
Related compounds	0.014%
Aromatic petroleum distillate	0.132%
Petroleum distillate	99.750%
INERT INGREDIENTS:	0.004%
	100.00%

*Cis/trans isomers ratio: max 30% (±)cis and min. 70% (±)trans.
+U. S. Patent No. 3,465,007

CAUTION

KEEP OUT OF REACH OF CHILDREN
See Back Panel for Additional Cautions

Harmful if swallowed. Avoid contamination of feed and food-stuffs. Cover fishbowls when spraying. Do not store near heat or open flame. Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

MANUFACTURED BY



ANOTHER FINE PRODUCT OF

FORSHAW CHEMICALS, INC.

P. O. BOX 6055

CHARLOTTE, N. C. 28207

NET
CONTENTS

GALLONS

DIRECTIONS FOR USE

FOR FLIES, MOSQUITOES, AND GNATS: Close doors and windows. Spray freely toward ceiling in all directions until room is filled with mist, then leave the room. Keep doors closed for at least 15 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting AS MANY INSECTS AS POSSIBLE. Repeat as necessary.


CAUTION

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

WARRANTY NOTICE

Letter makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

SPECIMEN LABEL



[7234-54]

DIRECTIONS FOR USE

FOR INDOOR USE ONLY

For most effective results use in a good sprayer adjusted to deliver a fine mist.

FOR HOUSEFLIES, MOSQUITOES, AND GNATS: Close all doors and windows. Fix at nozzle upward, direct the spray mist to all parts of the room, especially windows and other flying sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes, ventilate the room when treatment is completed.

WASPS: Application should be made in late evening when the insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

FOR CRAWLING INSECTS: Roaches, earwigs, drain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

DILUTING INSTRUCTIONS

Dilute to 0.5% SBP-1382 by adding 1 part by weight of the 2.5% concentrate to 4 parts of petroleum distillate.

This concentrate is especially compounded for use in bottling plants, breweries, food processing houses, bakeries, markets, restaurants, stores, hotels, theaters, hospitals, institutions and homes. When used in food-processing areas, foods and

NET
CONTENTS

GALLONS

FOR SYN 2.5

SBP-1382

ACTIVE INGREDIENTS:

1-(2-ethyl-2-phenylmethyl-2,2-dimethyl-2-methylpropenyl)cyclopropane carbonylate	2.500%
Related compounds	1.041%
inert materials	2.000%
petroleum distillate	94.459%
NET CONTENTS:	2.500%
	10.000%

* Cis-trans isomers ratio: max. 50% cis and min. 40% trans.

US Patent No. 3,465,007

SPECIAL LABEL

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Back Panel for Additional Cautions

MANUFACTURED BY



ANOTHER FINE PRODUCT OF

FORSHAW CHEMICALS, INC.

P. O. BOX 6855

CHARLOTTE, N. C. 28207

utensils should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation.

CAUTION

Avoid contamination of feeds and foodstuffs. Cover or remove fish-bowls. Use as a space spray in food processing plant only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 7 days after spraying. Do not return patients to room until after ventilation.

Harmful if swallowed.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA REG. NO. 7234-54

