

PM 23 7231-131



READY-TO-USE VEGETATION KILLER

FLORA
TOX

BARE GROUND WEED CONTROL
AROUND: Guard Rails, Airports,
Military Installations, Highway Medians,
Pipelines, Railroads, Lumber Yards,
Rights-of-Way, Buildings, Storage
Areas, Fences, Pumps, Machinery,
Fuel Tanks, Drainage Ditch Banks,
Recreational Areas, Roadways... or
Similar Areas

ACTIVE INGREDIENTS:

Prometon: 2,4-bis(isopropylamino)-6-methoxy-s-triazine 5%
Petroleum distillate 94.0%

INERT INGREDIENTS: 4.5%

TOTAL 100.0%

EPA Reg No 723 154-AA EPA Est No 2393-WI-1

CAUTION

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS

GALLONS

MANUFACTURED FOR

CROWN CHEMICALS

ROCKFORD, ILLINOIS 61101

243

Important: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

Since weather and other conditions under which this product may be used will vary, the Seller makes no warranty expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

CAUTION: Harmful if swallowed. Do not induce vomiting. Call a physician immediately. Avoid contact with eyes and skin. In case of skin contact, wash with soap and water. Avoid inhalation of spray mist. Avoid contamination of food and feed.

Do not contaminate water used for irrigation or domestic purposes.

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse container. Destroy when empty.

Do not use, pour, spill or store near heat or open flame. Store at temperatures above 32°F.

GTA

CODE 11 10 75 1 2 3 4 5 6 7 8 9 (12 76)

DIRECTIONS FOR USE

Uniformly spray $2\frac{1}{2}$ - 3 gallons per 1,000 sq. ft. of soil surface, undiluted (1 gal. per 333 to 400 sq. ft. or a strip 4 inches wide, 1,000 to 1,200 ft. long or 100 - 120 gallons per acre). Thoroughly wet all foliage to insure contact action. Best results are obtained when applications are made during or after weed emergence while growth is succulent. Where vegetation is tall and dense, use 5 gallons per 1,000 sq. ft. (1 gal. per 200 sq. ft. or 200 gallons per acre). For control of hard-to-kill perennial weeds and grasses such as johnsongrass, bindweed, and wild carrot, use 8 - 12 gallons per 1,000 sq. ft. (1 gal. per 83 to 125 sq. ft. or 348.5 to 522.5 gallons per acre). Although Crown "Ready-To-Use" Vegetation Killer has considerable activity through foliar contact, much of its activity is through the roots and therefore, adequate rainfall to move the chemical into the root zone is necessary.

Under conditions where the rainfall is high and the growing season long, a second application may be necessary to maintain a weed-free soil surface.

Care must be taken to keep this herbicide away from desirable flower beds, lawns and shrubs. Do not apply over roots of valuable trees or woody ornamental plants. Only apply herbicide outside the dripline of trees. Avoid spray drift to desirable plants.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

NOTICE OF WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

CROWN CHEMICALS
ROCKFORD, ILLINOIS 61101