



BEST COPY AVAILABLE

JUL 13 1995

Under the termination and tangende, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1237-5

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

SWIMMING POOL WATER DISINFECTION FOR A NEW POOL OR SPRING STARTUP: Superchlorinate with 1 to 1.5 gallons of the product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain the alkalinity of the pool to between 80 to 100 ppm.

TO MAINTAIN THE POOL: Add manually or by a feeder device 26 ounces of this product for each 10,000 gailons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight, STABILIZED POOLS should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon the temperature and number of swimmers. Every 7 days, or as inecessary, superchlorinate the pool with 1 to 1.5 gallons of product for each 10,000 gallons of water to yield 5 to 10 ppm available chloring by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 and 3.0ppm. AT THE END OF THE SWIMMING POOL SEA-

SON OR WHEN WATER IS TO BE DRAINED FROM THE POOL: Chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

WINTERIZING POOLS: While water is still clear and clean, apply 7 ounces of product per 1,000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturer's instructions.

FOR CONTROL OF ALGAE: If algae growth develops resulting in a greenish growth on the pool sides and/or bottom, a slimy feel to the pool sides, or cloudiness in the pool water, treatment with Elite Econo Shock should be initiated. Adjust pool water pH to 7.2-7.6. Add 2.5 gallons of Elite Econo Shock in the evening for each 14,000 gallons of pool water. This dosage is equivalent to 10 ppm available chlorine by weight. After circulating the pool water for a minimum of four hours at 5-10 ppm available chlorine, turn the pool water recirculation system off. Brush pool sides and bottom thoroughly to loosen the dead algae. Vacuum the

pool the following morning. Do not allow swimmers to use the pool until a chlorine residual of 1.0-3.0 ppm has been established in the pool water. Repeat shock treatment as necessary.

STORAGE AND DISPOSAL:

Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container, but piace in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment. Store in upright position.

DISTRIBUTED BY:

Savol Bleach Company East Hartford, CT 06108

DANGER

PRECAUTIONARY STÂTEMEÑTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

STATEMENT OF PRACTICAL TREATMENT (FIRST AID): If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swellowed, drink large quantities of water. Do not induce vomiting. Call a physician or Poison Control Center immediately

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specially indentified and addressed in an NPDES permit. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARD: <u>STRONG OXIDIZING</u>

<u>AGENT</u> Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eves, lungs and mucous membranes.

THIS PRODUCT DEGRADES WITH AGE USE A CHLORINE TEST KIT AND INCREASE DOSAGE AS NECESSARY TO OBTAIN THE REQUIRED LEVELS OF AVAILABLE CHLORINE

5 SHIP AND STORE THIS CONTAINER IN AN UPRIGHT POSITIONS AT ALL TIMES VENTED CAP MAY LEAK, CAUSING BLEACHING AND DAMAGE.

ACCEPTED

JUL 1 3 1995

Under the form including, a mide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 7 2 67 5

BEST COPY AVAILABLE