

> ti

DIRECTIONS

Fogging operations outdoors should be confined to periods of little or no wind-in general, after sunset, Area to be fogged should always be downwind from fogging unit. Since adult mosqu(toes congregate in stirubbery and other vegetation, be sure these areas, are thoroughly fugged. Care should be taken, however, not to overexpose plant life, since any oil-base insecticide, when improperly used, may injure vegeta tion. Do not use on food or feed crops, During peak mosquito breeding season, apply Home & Patio Fogging Sgray at-frequent intervals. Repeat as necessary. General dutdoor fogging should be carried out coly under surface inversion conditions which usually exist only from and hour after sunset, through the night, ar until currise. During this time, providing the ward velocity is under 3.4 miles per hour, the too will regulate in the area and close to the ground the required time to be fully effective.

To control flies, mosquitoes and gnats, use 14 gallons Home & Patio Fogging Sp3ay per acre. Apply dense fog when wind is colim 1 to 5 seconds per 1,000 sq. ft.

DO NOT FOG INTO, OR NEAR AN OPEN FLAME.

Manufactured for ... CROWN CHEMICALS Rockford, IL 61103 U.S.A

Cade 4.14 69 1 2 8 4 5 6 7 8 9 17 60



ONLY FOR NAME TO, USE AND STORAGE BY SCRYICE PERSONS

THE FERM MERVILL OFRSON INC DEUDES BUT IS NOT LIMITED TO S JANTIOK, PEST CONTROL OPERA-FOR MAINTENANCE PERSON/LAWN-UMME AND LANDSCAPING PERSONNEL.


HOME & PATIO

FOGGING CPRAY





HOME & PATIO FOGGING SPRAY



WARNING

May be fatal if swallowed, inhaled or absorbed through the skin or eyes. Wash thoroughly with soap and water after handling and before eating or smoking. DO NOT contaminate feed, water or foodstuffs. Keep out of reach of children. If swallowed, call a physician immediately. Do not get in eyes, on skin or on clothing. Rapidly absorbed through skin or eyes. Do not breathe vapor spray mist. In case of contact, immediately ramove contaminated clothing and flush sk. and eyes with plenty of water; for eyes, get medical attention. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for protection against DDVF. Wash contaminated clothing with soap and hot water before reuse. Do not reuse shoes or boots.

TROPINE is antidotal.

This product is toxic to fish. Keep out of any body of water. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct freatment or residues on crops. Protective information may be obtained from your Cooperative Agril rat Extension Service.

Provide reuse container. Destroy by perforating or crushing the bury in a safe place or return drums to the term of safe place or return drums to

NOTICE OF WARRANTY

CROWN CHEMICALS MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USE WHICH EXTEND BEYOND THE STATEMENTS ON THIS LABEL.