

JAN 7 1972

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 7069-1 TOXOPHOS  
TO ATTACHED COMMENTS.

# PROLIN

**ACTIVE INGREDIENTS:**

Warfarin, [3--(Alpha-Acetylbenzyl)]

–4-Hydroxycoumarin]	0.025%
---------------------	--------

N<sup>1</sup> (2-Quinoxalinylyl) Sulfanilamide

(Sulfaquinoxaline) ..... 0.025%

INERT INGREDIENTS:.....99.950%

TOTAL 100.000%

## INSTRUCTIONS

**RATS:** Place 4 to 6 ounces of bait in dry container next to burrows, in runways, or where rats are accustomed to feed. Assure an uninterrupted supply of bait for a period of not less than 15 days and continue baiting until all signs of feeding have stopped. Replace stale, damp or moldy baits with fresh bait.

**MICE:** Place tablespoonful amounts of bait in shallow containers where mice or signs of mice have been seen. Bait stations at intervals of 8 to 12 feet are recommended. Assure an uninterrupted supply of bait for a period of not less than 15 days.

This rodenticide contains WARFARIN, an anticoagulant chemical that reduces the clotting ability of the blood and, upon repeated feedings, causes fatal hemorrhage in rats and mice. It also contains an anti-bacterial agent which inhibits bacteria that produce vitamin K, an antidote for WARFARIN.

Do not reuse container. Destroy when empty.

Achieve better results with proper baiting. Place baits along runways, behind boards, against wall. Keep bait dry. Open the bags and use as bait stations.

**RATS:** Place 4 to 6 ounces of bait in dry container next to burrows, in runways, or where rats are accustomed to feed. Assure an uninterrupted supply of bait for a period of not less than 15 days and continue baiting until all signs of feeding have stopped. Replace stale, damp or moldy baits with fresh bait.

**MICE:** Place tablespoonful amounts of bait in shallow containers where mice or signs of mice have been seen. Bait stations at intervals of 8 to 12 feet are recommended. Assure an uninterrupted supply of bait for a period of not less than 15 days.

This rodenticide contains WARFARIN, an anticoagulant chemical that reduces the clotting ability of the blood and, upon repeated feedings, causes fatal hemorrhage in rats and mice. It also contains an anti-bacterial agent which inhibits bacteria that produce vitamin K, an antidote for WARFARIN.

Do not reuse container. Destroy when empty.

Achieve better results with proper baiting. Place baits along runways, behind boards, against wall. Keep bait dry. Open the bags and use as bait stations.

### **CAUTION KEEP OUT OF REACH OF CHILDREN**

Protect children, pets, wildlife and domestic animals from bait. If swallowed, by humans, domestic animals, pets or wildlife, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin. In case of ingestion, call a physician.

### **GUARANTEE**

When used as directed on this container, rat and mouse killer pellets are so effective that we will cheerfully refund the purchase price if you are not completely satisfied with the results. Continued use of rat and mouse killer pellets according to directions is necessary to keep rats and mice under control on your property.

Manufactured by  
**CROWN CHEMICALS**  
Rockford, Illinois 61101

NET WEIGHT      LB

EPA REG. NO. 7273-60

Proin is a registered trademark of the  
Wisconsin Alumni Research Foundation for a rodenticide.